

Instructions for Lounger Twin


HARDWARE


H-8	2-1/4" CLEVIS PIN	4
H-12	3-1/4" CLEVIS PIN	4
H-5	HAIR PIN 🚅	8
H-11	WOOD DOWEL	32
H-19	1 - 3/4" WOOD SCREW +	20


PARTS



























Using (3) Middle Slats push the Wood Dowels into the edge holes on (2) Back Slat Caps.




Find the (2) Back Slats and push them onto the Wood Dowels on the Back Slat Caps.

The side labeled "BACK" faces down.






Using (3) Middle Slats push the Wood Dowels into the edge holes on (2) Seat Slat Caps.




Find the (2) Seat Slats and push them onto the Wood Dowels on the Seat Slat Caps. The side labeled "SEAT" faces down.



Use (1) Middle Slat and push the Wood Dowels into the edge holes on (2) Lounger Slat Cap.



Find the (2) Lounger Slats and push them onto the Wood Dowels on the Lounger Slat Caps.
The side labeled "LOUNGE" faces down.



This futon frame is made with Tulip Poplar. Any green tint in the wood will change to light brown in a few weeks. This will happen in 20 to 30 minutes if placed in direct sunlight. Tulip Poplar can be left unfinished, clear finished, stained, or painted. I prefer the lighter stains over the darker ones because the wood is fairly porous. My favorite is a clear finish with no stain. Satin polyurethane (oil or water based) works well.

Painting: It is best to start with an interior primer and lightly sand before painting.

Staining: Lightly sand before staining. Wipe stain on with a rag until you get the desired color. If you are going to use a top coat (such as polyurethane), do not sand again until after the first coat, and then be careful not to sand away the stain.

Finishing: All finishes work well with Tulip Poplar. A simple wax finish over stain (Minwax for example) is easy. An oil finish such as Danish oil can be used. Or a clear top coat such as polyurethane works well to seal the wood. With polyurethanes, the first coat acts as a sanding sealer. So you should lighty sand (180 - 220 grit sandpaper) after the first coat, wipe the wood clean, and then build up coats for the desired effect.

Operation:

