







Power Left Chair Assembly Manual




CAUTION THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.

Parts

A  Headrest	B  Seat	C  Back Cushion
D  Headrest Metal Rod × 2	E  Power Cord	


Before you begin

Locate the Headrest Metal Rod (D) under the bottom of the headrest packaging, and the Power Cord (E) at the bottom of the Power Left Chair Seat.




Step 1: As shown in the diagram, align the Headrest Metal Rod with the holes at the bottom of the headrest and tighten it.


Note: Make sure to tighten it fully. Otherwise, the headrest may wobble when leaned on.



Step 2: As shown in the diagram, insert the other end of the Headrest Metal Rod into the holes on the backrest, and make sure it is fully inserted into place.




Step 3: Place the back cushion on the seat cushion. The back cushion is movable and can be freely adjusted as needed.




How to Connect

Step 1: Lift the side of the sofa with the protruding side brackets, insert it into the side slots on the opposite side, to lock them into place.



Step 2: For Power Armless Chair, connect the wires piece by piece.



Step 3: Slightly lift the sofa armrest, then connect one end of the power cord into the DC adapter located at the bottom of the arm. Plug the other end of power cord into the power outlet.

Note: After all the connections are made, the green LED will be lit up.

