


Smart LED Outdoor Net Lights User Manual

I:Key Instruction



- Speed increases/decreases in Effect mode
- Speed increases/decreases In dynamic gallery mode
- Speed increases/decreases in left/right/up/down mode of static gallery
- Increased/decreased sensitivity in music mode

II.About Settings:


1) In the setting interface, you can set the color calibration, horizontal flip.



III:Detailed introduction of APP functions


1).Colorful

16 million colors can be picked up! You can edit the curtain light color in whole section or point paint, and adjust the brightness.




2) Effect function

There are built-in 17 lighting effects, and adjustable speed and brightness.




4) Gallery function

built-in dynamic pattern and static pattern selection, curtain lamp according to the selected pattern display lighting effect.




3) Font function

Click "□" to add text or built-in pattern. You can Change the color or base color of the text. It also achieves up and down, around, flicker, fixed and other effects.




5) DIY function

1. Click "+" to create multiple screens to generate dynamic lighting effects.




2. Click "+" to make DIY arbitrary patterns and texts. It can also achieves up and down, around, flicker, fixed and other effects. Create the perfect atmosphere for your favorite special occasion.



2. MIC


The lights color will change with the sound rhythm when your phone microphone catches the sound. The microphone sensitivity can be adjusted by the slider. There are two ways to input the audio signal on the controller, built in APP microphone and external microphone (For sound control version).



6). Music Mode


1. Synchronization function of lighting and music rhythm.

Click "Add Music" > Import a music file or import it from the built-in music library.




7) Light timer

Smart lights automatically come on and off at given times through the timer function, choose your favorite effect and color then save it.



8) Group Control

This mode allows you to create different groups to control more than one controllers at the same time.



Attentions

a) Please use the product in a dry environment. b) For input voltage, please use the DC voltage within the specified range as instructed in the manual, must not connect into 220V AC directly. c) The product is requested common anode connection. The wrong connection will cause a malfunction.

Specification

Input/output: 5V 2A

