

Requires two people and takes 2-3 hours for Installation.



OPERATING INSTRUCTIONS

Assembly Preparation

Owner's Manual

Please check local building codes regarding footings, location and other requirements before beginning construction. Study and understand this owner's manual of important information and helpful tips for easier and more enjoyable assembly.

Assembly instructions:

Reviewing all instructions and the appropriate information before you begin, make sure following the step sequence carefully for successful results.

Flooring base:


Your storage building must be anchored to prevent wind damage and Abased may necessary to construct a square and level building. The base is not included in the kit which may need purchase separately or may construct a foundation and anchoring system of your own. A good location for the storage building is a level area with good drainage.

Parts and Parts List:

Check to be sure that you have all the necessary parts for your building.

Tools you need:

(Please tear off the safety protection layer before the assembly, keep the part number label if needed)



Safety must be put in the No. 1 position:

1 Select a dry and calm day for your assembly. Team works (Two or more people) are required during the assembly;

2 Wearing safety gloves, eye protection and long sleeves during the assembly to prevent injury; Pay attention to the sharp edge of some parts;

3 Children and pets are not allowed entering into the construction site;

4 Never concentrate your total weight on the roof of the building. When using a step ladder make sure that it is safety;

Care & Maintenance:


1 Keep the shed clean with soft cloth, use water if necessary;

2 Keep the door tracks clear of dirt and other stuff that prevent them from sliding easily.


3 Clean the snow with necessary tools to make sure it is safe to enter into; Heavy snow may cause collapse, please make sure safety before entering into.


4 The shed is not made for living but storing stuff.

Size:





Area of installation requirement:








NO.	IMAGE	mm	QTY		NO.	IMAGE	mm	QTY
UNDER					Bm-A35		1543	x1
Bs-A1		1055	x1		Bm-31		1483	x2
Bs-A2		1074	x1		Bm-A32		876	x4
Bs-A3		1174	x2		Bs-A33		486	x1
Bs-A4		590	x1		Bs-A34		486	x1
Bs-A5		590	x1		Bs-A36		486	x1
Bs-A6		958	x1		Bs-A37		486	x1
MIDDLE					ANNEX			
Bm-A7	~~~~	1548	x8		T-P1	Ø		x4
Bm-A7a	~	1548	x1		T-P2	L.		x4
Bm-8	,	1548	x4		T-P3	Ŕ		x4
Bs-A9	1	995	x1		T-P4	Ø		x2
Bs-A10		995	x1		TP5A			x4
Bs-A11	<u>ل</u>	873	x1		T-P6	<u>Í</u>		x2
Bs-A12		1190	x1		T-P7	Ø	200	x1
As-A13	٦	1168	x2		T-P8			x2
Bm-16	- 7	1548	x1		Am-A40	0		x150
Bm-17		1548	x1		Am-A41	O	ST4X10	x210
Bs-A18		1050	x1		Am-A42	O	ST4X16	x16
TOP1					Am-A43	Om	M4X10	x62
As-A19		995.3	x2		Am-A44	6		x84
As-A20		995.3	x2					
As-A22	}	1174	x4					
T-A29	·	120	x2					
T-A29a		120	x2					
TOP2								
Am-A23		1090	x2					
Am-A24		1090	x4					
Am-A25		1090	x2					
Am-26		1296	x2					
As-A38		1088	x2					
As-A39		1088	x2					
Am-A28		1298	x1]				
DOOR								
Bm-A30	· · ·	1543	x1					






































DOOR







13



