CLOUD

ASSEMBLY INSTRUCTIONS



IMPORTANT SAFETY INSTRUCTIONS

Read these instructions carefully and retain them for future use. If this product is passed to a third party, then these instructions must be included.

1. Safety Instructions

When using the product, basic safety precautions should always be followed to reduce the risk of injury including the following:

- This product must be assembled by an adult.
- Wearing gloves during assembly is highly recommended.
- Keep children and pets away while assembling the product.
- Do not let children climb on or play with the product.
- Always use the product on a firm, level ground.
- Do not use this product if any parts are missing, damaged, or worn.
- To avoid scratching the floor, assemble the product on a soft surface, such as a carpet.
- Do not over-tighten the fasteners.
- Regularly examine the product for wear and tear. Stop using the product at the first sign of damage or if parts become detached.
- Do not use power tools to assemble the product. Power tools may strip or damage the parts.
- Do not stand on the seat.
- Do not sit on the armrest.
- Keep all sharp objects away from the upholstery.
- Do not hang anything on the product.

2. Assembly

- For additional illustrated assembly steps, refer to the end of the written instructions.

3. Before First Use

- Suffocation Hazard: Packaging materials and small components such as screws, bolts, and other fasteners can pose a suffocation hazard. Always keep these parts out of reach of children and pets during assembly and ensure they are securely fastened to the product to prevent them from becoming loose over time.

- Children's Safety: Never leave children unattended with the chair. Teach children not to play with the chair, as it is not a toy. Climbing on the chair or playing with its moving parts can lead to falls or injuries. Additionally, ensure the chair is adjusted to a safe and appropriate height for children's use to prevent their feet from dangling, which can cause discomfort or pressure.

- Pet Safety: Be mindful of pets around your chair products. Pets, particularly those with a tendency to chew or claw, can damage the chair or even ingest small parts, leading to potential injury or health issues. Consider using protective covers or deterrents if your pets are known to chew on furniture


- Remove all the packing materials.

- Review all components before assembly. Check the product for transport damages.

PRODUCT PRECAUTIONS

⚠ PINCH HAZARD






Take care when moving or folding the armrests. Keep hands and fingers away from moving sections and the space between the armrest and seat to avoid injury.

⚠ DO NOT SIT OR PLACE HEAVY OBJECTS ON THE ARMREST

X




X





Do not sit on the armrest or place heavy objects on it, whether the armrest is open or folded.
The armrest is not designed to support body weight or heavy loads and may cause the chair to become unstable or tip over.

※Please make sure all the parts are included.



BACKREST X1



SEAT X1



ARMREST X2



FOOTREST X1



CUSHION X1



CONTROL MECHANISM X1


METAL PLATE X1


FOOTREST HOLDER X2


WHEEL X5


CENTRAL BASE X1


BASE LEG X5


GAS LIFT CYLINDER X1


M8*20mm

Ⓐ X4
(PLATE-TILTING)


M6*25mm

Ⓑ X10
(FOOTREST HOLDER, FOOTREST, PLATE-BACKREST)


Ⓒ X1
(ALLEN KEY)


M6*20mm

Ⓓ X16
(TILTING, SEAT-ARMREST)


M5*16mm


Ⓔ X1
(FOOTREST-RAIL)


M6*14mm


Ⓕ X10
(BASE)

⚠ NOTICE


Do not tighten the bolts all the way before each bolt is in place per step.



Please use the **Allen key** included instead of an electric drill.




TIPS!




To remove any odor
leave the chair outside in a shaded area for 1-2 days.

Enjoy your new favorite chair


Our goal is to create a perfect customer experience.




·Instructions




STEP 1. **BOTTOM**




※Take off the plastic cover first




1. Insert the base legs into the central base so that the bolt holes are aligned and facing up.




2. Secure with bolts.
Make sure to fully tighten all 10 bolts.



3. Insert each wheel into the base leg while the base is still upside down.



4. Turn the base over, and place the plastic cover back on the base.




5. Insert the gas lift cylinder.


·Instructions



STEP 2. **SEAT**




6. Place the seat on top of the box with the bottom side up.



D X4


TILTING BOLT




8. Align the control mechanism with the bolt holes. Fully tighten the bolts using the included Allen key.

D X12

SEAT-ARMREST BOLT




7. Attach the armrests to the seat using the bolts.




B X4


FOOTREST HOLDER BOLT



9. Attach the footrest holders to the seat using the bolts.




11. Put the footrest cushion under the metal bar. Align the bolts vertically, then fully tighten all bolts.




Slide the footrest into the holder.

12. If the footrest does not slide smoothly, apply a small amount of lubricant to the rail for smooth movement.



13. Insert the included bolt into the hole on the inner side of the metal bar.




14. Attach the assembled seat to the base.


·Instructions




STEP 3. **BACKREST**




15. Open the rear backrest cover.



16. Align the metal plate with the backrest, then insert the bolts vertically and tighten them securely.



17. Insert the backrest into the seat connector.



18. Secure the metal plate with four bolts.


Done!




· User Manual

Check


If the **CONTROL MECHANISM** is installed correctly it should be on your **RIGHT** side.



Retractable Footrest




Height




· User Manual

Recline




Locking



Always lock the adjustment lever when the recline function is not in use to prevent sudden backrest movement and injury.

Armrest



Push the armrest inward from the 90° position to unlock it, then adjust it to the desired angle. The armrest can be adjusted to 6 positions between 90° and 180° and locked in place.

Care & Maintenance

Proper care and regular maintenance will help keep your chair clean and in good working condition.

CLEANING

- Clean regularly with a soft, dry or slightly damp cloth.
- Wipe up spills promptly with a clean cloth.
- Do not use abrasive cleaners, harsh chemicals, or excessive moisture.
- Follow any care instructions specific to the materials used on your chair.

REGULAR MAINTENANCE

- Periodically check and tighten all screws, bolts, and connections.
- Make sure the casters, base, and other components remain securely attached.
- Check regularly for signs of wear, looseness, or damage.
- Do not use the chair if any component is damaged or unstable.

CARE TIPS

- Use the chair on a stable, level surface.
- Avoid prolonged exposure to excessive heat, direct sunlight, or moisture.
- Do not drag the chair roughly across the floor.
- Use the chair only as intended and within the recommended weight capacity.