


Liquor Cabinet

Assembly Instructions - Please keep for future reference



Dimensions

Width - 120CM
Depth - 40CM
Height - 90CM

Important – Please read these instructions fully before starting assembly



Safety and Care Advice

Important – Please read these instructions fully before starting assembly

- Check you have all the components and tools listed on the following pages.
- Remove all fittings from the plastic bags and separate them into their groups.
- Keep children and animals away from the work area, small parts could choke if swallowed.
- Make sure you have enough space to layout the parts before starting.

- During assembly do not stand or put weight on the product, this could cause damage.
- Assemble the item as close to its final position (in the same room) as possible.
- Assemble on a soft level surface to avoid damaging the unit or your floor.
- Parts of the assembly will be easier with 2 people.



- To reduce the likelihood of damaging your product please ensure that your power drill is set on a low torque setting.

Care and maintenance

- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit.
- This product should not be discarded with household waste. Take to your local authority waste disposal centre.

Handy Hints

- Assemble all parts and bolts loosely during assembly, only once the product is complete should you fully tighten the bolts
- Regularly check and ensure That all bolts and fittings are tightend properly.

WARNING In order to help prevent overturning – please follow these instructions

To help prevent product toppling over please follow the below steps:-













Use the anti tip strap or wall fixing method provided (if applicable)
Do not allow children to climb or hang on the furniture
Do not open more than one drawer at a time
Do not place heavy items in the top drawers
Do not place heavy items on top of the furniture, unless the furniture has been designed for this purpose

Please note that only the anti tip strap is provided.

You will need to provide wall plugs and screws applicable for your wall type

Components - Panels




Please check you have all the panels listed below


①  1 PC	②  1 PC	③  1 PC	④  1 PC	⑤  1 PC
⑥  1 PC	⑦  1 PC	⑧  2 PCS	⑨  1 PC	⑩  2 PCS
⑪  1 PC	⑫  2 PCS	⑬  1 PC	⑭  2 PCS	

Components - Fittings

Please check you have all the panels listed below

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

A  Male Camlock x 14	B  Female Camlock x 14	C  Dowel x 26
D  Shelf Support Pin x 8	E  3.5*14mm Screw x 30	F  6*50mm Screw x 12
G  3*17mm Screw x 12	H  Plasticwedge x 12	I  6*25mm Screw x 8
J  Protective Feet x 4	K  Door Hinge x 4	L  Legs x 4
M  Middle Leg x 1	N  8*30mm Screw x 5	O  Handle & Fixings x 2
P  Wine Rack x 4	Q  Light Strip x 1	R  Ø20 Sticker x 24
S  Wall Fixing Pack x 2	T  Adjustable foot x 1	U  Wire Holder x 4
 x 1		




Tools required



Phillips screwdriver
(medium & large)

Ruler - Use this ruler to help correctly identify the screws

0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 145 150 155 160 165 170



The screws length is measured from the head to the point (35mm screw shown).


Using Camlocks

Step 1

Connect the male camlock as directed in the assembly instructions using a screwdriver.

1


DO NOT OVER TIGHTEN.
NE PAS SERRER EXCESSIVEMENT.



Step 2

Push the male camlock into the entry hole.

2




Step 3

Insert the female camlock as shown in the instruction.

Note: ensure that the arrow on the top of the camlock points towards the entry hole for the male camlock.

3




Step 4

Turn the female camlock clockwise with a screwdriver.

You should feel a click when the camlock is locked in place.

The joint is now secure.

4



Adjusting Hinges

Hinge adjustment:



a: To move the top panel up or down, loosen screws shown and move top panel to suit

b. To move the top panel in or out, loosen screws shown and move top panel to suit.



Retighten screws

C: To move the top panel left or right, adjust screws shown.



a:




b:



c:




Assembly Instructions




Assembly Instructions

Step 1




Step 2




Assembly Instructions

Step 3




Step 4






Assembly Instructions

Step 5




Step 6





Assembly Instructions

Step 7




Step 8





Assembly Instructions

Step 9






Step 10






Assembly Instructions

Step 11




Step 12






Assembly Instructions

Step 13





Step 14




Assembly Instructions

Step 15




X4

Step 16




Assembly Instructions

Step 17



F 
F x 8

Step 18






I 
I x 4

J 
J x 4



T 
T x 1

Assembly Instructions

Step 19





Step 20






Assembly Instructions

Step 21






Step 22



Arrow direction forward




Assembly Instructions

Step 23




R x23

Step 24




Assembly Instructions

Step 25








Step 26





Assembly Instructions

Step 27



Step 28



Effective distance of light control: within 3 meters

Assembly Instructions

Step 29

The unit is floor standing, but it is recommended that the unit is secured to the wall.




1. Move the unit into desired position.
2. Mark the wall with a suitable scribe the position of the fixing holes.



Warning:
Before drilling, check wall for hidden pipes and cables.

3. Drill holes and insert 2 x wall plug
4. Attach 2 x Wall Straps to the top of the unit using 2 x Washers and 2 x Screws
5. Secure the straps to the wall using 2 x Washers and 2 x Screws

Note: To hide the straps behind the unit, drill the holes lower than the top of the unit



Assembly is complete.