

TURNER BIANCA	Brands	Pre-Production Review			
Brand:	CATHERINE LANSFIELD				
Design Name:	STRIPE SEERSUCKER				
BDS:	61861				
Season:	AW26				
Category:	ADULT BEDDING				
Factory:	UNIMAX				
Products:	BEDDING				
Country of Origin	CHINA				
Agreed Pack Fold Image					
Packaging Type Required	CL TIMELESS				
Colour Colour standard agreed - CAD, lab dip, swatch, reference	NATURAL				
FACTORY DESIGN QUALITY FRONT	100% POLYESTER				
FACTORY DESIGN QUALITY REVERSE	100% POLYESTER				
FACTORY DESIGN QUALITY TRIMS	SEERSUCKER				
TC OR WEIGHT	90GSM				
PRINT TECHNIQUE	JACQUARD				
FACE PRINT TYPE	NA				
REVERSE	NA				
PILLOWCASE	NA				
Fill Composition	NA				
Fill Weight					
Sizes Selected	S D K SK				
Finishes Face					
Finishes Reverse / Lining					
Technique					
Print Technique Face					
Print Technique Reverse / Lining					
Print Technique Pillowcase Front					
Print Technique Pillowcase Reverse					
Dye Class Face					
Dye Class Reverse / Lining					
Printed on optic?					
Any concerns re. differential shrinkage?					
Any concerns re. cross staining?					
Any compromise on physical performance?					
Is the fabric directional?					
Any batch consistency challenges?					
Any speciality - glitter, pearl, foil?					
Does the speciality print perform to 25 washes?					
Proposed: Care Symbols Wash Instructions Logo's Proposed	SYMBOLS:40 DEGREE.DO NOT BLEACH,1 DOT TUMBLE DRY,2 DOT IRON,DO NOT DRY CLEAN,ADDITIONAL COMMENTS:WASH BEFORE USE,WASH DEEP COLOURS SEPARATELY.DO NOT BLEACH OR DRY CLEAN,TUMBLE DRY ON A LOW HEAT SETTING,IRON ON REVERSE ONLY,KEEP AWAY FROM FIRE SYMBOLS:40 DEGREE.DO NOT BLEACH,1 DOT TUMBLE DRY,2 DOT IRON,DO NOT DRY CLEAN,ADDITIONAL COMMENTS:WASH BEFORE USE,WASH DEEP COLOURS SEPARATELY.DO NOT BLEACH OR DRY CLEAN,TUMBLE DRY ON A LOW HEAT SETTING,IRON ON REVERSE ONLY,KEEP AWAY FROM FIRE				
Any additional disclaimers required?					
Red Seals required?					
User Trials required?					
Styling Details					
Additional Styling Details (e.g. width / colour / Quilted etc.)					
Cutting (Random / Precision etc)					
Trims Embellishment					
Opening / Fastening					
Fastening Colour - dyed to match?					
Amendments Requested					
Any other comments from the factory					
Any other comments					
Approved Buying Sample Image or CAD layout					

FABRIC SPECIFICATIONS TO BE COMPLETED

**TURNER
BIANCA**

PLEASE COMPLETE THIS DOCUMENT FOR WOVEN, KNITTED & TERRY CONSTRUCTIONS:

TURNER BIANCA FABRIC SPECIFICATION

PRODUCT DETAILS reverse				PRODUCT DETAILS - face			
DATE	12/Jan/26	FIBRE COMPOSITION - GRIEGE	100% polyester	DATE	12/Jan/26	FIBRE COMPOSITION - GRIEGE	100% polyester
BDS NUMBER	61861	FIBRE COMPOSITION - FINISHED	100% polyester	BDS NUMBER	61861	FIBRE COMPOSITION - FINISHED	100% polyester
PRODUCT SUPPLIER		FABRIC DESCRIPTION	MF	PRODUCT SUPPLIER		FABRIC DESCRIPTION	STRIPE SEERSUCKER
FABRIC SUPPLIER		FABRIC QUALITY	MF	FABRIC SUPPLIER		FABRIC QUALITY	STRIPE SEERSUCKER
FABRIC COUNTRY OF ORIGIN				FABRIC COUNTRY OF ORIGIN			

FABRIC CONSTRUCTION DETAILS				FABRIC CONSTRUCTION DETAILS			
GREIGE SOURCE		DYER/FINISHER		GREIGE		DYER/FINISHER	
FINISHING ROUTE	weaving -dyeing-sizing			FINISHING ROUTE	weaving -dyeing-sizing		
DYE CLASS	ANY PROMOTIONAL CLAIM			DYE CLASS	ANY PROMOTIONAL CLAIM		
FOR KNITTED FABRICS.				FOR KNITTED FABRICS.			
GAUGE	YARN COUNT	TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)		GAUGE	YARN COUNT	TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)	
WIDTH (cm)	WEIGHT (gsm)	COURSES	WALES	WIDTH (cm)	WEIGHT (gsm)	COURSES	WALES
FOR WOVEN FABRICS.				FOR WOVEN FABRICS.			
WIDTH (cm)	230cm	WEIGHT (gsm)	80gsm	WIDTH (cm)	240cm	WEIGHT (gsm)	75D
ENDS - GRIEGE	PICKS - GRIEGE	Twist of WEFT	Twist of WARP	ENDS - GRIEGE	PICKS - GRIEGE	Twist of WEFT	Twist of WARP
ENDS - FINISHED	80	PICKS - FINISHED	40	ENDS - FINISHED	122	PICKS - FINISHED	68
FOR TOWELLING.				FOR TOWELLING.			
WIDTH (cm)	WEFT YARN COUNT	WARP YARN COUNT	PILE YARN COUNT	WIDTH (cm)	WEFT YARN COUNT	WARP YARN COUNT	PILE YARN COUNT
WEIGHT (gsm)	Twist of WEFT	Twist of WARP	Twist of PILE	WEIGHT (gsm)	Twist of WEFT	Twist of WARP	Twist of PILE
ENDS	PICKS	TERRY RATIO	LOOP LENGTH (mm)	ENDS	PICKS	TERRY RATIO	LOOP LENGTH (mm)
TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)				TYPE OF SPINNING (OE/Ring, Carded/Combed/Compact...)			

PLEASE REQUEST COMPLETION OF THIS DOCUMENT FOR BATH MATS & RUGS:

	SPECIFICATION
PILE	
BASE	
COTTON DYES	
POLYESTER THREAD	
PIPING	
YARN TWIST	
FABRIC WEIGHT	
FABRIC STRUCTURE	
STAPLE LENGTH mm	
DYE CLASS USED	
FINISH USED	
PIECE WEIGHT	
PILE YARN COUNT	
PICKS (SPI)	
GAUGE (REED)	
PILE HEIGHT	
QUALITY OF YARN IN PILE	
QUALITY OF YARN IN CANVAS	

TURNER
BIANCA

Brands

Brand	CATHERINE LANSFIELD	Technologist	JACQUI JOYCEY
Design Name	STRIPE SEERSUCKER	Product Exec	SALLY ROBERTS
BDS	61861	Designer	KATE ANDERSON
Factory	UNIMAX	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

0601.26
I've received the lab dips but dont think they are close enough to the pantone please could you match closer?
resubmit
13.01.26 - go less yellow option A

22.01.26 REJECTED - NEW PANTONES GIVEN

10.02.26
13-5304tpg option C front is approved.
The reverse options dont match closely enough to this, please could you match closer?

13.03.26 option B

TB TECHNICAL / COMMERCIAL / DESIGN COMMENTS

APPROVED REJECTED

Severity / Probability	Slight Harm	Harm	Serious Harm
Highly Unlikely 1	1	2	3
Unlikely 2	2	4	6
Likely 3	3	6	9
Highly Likely 4	4	8	12

Injury Scenarios	Probability	Severity	Comments

Buying Sample Log

BUYING SAMPLE - Images / Observations/ Comments/ Actions



Brands		Approved Packaging Soft Copy	
Brand	CATHERINE LANSFIELD	Technologist	JACQUI JOYCEY
Design Name	STRIPE SEERSUCKER	Product Exec	SALLY ROBERTS
BDS	61861	Marketing & Graphics	KATE ANDERSON
Factory	UNIMAX	Date	

APPROVED SOFT COPY IMAGES/ SCREEN SHOTS



STYLE CODE	OPTION	BARCODE	
BD/61861/W/SQS/NT	SINGLE DUVET SET	5056841316751	
BD/61861/W/DQS/NT	DOUBLE DUVET SET	5056841316720	
BD/61861/W/KQS/NT	KING DUVET SET	5056841316737	
BD/61861/W/SKQS/NT	SUPER KING DUVET SET	5056841316744	

TURNER BIANCA Brands		Test Report Results						
Testing Required	Requirements	Reference	Accredited Testing House	Colour / Item Tested	Test Report Number	Date of report	*Results / Grade	Comments
BS EN ISO 105 E01	Colourfastness to water - Requirement: Change 4 staining 4							
BS EN ISO 105 X12	Colourfastness to Rubbing (Wet & Dry) - Requirement: Dry 4, Wet 4							
BS EN ISO 105 B02	Colourfastness to Light - Requirement: Standard 4							
BS EN ISO 105 C06	Colourfastness to washing - Requirement change 4 staining 4							
1007/2011/EU	Fibre composition							
EN ISO 6330:2012	Dimensional Stability to Washing- Requirement +/- 3% for synthetic blends & +/-5% for cotton							
EN ISO 6330:2012	Appearance after Machine Washing (1 wash as per care label) - Requirement +/-3% and general appearance graded as satisfactory.							
EN ISO 13934-2	Tensile Strength - Requirement 25KG							
EN ISO 13937-1	Tear Strength - Requirement 1000cN							
EN ISO 13935-2	Seam strength - Requirement: >120N							
EN ISO 13936-1	Seam Slippage - Requirement: 6mm Seam opening 12KG Load							
EN ISO 12945-2	Pilling Resistance - Requirement 2,000 revs, Grade 4							

TURNER
BIANCA

Brands

Brand	CATHERINE LANSFIELD	Technologist	JACQUI JOYCEY
Design Name	STRIPE SEERSUCKER	Product Exec	SALLY ROBERTS
BDS	61861	Designer	KATE ANDERSON
Factory	UNIMAX	Date	

GENERAL COMMENTS/ OBSERVATIONS/ APPROVALS

TB TECHNICAL / COMMERCIAL / DESIGN COMMENTS

APPROVED

REJECTED

PACKAGING CHECKLIST

Product Exec	
Technologist	
CHECKS	COMMENTS
Insert wording and spelling matches approved soft copy	
Insert matches colour standard	
Photography matches product	
Pack Size	
Fold Correct	
Fibre composition stated in FOP or BOP	
Fibre composition stated on care label	
Stated fibre composition is correct	
Care icons correct on BOP	
Care icons correct on care label	
Positioning of labels	
Child safety warning correct, clear and colour fast	
Correct text use of 3rd party info	
Correct TB logo's	
Correct 3rd party logo's	

GOLD SEAL LOG

GOLD SEAL - Images / Observations/ Comments/ Actions