


# Combination Sofa

## Instruction Manual

SF-C01



✉ HJ-Customer-Service@outlook.com


☎ (909)637-7665 | (909)637-7593

EST 9:00AM--17:00PM

# 1 Component List


---

**A** X2




Seat Cushion

**B** X4



Back/ Armrest

**C** X2



Back Cushion

## 2 Supplied Parts and Hardware

---


### Combination Sofa-Back

**1** X2




Foot

**2** X2




Shim  
48\*10\*2mm

**3** X2




Connecting Hooks 1

**5** X2



Connecting Hooks 3

**6** X1




Wrench  
M6

**7** X2



Bolts  
6\*25mm

**8** X4



Bolts  
8\*25mm


Combination Sofa-Seat

1 X4



Foot


2 X4



Shim

48\*10\*2mm

4 X2



Connecting Hooks 2


The following accessory list is an installation example of a 2 Seater Sofa accessory list.

1 X16



Foot


2 X16



Shim


48\*10\*2mm

3 X8




Connecting Hooks 1

4 X4




Connecting Hooks 2

5 X8



Connecting Hooks 3

6 X1



Wrench

M6

7 X8



Bolts

6\*25mm


8 X16



Bolts



8\*25mm

## Step 1




Place Back/Armrest B on its side and install Foot 1 and Shim 2.

## Step 2



Place Back/Armrest B upright and use Wrench 6 and Bolt 8 to install Connecting Hooks 1.



## Step 3



Flip Seat Cushion A 90 degrees and install Foot 1 and Shim 2.


## Step 4

---



Place the Seat Cushion upright, and use the handle to lift the it and take out the Back Cushion.


## Step 5



Pull the Seat Cushion up with the handle, then attach Back/ Armrest B and Seat Cushion A as shown.




## Step 6




Install another Back/ Armrest B on the side in the same way as in step 5.

## Step 7



Building on step 6, lower the cushion and flip it 90 degrees.  
Use Wrench 6 and Bolt 7 to install Connecting Hooks 3.

## Step 8




If two cushions are to be fitted use Connecting Hooks 2 to connect the two cushions as shown.


**NOTE:** This step applies to seat cushions that require assembly.

### 3 Combination Scheme (vertical view)


---




① Three seats+Five backs




② Six seats+Six backs




③ Four seats+Five backs



④ Five seats+Six backs



⑤ Seven seats+Six backs



## **Technical Support**

(909)637-7665 | (909)637-7593

## **Other Info**

HJ-Customer-Service@outlook.com

Thank you for choosing this product. We strive to provide you with the best quality products and services in the industry. Should you have any issues, please don't hesitate to contact us.