


55" Bazoongi Bouncer

My First Trampoline



▲ WARNING

Read the assembly, installation, care, maintenance, and use instructions in this manual prior to assembling and using this trampoline/enclosure. Save this manual for future reference.

USER'S MANUAL 3

**Assembly, Installation, Care,
Maintenance, and Use Instructions.**

WARNING: The trampoline/enclosure is designed for users weighing 50 kg(110 lbs.) or less
Ladder is not supplied with trampoline.
Suitable for indoor and outdoor use.

For U.S. Market
YJ (USA) Corp., 3970 Lindbergh Drv. Addison, TX 75001
© 2007 YJ (USA) Corp.,

www.bazoongi.com
1-877-927-8777

For U.K. Market
Trampled Underfoot LTD.
Unit 15, Earl Soham Business Centre
Woddbrige Suffolk, UK 1P13 7SA

www.trampledunderfoot.co.uk
0800-783-3381

ASSEMBLY

IMPORTANT ASSEMBLY INFORMATION

- A Phillips Head screw driver is needed to assemble trampoline/enclosure. However, a screwdriver is not provided.
- Assembly requires two or three persons. Keep children away from the trampoline/enclosure until it is fully assembled.
- Use gloves to protect your hands from pinch points during assembly.
- The assembly steps refer to parts by their descriptions and key numbers (see the PART LIST on page 22). If a part is missing, see ORDERING REPLACEMENT PARTS on page 22.

TRAMPOLINE/ENCLOSURE PLACEMENT

1. Place the trampoline/enclosure on a level surface before use.
2. Adequate overhead clearance is essential. A minimum of 7.3 m (24 ft.) from ground level is

recommended. Provide clearance for wires, tree limbs, and other possible hazards. Lateral clearance is also essential. Place the trampoline/enclosure away from walls, structures, fences, and other play areas. Maintain a clear space on all sides of the trampoline/enclosure.


3. Use the trampoline/enclosure in a well-lighted area. Artificial illumination may be required for indoor or shady areas.
4. Secure the trampoline/enclosure against unauthorized and unsupervised use.
5. Remove any obstructions from beneath the trampoline/enclosure.
6. The owner and supervisors of the trampoline are responsible to make all users aware of practices specified in this manual.
7. The trampoline/enclosure is only to be used as an enclosure for a round trampoline.

- 1 a. Make sure you understand the information in the box at the top of this page before you begin assembling the trampoline.

Lay two top tube (1) on the ground as shown. Make sure there is a T-connector on each Top tube. Insert the small end of on top tube into the T-connector on the other top tube(1) with bigger end.

Insert leg (2) into T-connector.


You have now assembled one leg sections. Repeat these steps to assembled remaining sections.



2. Note: This step requires two or three persons. During this step, you will connect the three leg sections.

Hold the leg sections in the positions shown. Insert the top tube into the T-connector.

Repeat this step until all three leg sections are connected.




3. Lay the Bed (4) on the ground inside of the assembled frame. Make sure that the two warning decals (not shown) are on top of the Bed.

Note: There are V-rings around the edge of the Bed (4) and holes around the top and bottom of the frame.

During this step, you will attach the Bed to the frame using the included Springs for holes on frame (see the inset drawing). Hook a spring to the Bed (4) and using the spring pulling tool (13), pull the spring from the Bed to the hole slot in the trampoline frame with even spring tension. Attach a second spring (3) directly across the bed from the first spring (3). Attach two more springs (3) halfway between the first two springs (3), so four spring (3) are attached as shown. Attach four more springs (3) (not shown) halfway between the first four springs (3). Continue attaching springs (3) halfway between the previously attached springs (3), until all the springs (3) are attached.

During the installations of spring, wear gloves and protective eye wear.





3.5" Spring (3):

Hook the V-ring Hook the top tube



- Lay the Frame Pad (5) on the frame. Adjust the position of the Frame Pad so the notches are aligned with the Legs (2) as shown. Be sure 6 Enclosure Frame Openings are fit to the T-connector position.



Do not use the trampoline without the Frame Pad (5), which is designed to reduce the likelihood of injury to the user from coming in contact with the trampoline frame. If you do not have a Frame Pad, contact your dealer to obtain one. Properly install the Frame Pad before using the trampoline.



- Look under the trampoline and locate the pairs of straps attached to the underside of the Frame Pad (5). Note that some pairs of straps are near the frame and other pairs of straps are near the edge of the Bed (4). Position each outer pair of straps so one strap is on each side of the frame as shown. Position each inner pair of straps so one strap is on each side of the nearest Spring (3) as shown. Do not overtighten the straps.

See the inset drawing.

Repeat this step with the remaining straps (not shown).




Strap with "S" hook on the pad edge

Cross the strap over the top rail frame to hook the V ring

- Thread one end of Elastic Tie-Down, then tie a knot on V-Ring.

Repeat this step with the remaining straps which at middle position of each pad section (not shown).



7. Make sure the Velcro tapes on bottom of Sport-Wall to stick tightly onto the Center leg(2).

Using the included plastic tie, attach the Safety Placard (11) to the frame near the point where jumpers will climb onto and off the trampoline.

The trampoline is now fully assembled. Make sure that all parts are securely attached. Familiarize yourself and all users of the trampoline with the safety precautions, use and instructional materials, and care and maintenance instructions in this manual before using the trampoline.

8. Lay two bottom poles(6), top poles(7) and one arch pole(8) on the ground.

Make sure that the bottom pole (6) is oriented so the small holes are in the position shown. Slide a Foam Sleeve (9) onto each of the tubes; note that the ends of the bottom pole(6) should not be covered.


Connect the bottom pole(6, A marking), top pole(7, A marking). Then connect the top tube (7, B marking) to arch pole (8, B marking).

Tighten a Self-tapping Screw (12) into the small hole in the poles (6, 7 and 8).





Assemble the remaining poles (6, 7 and 8) in the same way.

9. Insert the end of Poles (6, 7, 8) into the hole of T-connector.

Make sure that the bottom pole (6) are oriented so the small hole are in the position shown. Tighten a Self-tapping screw (12) into the small hole in the T-connector.



Attach the other three arch poles in the same way. See inset drawing.





10. Spread the Netting (10) on the trampoline bed, with the door of the Netting below the arch pole (8) where jumpers will climb onto and off the trampoline. Next, locate one of the D-rings attached to the upper edge of the Netting. Lift the D-ring and hold it near an arch pole(8) as shown.

See inset drawing A.
See inset drawing B.
See inset drawing C.

Pull the end of the Strap to remove any slack.


Do not fully tighten the Strap yet.

Attach the Netting (10) to the other three arch pole(9)with the other seven Straps in the same way.




11. Note: During steps 11 and 12, you will "sew" the lower edge of the Netting (10) to the V-rings on the bed using the Cords (14).

Locate the V-ring closest to the door. Thread one end of a Cord (14) through the lower edge of the Netting (10) above the V-ring and then thread the Cord through the V-ring. Tie the Netting to the V-ring, by making a double knot in the Cord.



12. Thread the Cord (14) through the lower edge of the Netting (10) halfway between the first V-ring and the V-ring to the left, and then thread the Cord through the V-ring to the left. Repeat this procedure until the entire Cord is threaded through the Netting and the V-rings as shown. Keep the Cord taut. Tie the end of the Cord to the last V-ring that it reaches.


Tie a second Cord (not shown) to the last V-ring reached by the first Cord. Thread the second Cord through the Netting (10) and the V-rings as described above. Repeat this procedure with the remaining Cords until the last Cord reaches the first Cord.. (Note: The last Cord may overlap the first Cord.) **Make sure that the Netting is sewn to every V-ring on the trampoline bed; the Netting below the door must also be sewn to the V-rings.**



13. Use the Tie down kits(15) to tie down to the ground. The tops of the stakes should be at ground level so that they will not create a tripping hazard. In addition, the tops of the stakes should be covered, if necessary, so that users will not be injured by falling onto the stakes. Make sure to **do not simply secure the legs or the bases to the ground, as they can separate from the frame sockets.**

In Using the included plastic tie, attach the Safety placard(11) to the netting(10) near the door as shown.

The trampoline / enclosure is now fully assembled. Make sure that all parts are securely attached. Familiarize yourself and all users of the trampoline/enclosure with the safety precautions, use and instructional materials, and care and maintenance instructions in this manual before using.



Disassembly

To disassemble the trampoline enclosure, follow assembly steps 1 through 12 in reverse order. Do not attempt to disassemble any trampoline frame components before the springs and bed have been removed. Use gloves to protect your hands from pinch points during disassembly.

CARE AND MAINTENANCE

CARE

Do not allow pets or animals on the trampoline or inside the enclosure, as claws may snag and pull the bed material or damage the frame pad or netting.

The trampoline enclosure is intended to be used by one person at a time weighing 50 kg (110 lbs.) or less. The user should be either barefoot, wearing socks, or wearing gymnastic shoes.

Street shoes or tennis shoes should not be worn on the trampoline. The user should remove all sharp objects from his or her person that may cause injury or damage to the bed. Heavy, sharp, or pointed hard objects should not contact the bed.

Appropriate shoes should be worn inside the enclosure to reduce wear to the bed.

MAINTENANCE

Your trampoline is manufactured using quality materials and crafted to provide you and your family with many years of enjoyment and exercise. Proper maintenance and care will help to prolong the life of the trampoline and reduce the possibility of injury.

Prolonged exposure to the sun, especially ultraviolet rays, will shorten the life of the trampoline/enclosure fabric. For longer fabric life store the trampoline/enclosure when it is not being used. A dry trampoline/enclosure, properly stored, will provide the longest life of the fabric, sewing, and hardware. **Remove the enclosure from the trampoline during harsh weather conditions or during long periods of non-use**

The following guidelines should always be observed.

Inspect the trampoline/enclosure before each use, and replace any worn, defective, or missing parts. The following conditions could represent potential hazards and increase the danger of personal injury:

- a missing, improperly positioned, or insecurely attached frame pad, netting, enclosure tubes, foam sleeves
- punctures, frays, tears, or holes worn in the bed, frame pad, netting, foam sleeves.
- deterioration in the stitching or fabric of the bed, frame pad, netting
- ruptured or missing springs
- a bent or broken frame, leg, enclosure tubes
- a sagging bed, netting
- sharp protrusions on the frame, suspension system, enclosure tubes

If any of these conditions exists, the trampoline should be disassembled or otherwise protected against use until the condition is remedied.


REMOVING AND STORING THE TRAMPOLINE/ENCLOSURE

Make sure that the trampoline/enclosure is dry before removing and storing it. Use caution while removing the tubes due to the weight of the tubes.

Once the enclosure is removed from the trampoline, remove all items from the trampoline bed. Make sure that the bed is clean and that it has no tears or holes. Store the trampoline/enclosure in a safe, dry location.

SPECIAL CONSIDERATIONS

High Wind




It is possible for the trampoline/enclosure be blown about by high wind. If you anticipate high winds, the trampoline/enclosure should be moved to a sheltered location, disassembled, or tied down to the ground with ropes and stakes (not included). At least three ropes and three stakes should be used. The tops of the stakes should be at ground level so that they will not create a tripping hazard. In addition, the tops of the stakes should be covered, if necessary, so that users will not be injured by falling onto the stakes. Make sure to attach the ropes to the top of the frame; **do not simply secure the legs or the bases to the ground, as they can separate from the frame sockets.**

Moving the Trampoline

If the trampoline/enclosure needs to be moved, it should be moved by two persons, kept horizontal, and lifted slightly. If necessary, the trampoline/enclosure can be disassembled for moving.

To disassemble the trampoline/enclosure, follow the assembly steps in reverse order (see pages 15 to 20). Do not attempt to disassemble the frame sections, legs, or bases before the bed and springs have been removed.

EXPLODED DRAWING AND PART LIST



Key No.	Qty.	Description	Key No.	Qty.	Description
1	6	Top Tube with T-connector	9	15	Foam Sleeves
2	3	Center leg	10	1	Netting with attached Hardware
3	36	3.5" Length Springs	11	1	User's Manual and Safety Placard
4	1	Stitched Bed with V-rings	12*	18	Self-tapping Screw
5	1	Frame Pad with Sport Wall	13	1	Spring Pulling Tool
6	6	Bottom poles(A marking)	14*	2	Cord
7	6	Top pole(A / B marking)	15	6	Tie down kit
8	3	Arch pole(B marking)	*	1	Set of ASTM Frame labels

*This part is not illustrated.
Specifications are subject to change without notice.

ORDERING REPLACEMENT PARTS

To order replacement parts, visit our Web site or call our Customer Hot Line (see page 3). To help us assist you, please provide the following information when calling:

- the MODEL of the trampoline/enclosure
- the NAME of the product
- the KEY NUMBER and DESCRIPTION of the part (see the PART LIST above)
- the quantity needed
- the desired method of shipping