


User's Manual



**Please Do Not Return the Product to the Store.
Contact us with any questions.**

IAAPM RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, Canada 91761-2816 - USA - 909-472-4100 - 909-472-4244 - www.iaapm.org

COMPONENT

CERTIFICATE OF LISTING

IAAPM Research and Testing, Inc. is a product certification body and requests signatories (users from the supplier's stock or from the market) or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic verification of the supplier's factory and warehouses to ensure compliance with applicable requirements. This listing is subject to the conditions and terms in the characteristics below and is not to be construed as any recommendation, insurance or guarantee by IAAPM Research and Testing, Inc. or the product certification by Authorities Having Jurisdiction.

This certificate is not evidence of current Listing. To verify listing status, visit the IAAPM RUT Product Listing Directory at pds.iaapm.org

Effective Date: March 2015 Valid After: March 2024

Product: Plumbing Fixture Fittings - Components File No. MC-9703

Issued To: Ningbo Wanshi Cartridge Technology Co., Ltd.
Xinchen Zone, Chuanbu
Fengshui, NINGBO 315158
China

Identification: Each fitting component shall bear permanent legible markings to identify the manufacturer. This marking shall be the trade name, trademark, or other mark known to identify the manufacturer. The product shall also bear all other markings required by the standard. The marking shall be applied so as to be visible after installation. The product or packaging shall also bear the "UPC" certification mark along with the term "COMPLYING" above.

Characteristics: Plumbing fixture fitting components to be installed in accordance with the manufacturer's instructions and the requirements of the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAAPM RUT recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.




Products are in compliance with the following code(s):
Uniform Plumbing Code (UPC®)

Tom Collins
Chairman, Product Certification Committee

Ron Cherry
CEO, IAAPM Group

This listing remains in effect until the date of expiry indicated on the Effective Date field of the Product Certification Certificate, or any change in material, manufacturing process, marking or design without first obtaining the approval of the Product Certification Committee, or the expiration of the listing agreement with applicable codes and standards or any other "mandatory" marking, or the removal of the certification or the termination of the listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAAPM Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This listing is not to be reproduced in any form.

PRODUCT DIMENSION



INSTALLATION INSTRUCTIONS

Before Installation

Before installation, confirm that your bathtub supports a deck-mounted tub faucet. Ensure there is sufficient space underneath the tub deck for valves, hoses, and water connections.

Important:

- Verify all mounting hole locations before drilling.
- Confirm the bathtub surface is flat and level.
- Flush water supply lines before connecting the faucet.


Installation Hole Requirements

This faucet requires openings for:

- Tub spout
- Hot water valve
- Cold water valve
- Hand shower
- Digital display (if applicable)

Confirm hole spacing and dimensions according to the product diagram before installation.

Plumbing Connection Diagram:



INSTALLATION STEPS

1. Prepare Faucet Components

- Remove mounting hardware as needed.
Keep all removed parts in a safe location for reassembly.

2. Install Faucet Components

- Insert faucet components through the corresponding bathtub openings.
Install washers and mounting hardware underneath the deck. Tighten securely.
Do not overtighten.

3. Connect Water Supply Lines

- Turn off hot and cold water supplies before installation.
Connect HOT water supply to the hot inlet and COLD water supply to the cold inlet.

4. Connect Mixing Valve and Outlet Hoses

- Connect the mixing valve and outlet hoses according to the installation diagram.
Ensure all connections are secure and hoses are not twisted or kinked.

5. Install Hand Shower

- Connect the hand shower hose to the designated outlet.
Install the hose weight (if included). Attach the hand shower and tighten by hand.

6. Connect Digital Display and Test


- Connect the digital display according to the marked connection.
Turn on water supply and check all connections for leaks.
Test spout, hand shower, temperature control, and display functions.
-

CARE AND MAINTENANCE

To maintain a clean appearance and optimal performance of your faucet, please follow these care instructions:

1. Rinse with clean water and dry with a soft cotton cloth.
2. For surface dirt or limescale buildup, use a mild liquid detergent or a colorless, non-abrasive glass cleaner. A non-abrasive polish may also be used.
3. DO NOT use: abrasive detergents or polishes, emery cloth, paper towels, scrapers, or other abrasive materials.
4. DO NOT use: acidic cleaners or cleaners and soaps containing insoluble abrasive granules
5. Mineral deposits may accumulate in the hand shower over time, reducing water flow. If this occurs, unscrew the hand shower, rinse it thoroughly with clean water, and reinstall it.





**Please Do Not Return the Product to the Store.
Contact us with any questions.**