




INSTRUCTION MANUAL

40 inch Dog Crate Furniture

FSDC002



NOTICE

- 1.Children are not allowed to operate
2. Faster installation is possible with power tools.
3. Do not pull the door vigorously to prevent the storage cabinet from tipping over.
- 4.Please attach the storage cabinet to the wall with an anti-tip device after installation is complete.
5. When using the storage cabinet for the first time,please keep it in a ventilated environment to allow the smell to fully evaporate.
- 6.When placing the partitions,please make sure the nails are firmly installed to prevent the partitions from falling off.
7. If any parts are missing,broken,damaged or worn,discontinue use of the product until repairs are made and/or factory replacement parts are installed
8. Do not use this product in a manner inconsistent with the manufacturer's instructionsas this may void the product warranty
- 9.If accessories are missing, please contact customer service for communication in time, we provide 7x24 hours after-sales service
- 10.Do not use any attachments or accessories other than the original factory attachments and accessories
- 11.Do not alter this equipment. Any alteration will create a safety hazard.

BEFORE YOU START

- ⚠ Please read all instructions carefully.
- ⚠ Retain instructions for future reference.
- ⚠ Separate and count all parts and hardware.
- ⚠ Read through each step carefully and follow the proper order.
- ⚠ We recommend that, where possible, all items are assembled near to the area in which they will be placed in use, to avoid moving the product unnecessarily once assembled.
- ⚠ Always place the product on a flat, steady and stable surface.
- ⚠ Keep all small parts and packaging materials for this product away from babies and children as they potentially pose a serious choking hazard.

PRE-INSTALLATION

GRAB YOUR TOOLS



Phillips Screwdriver




2 Persons Assembly



Up to 30 Minutes For Assembly


WHAT'S IN THE BOX

1




1PCS

2




1PCS

3




1PCS

4




1PCS

5




1PCS

6



1PCS

7




1PCS

8




1PCS

9




2PCS

10




2 PCS

11




2PCS

12




2PCS

13




2PCS

14




1PCS

15




2PCS

16




2PCS

17



1PCS

18



1PCS

HARDWARE


A



15*12mm

26+1PCS


B



6*43mm

26+1PCS

C



5*40mm


10PCS

D



4PCS


E



M6*12mm


4PCS

F




M4*18mm

2PCS

G

L=300mm

2PCS

H


K4*35mm

8+1PCS

I

K3.5*14mm

54+2PCS

J


2PCS

K

BALCK

K3.5*14mm


8PCS

L

6PCS

M

1PCS

N

3PCS


O

K3*14mm

12+1PCS

P

6PCS

Q


2PCS

R


BALCK

K3*14mm

8+1PCS

S


1PCS

T

1PCS

PRODUCT PREVIEW


Press



PRODUCT ASSEMBLY

STEP 1


Press cam bolt "B" downward into the hole until the white plastic thread is completely inserted, then twist the screw clockwise.



Bx 4PCS


STEP 2

Use 4 "A" to connect boards 15 and 16.




Ax 4PCS

STEP3




Bx 8PCS

STEP4



Ax 8PCS


STEP 5



Gx 2PCS

STEP6


Use 4 "C" to connect boards ② with ④ and ⑥. Ensure that the slots of ②④⑥ are positioned towards the rear for proper installation.



Cx 4PCS


STEP 7

Slide down along the slots of ④⑥ until they reach the bottom, ensuring they securely lock into ②.



STEP 8

Install N1 onto ③ using 2 "O", re-install three N1s




NOTE:

the magnetic side faces outward

	Ox 6PCS
	N1x 3PCS

STEP 9




NOTE:

ensure the white plastic wheels face forward.

STEP 10

Thread 2 "C" through board ③, connecting ③ and ⑭.


Ensure "C" passes through from the side with installed N1.



	C x 2PCS
---	----------

STEP 11


Thread 2 "C" through ④ to connect with ③, and connect ③ with ⑥ in the same way.




Cx 4PCS

STEP 12

Slide ⑰ along the slot of ④⑥ to the bottom, ensuring it locks into ③.




STEP 13



Bx 6PCS


STEP 14

Ensure ⑰ is securely fitted into ①.




Ax 6PCS

STEP 15



Bx 8PCS

STEP 16



Ax 8PCS



Fx 2PCS




Hx 8PCS

STEP 17

NOTE:


The white plastic wheels face backward.

	I x 12PCS
	G x 2PCS





x2

STEP 18



STEP 19


When installing J1, ensure the side with protruding tabs faces towards the direction where L is installed, otherwise it may lead to incorrect assembly and usage.




	I x 4PCS
	J1 x 1PCS
	K x 2PCS
	L x 2PCS
	N2 x 1PCS
	O x 2PCS

STEP 20

When installing J2, ensure the notch faces upward.




STEP 21



STEP 22


When installing J1, ensure the side with protruding tabs faces towards the direction where L is installed, otherwise it may lead to incorrect assembly and usage.

When installing J2, ensure the notch faces upward.




	Jx 1PCS
	Qx 2PCS
	Kx 4PCS
	Rx 8PCS


STEP 23



STEP 24




STEP 25



STEP 26


Install P on ⑮ to reinforce the kennel.



STEP 26

Install P on ⑱ to reinforce the kennel.

1. Install the nylon anti-tip device behind cabinets ① and ②.
2. The wall hole positions must be drilled according to the cabinet height, and expand the adhesive grains (8*35MM).
3. Use two $\varnothing 3.5 \times 40$ MM self-tapping screws to install an anti-tip bracket (44*20MM) onto the wall, then use two $\varnothing 3.5 \times 20$ MM self-tapping screws to install another anti-tip bracket (44*20MM) onto the back of ①, and similarly onto ②.
4. Finally, use zip ties to connect the two anti-tip brackets and adjust their spacing.
5. The nylon anti-tip device must be installed.



Tx 1PCS

AFTERE SALES SERVICE

If any problem occurs, you can check the manual for troubleshooting in detail, or contact to our customer service on Amazon.

To contact authorized Amazon seller, please following steps:

Step 1	Go to Your Orders. Find your order in the list.
Step 2	Click "Ask a question". (Or go to the product detail page, select the name of the seller. On the next page, select "Ask a Question").
Step 3	Select the product and tap "Other" options in the Seller Messaging Assistant chat.
Step 4	Send the message to us for after-sales support.

We always work hard to serve you and provide you a better customer experience.

WE STAND BEHIND THE QUALITY OF OUR FURNITURE

- 1.Issue Reporting: If you encounter any issues with your item, please inform us promptly. We strive to find a satisfactory solution for you.
- 2.Contact Us First: Before returning a product, please contact our customer service team.
- 3.Retention of Original Packaging: Please retain the original box(es) until you have completed assembly and confirmed there are no quality issues.

Return Period:

Items can be returned within 30 days of purchase.

Warranty:

All purchases are covered by a one-year warranty.

Return Shipping Fees Responsibility:

We stand behind the quality of our furniture and aim to resolve issues without returns whenever possible. Contact our customer service for assistance.

We cover return shipping fees if:

- 1.The item has a manufacturing defect in materials or workmanship (e.g., torn wicker, misaligned screw holes). We will provide a prepaid shipping label upon receiving photos or videos of the defect.

- 2.The item is damaged during transit (e.g., broken glass). We will provide a prepaid shipping label upon receiving photos of the damage.
- 3.You receive incorrect boxes due to a warehouse error. We will provide a prepaid shipping label upon receiving photos showing the wrong SKU numbers on the outer boxes.
- 4.Boxes are lost in transit and you no longer want the item.

Customer covers return shipping fees if:

- 1.You dislike the product upon receiving it.
- 2.You no longer need the product after receiving it.
- 3.You purchased the product by mistake and received it.
- 4.Order/shipment cancellation failed and you received the item.

Return Requirements for a Full Refund: To receive a full refund, ensure all items:

- Are in brand new/unused condition (provide photos before and after packaging).
- Include all accessories and parts firmly packed in the original packaging. Failure to meet these
- requirements may affect your refund amount.

Refund Process: Refunds are processed once the returned goods reach our warehouse.

Damaged/Defective Products Outside Return Period: If a product is damaged or defective beyond the return period, please contact us via email. We are committed to finding a satisfactory resolution to ensure your satisfaction.

HELP CENTER

Confuzzled? **Email Our Customer Service At:**

 YouTube :BREEZEHEAT

 CONTACT INFO: Wolfthontech1@gmail.com

Please feel free to **send us the text or email**. We will reply to you within 24 hours.
feel free to contact us if you have received the defective items.

Follow our YouTube Channel then you will be able to find our **assembling video** as a pinned video.

SAVE THESE INSTRUCTIONS