

Freestanding Bathtub

- Thank You for Choosing HOROW. Please read the instructions carefully before installation and keep it available for future maintenance or reference.
- We are not responsible for the accidents resulting from the user's negligence.
- HOROW reserves the right to make revisions to this manual without notice.



Need help? Contact HOROW Customer Service Team.

Phone: (+1)209-200-8033

Monday to Friday

Email: support@horow.com

Important Information



1. Please keep the box and packaging materials until your product is completely installed.
2. If you have any questions, require technical assistance or have any problems with your product: please contact our Customer Service Team.
3. Please have the model number available and retain a copy of your purchase receipt for reference.
4. If for any reason this product does not meet your expectations, please repack this product in the original box and packaging material to avoid damage during transit.
5. Under no circumstances shall we be liable for any incidental damages sustained in connection with this product.


Product Installation

Tools Needed for Installation


Please have these tools prepared prior to installation.




Safety Glasses



Wrench




Level



Caulk Gun & Sealant




Pencil



Tape Measure



Teflon Tape



Soft Cloth or Blanket

Prior to Installation




1. CAUTION: Risk of personal injury. Two people are required to handle and install this product as it is fragile and heavy.
2. Inspect the bathtub prior to installation to make sure that it has not been damaged during shipping.
3. Follow all applicable state and local plumbing and building codes.
4. Read the installation and maintenance instructions carefully before installation. Always use appropriate tools and wear appropriate personal protective equipment during installation.
5. HOROW strongly recommends professional installation by a licensed plumber.
6. Pre-install the floor drain pipe at the proper height before installing the bathtub.


Installation Procedure

Install your bathtub using the following steps:


- 1 Position the bathtub in the desired location. Mark the outline of the bathtub base and the drain hole location on the floor.




- 2 Turn the bathtub upside down and place it on a soft cloth or blanket. Loosen the nuts and washers on the metal frame. Adjust the leveling feet until they align with the bathtub base. Then raise the leveling feet an additional 1/8" to 3/16" to ensure the weight of the bathtub, water and user is fully supported by the levelling feet rather than the tub walls. Tighten the washers and nuts after adjustment.



- 3 Option 1: Move the bathtub back to the marked position. Insert the drain hose into the floor drain pipe.




Option 2: Move the bathtub back to the marked position. Remove the provided drain hose and use a tailpiece (not included) to connect to the drain pipe.




4

Close the drain. Fill the tub to the overflow level. Let the water stand for 30 minutes and check for leaks.



5

Apply silicone sealant around the base of the bathtub to create a watertight seal. Remove excess sealant.



Care and Maintenance



- ※ Clean the surface with mild soapy water and rinse thoroughly. Wipe dry with a soft cloth.
- ※ For stubborn stains, use a powdered detergent with a damp sponge or nylon scouring pad.
- ※ Do not use abrasive scouring powders, cleansers or pads, as they may scratch, damage and dull the surface.
- ※ Do not use detergents, disinfectants or cleaning products in aerosol cans, as they may damage the fittings.
- ※ Always test your cleaning solution on a small and inconspicuous area before applying it to the entire surface.
- ※ Do not allow cleaners to soak on the surface.
- ※ Avoid contact with hair dye or nail polish, as these products may stain the surface.

