


# Installation


To avoid scratches and swallowing parts, please do not install by children!

| Hardware List                                                                      |                 |   | Hardware List                                                                      |              |   |
|------------------------------------------------------------------------------------|-----------------|---|------------------------------------------------------------------------------------|--------------|---|
|   | Seat            | 1 |  | Backrest     | 1 |
|   | Armrest         | 1 |  | Sofa cover   | 1 |
|   | Seat cushion    | 1 |  | Back cushion | 1 |
|   | Armrest cushion | 1 |  | Pillow       | 1 |
|   | Legs            | 4 |  | Buckle       | 1 |
|  | 8x20mm screw    | 2 |                                                                                    |              |   |


1 Remove the backrest first, and then rotate the armrest to 45° before removing it.



2



3




4


Put on the sofa cover. Be careful to loosen all the zippers first.  
The mesh goes on the bottom of the couch.  
Suggestion: you'd better not remove the protective strip before finish putting the cover on.




5



- 6 Note that the direction of cushion placement is distinguished by the direction of Velcro, please follow the picture demonstration operation.




- 7 Apply the connection buckles to connect the seats together(or not, it's totally up to users).



# Installation


To avoid scratches and swallowing parts, please do not install by children!

| Hardware List                                                                      |   | Hardware List                                                                      |   |
|------------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------|---|
|   | 1 |  | 1 |
|   | 1 |  | 1 |
|   | 1 |  | 1 |
|   | 1 |  | 1 |
|   | 4 |  | 1 |
|  | 2 |                                                                                    |   |

1 Remove the backrest first, and then rotate the armrest to 45° before removing it.




2



3

Backrest



Seat

4

Put on the sofa cover. Be careful to loosen all the zippers first.

The mesh goes on the bottom of the couch.

Suggestion: you'd better not remove the protective strip before finish putting the cover on.




5




Secure the  
legs of the  
sofa.



- 6 Note that the direction of cushion placement is distinguished by the direction of Velcro, please follow the picture demonstration operation.



- 7 Apply the connection buckles to connect the seats together(or not, it's totally up to users).





# Installation


To avoid scratches and swallowing parts, please do not install by children!

| Hardware List                                                                     |              | Hardware List |                                                                                    |              |   |
|-----------------------------------------------------------------------------------|--------------|---------------|------------------------------------------------------------------------------------|--------------|---|
|  | Seat         | 1             |  | Backrest     | 1 |
|  | Sofa cover   | 1             |  | Seat cushion | 1 |
|  | Back cushion | 1             |  | Pillow       | 1 |
|  | Legs         | 4             |  | Buckle       | 1 |
|  | 8x20mm screw | 2             |                                                                                    |              |   |


1




- 2 Put on the sofa cover. Be careful to loosen all the zippers first.  
The mesh goes on the bottom of the couch.  
Suggestion: you'd better not remove the protective strip before finish putting the cover on.




- 3
- Secure the legs of the sofa.



- 4 Note that the direction of cushion placement is distinguished by the direction of Velcro, please follow the picture demonstration operation.



- 5 Apply the connection buckles to connect the seats together(or not, it's totally up to users).



# Installation

To avoid scratches and swallowing parts, please do not install by children!

| Hardware List                                                                     |   | Hardware List                                                                      |   |
|-----------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------|---|
|  | 1 |  | 1 |
|  | 1 |   | 4 |

1 Unzipper the base cloth, take out the sofa seat bag and feet and other accessories, and then close the zipper.



2 Put on the sofa cover.  
Suggestion: you'd better not remove the protective strip before finish putting the cover on.



3 Secure the legs of the sofa.




4



# Installation


To avoid scratches and swallowing parts, please do not install by children!

| Hardware List                                                                     |               | Hardware List |                                                                                    |                |   |
|-----------------------------------------------------------------------------------|---------------|---------------|------------------------------------------------------------------------------------|----------------|---|
|  | Seat          | 1             |  | Short backrest | 1 |
|  | Long backrest | 1             |  | Sofa cover     | 1 |
|  | Seat cushion  | 1             |  | Back cushion   | 2 |
|  | Pillow        | 1             |   | Legs           | 4 |
|  | Buckle        | 1             |   | 8x20mm screw   | 2 |

1



2



- 3 Put on the sofa cover. Be careful to loosen all the zippers first.  
The mesh goes on the bottom of the couch.  
Suggestion: you'd better not remove the protective strip before finish putting the cover on.



4



Secure the  
legs of the  
sofa.



5



It can be placed on the left or on the right.

6 Apply the connection buckles to connect the seats together (or not, it's totally up to users).

