

ASSEMBLY INSTRUCTIONS

BUNK BED

IMPORTANT: READ THESE INSTRUCTIONS CAREFULLY BEFORE ASSEMBLING OR USING BUNK BED FRAME.

PLEASE KEEP THESE INSTRUCTIONS FOR FUTURE REFERENCE.

HEALTH & SAFETY:

DO NOT jump on this bed frame.

DO NOT use this bed frame if any parts are missing, damaged or worn.

DO NOT use this bed frame unless all fixings are secured.

Please keep small parts out of reach of children.

Always use on a level, even surface.

Be aware of the danger of young children (under 6) falling from the upper bunk. It is not advisable for children under the age of 6 to sleep on the top bunk

This bed frame complies to EN 747 – 1&2 (2012)

CAUTION: There is the risk of strangulation to children from items such as string, ropes, cords, harnesses and belts hanging from the bed frame

WARNING: Children can become trapped between the bed and the wall. To avoid risk of serious injuries please be aware of the distance between the wall and the top safety barrier

WARNING: If this bed is placed on a non-carpeted floor you must place some protection under all legs to stop the bed frame from moving. If this is not adhered to there is no guarantee if the bed frame collapses.

CARE & MAINTENANCE:

Assemble in the room of use.

Periodically check all screws & fixings to ensure they are secure.


DO NOT push the bed frame as this will damage the legs.

Always lift the bed with two people to reposition.

Keep any sharp objects away from the frame.

Recommended maximum mattress height for top bunk is 200 mm






Parts List				Hardware List (found in box 2)		
Part	Description	Box	Qty	Part	Description	Qty
1	Upper Frame	1	2	A	M8 Metal Square Nut 	8
2	Bottom Frame	1	2	B	M8 x 95 mm JCBC Screw 	8
3	Bottom Base	2	1	C	M6 x 45 mm JCBC Screw 	8
4	Top Base	2	1	D	M6 x 15 mm JCN Nut 	8
5	Back Rail	2	1	E	M6 x 80 mm JCBC Screw 	9
6	Front Rail	2	1	F	M6 x 35 mm JCBC Screw 	4
7	Ladder	2	1	G	M6 Cap Nut 	2
8	Frame Connector	1	4	H	19 mm M6 Flat Round Washer 	2
** M4 Allen Key & M5 Allen Key provided				I	50 mm Black Round Stopper 	4
				J	50 mm Beige Round Cap 	4
				K	Black Round Stud 	10


Step 1: Insert hardware part I to the bottom frame (2) then slot the bottom base (3) into the brackets on the bottom frame. Place the frame connectors (8) onto the bottom frame then insert the upper frames (1) by facing hole to hole as shown in views AA and AB.

DO NOT use any power tools as this may damage the frame and will invalidate any claim.




Step 2: Secure the frame connectors (8) using hardware parts C and D for the back two bedposts as shown in view AB, then insert hardware part K into the front two bedpost holes as shown in view AA.

DO NOT use any power tools as this may damage the frame and will invalidate any claim.



Step 3: Slot the top base (4) into the brackets on the upper frame (1) and secure using hardware parts A and B at the four corners. Then secure the bottom base (3) using hardware parts A and B at the four corners but do not tighten the screws yet.

DO NOT use any power tools as this may damage the frame and will invalidate any claim.



Step 4: Secure the horizontal tube of the back rail (5) to the upper frame (1), then secure the back rail to the top base (4) using hardware part E.

DO NOT use any power tools as this may damage the frame and will invalidate any claim.




Step 5: Secure the horizontal tube of the front rail (6) to the upper frame (1), then secure the front rail to the top base (4) using hardware part E.

DO NOT use any power tools as this may damage the frame and will invalidate any claim.



Step 6: Assemble the ladder (7) using hardware parts F, G and H.

DO NOT use any power tools as this may damage the frame and will invalidate any claim.



Step 7: Insert hardware part J onto the upper frame (1) and put hardware part K into the extra 10 mm holes. DO NOT use any power tools as this may damage the frame and will invalidate any claim.

