


Installation Instruction

SKU:N606P518978/N606P518979



UK:Our product will be delivered to you in 2 packages. The delivery times of these 2 packages may differ, please be patient and thank you for your understanding.

GB-Important Note & Health & Safety

Wipe clean with a slightly damp cloth- please do not use abrasive chemicals or bleach.

Periodically check all screw & fixings to ensure they are secure.

When moving your product, carefully lift into place.

Please keep small parts out of reach of children.

Always use on a level, even surface.

Avoid placing furniture in a humid environment to prevent damage to the material.

DO NOT jump on the product or any of its parts.

DE-Wichtiger Hinweis & Gesundheit & Sicherheit

Mit einem leicht feuchten Tuch abwischen - bitte keine scheuernden Chemikalien oder Bleichmittel verwenden.

Überprüfen Sie regelmäßig alle Schrauben und Befestigungen, um sicherzustellen, dass sie sicher sind.

Wenn Sie Ihr Produkt bewegen, heben Sie es vorsichtig an seinen Platz.

Bitte bewahren Sie Kleinteile außerhalb der Reichweite von Kindern auf.

Benutzen Sie das Möbelstück immer auf einer ebenen, glatten Oberfläche.

Vermeiden Sie es, die Möbel in einer feuchten Umgebung aufzustellen, um Schäden am Material zu vermeiden.

Springen Sie NICHT auf das Produkt oder eines seiner Teile.

FR-Note importante, santé et sécurité

Nettoyer avec un chiffon légèrement humide - ne pas utiliser de produits chimiques abrasifs ou d'eau de Javel.

Vérifiez régulièrement que toutes les vis et fixations sont bien en place.


Lorsque vous déplacez votre produit, soulevez-le avec précaution pour le mettre en place.

Tenez les petites pièces hors de portée des enfants.

Utilisez toujours le produit sur une surface plane et uniforme.

Évitez de placer le meuble dans un environnement humide afin de ne pas endommager le matériau.

Ne sautez pas sur le produit ou l'une de ses pièces.



ES-Nota importante sobre salud y seguridad

Limpiar con un paño ligeramente humedecido. No utilizar productos químicos abrasivos ni lejía.

Compruebe periódicamente que todos los tornillos y fijaciones estén bien sujetos.

Cuando traslade el producto, levántelo con cuidado para colocarlo en su sitio.

Mantenga las piezas pequeñas fuera del alcance de los niños.

Utilícelo siempre sobre una superficie plana y nivelada.

Evite colocar el mueble en un ambiente húmedo para evitar daños en el material.

NO salte sobre el producto ni sobre ninguna de sus piezas.

IT-Nota importante e salute e sicurezza

Pulire con un panno leggermente umido; non utilizzare prodotti chimici abrasivi o candeggina.

Controllare periodicamente tutte le viti e i fissaggi per assicurarsi che siano saldi.

Quando si sposta il prodotto, sollevarlo con cautela.


Tenere le parti più piccole fuori dalla portata dei bambini.

Utilizzare sempre su una superficie piana e uniforme.

Evitare di posizionare il mobile in un ambiente umido per evitare di danneggiare il materiale.









NON saltare sul prodotto o sulle sue parti.

Detail View













Part List

N606P518978

①  1PC	③  1PC	⑧  1PC
⑨  1PC	⑩  1PCS	⑪  2PCS
⑫  1PC	⑳  1PCS	㉑  8PCS
㉒  2PCS	㉓  1PC	㉔  2PCS
㉕  1PC		



Part List

N606P518979

②  1PC	④  2PCS	⑤  1PC
⑥  1PC	⑦  1PC	⑬  2PCS
⑭  1PC	⑮  1PC	⑯  2PCS
⑰  1PC	⑱  8PCS	⑲  2PCS

Hardware list

N606P518978

A  M6x12mm26 PCS	B  M6x20mm4 PCS	C  M6x30mm2 PCS
D  M6x35mm14 PCS	E  M6x40mm10 PCS	F  M5x25mm15 PCS
G  M6x30mm2 PCS	H  M3.5x14mm2 PCS	I  4#1 PC
J  3#1 PC	K  M6x16mm2 PCS	
X  2 PCS	Y  4 PCS	Z  8 PCS

DE: Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%.

Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.


UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.

If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

FR: Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%.


Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

Step 1:




J Allen Key	F Bolts x 2
	 M5x25mm

Step 2:




J Allen Key	F Bolts x 6
	 M5x25mm

Step 3:



I Allen Key	E Bolts x 4
	 M6x40mm

Step 4:




I Allen Key	C Bolts x 2
	 M6x30mm

Step 5:




Installation Note: First, thread the screw through Backplate No. 1. Then, align with the corresponding mounting holes and install the relevant components.



J Allen Key	F Bolts x 3
	M5x25mm


Step 6:



G Tenon x 2
M6x30mm


Step 7:

 Fitting #21 has adjustable holes to tighten the sidepanels.




I Allen Key	A Bolts x 8	D Bolts x 6
	 M6x12mm	 M6x35mm

Step 8:




I Allen Key	D Bolts x 4
	 M6x35mm

Step 9:




I Allen Key	A Bolts x 8
	 M6x12mm

Step 10:




Step 11:




I Allen Key 	D Bolts x 4  M6x35mm
--	---

Step 12:




I Allen Key 	E Bolts x 6  M6x40mm
--	---

Step 13:





I Allen Key	B Bolts x 4
	 M6x20mm



Step 14:




Step 15:



Step 16:




Step 17:




I Allen Key	X x 2	A Bolts x 10 M6x12mm	K Bolts x 2 M6x18mm

Step 18:




Step 19:




I Allen Key	H Bolts x 2
	 M3.5x14mm

Step 20:




24 x 1



Step 21:



Step 22:



J Allen Key	F Bolts x 4
	 M5x25mm



CERTIFICATE OF COMPLIANCE

No.: AiTSZ-251217003U-C01

Product: 5050 RGB LED Strip Lights with Bluetooth App Controller and 2.4G Remote

Trade Mark: N/A

Model: LED 5050 RGB, LED Strip Lights LED 5050 RGB,
PCX-LED5050RGB-30D, PCX-LED5050RGB-60D,
PCX-LED5050RGB-90D, PCX-LED5050RGB-120D,
PCX-LED5050RGB-18D

Applicant: Shenzhen Pinchengxin Technology Co., Ltd

Address: 3rd floor, 8 building Yuanling industrial zon, No. 39
Yuanlingcun road, Shiyang street, Bao'an district, Shenzhen

Manufacturer: Shenzhen Pinchengxin Technology Co., Ltd

Address: 3rd floor, 8 building Yuanling industrial zon, No. 39
Yuanlingcun road, Shiyang street, Bao'an district, Shenzhen

The test sample of product has passed the test according to requirements of the following standards:

Standard(s):		Test report(s) No.:
Health and Safety	BS EN IEC 62368-1:2020+A11:2020	AiTSZ-251217003S1
	BS EN 62479: 2010	AiTSZ-251217003CW3
	BS EN 50663: 2017	
EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.3.1 (2024-09)	AiTSZ-251217003CW1
Radio	ETSI EN 300 328 V2.2.2 (2019-07)	AiTSZ-251217003CW2

Based on the voluntary assessment of the product sample and technical file, we confirm that the above-mentioned product meets the essential requirements of UK regulations of the Radio Equipment Regulations (SI 2017/1206).

The UKCA mark as show below can be used, under the responsibility of the manufacturer or the importer, after completion of an UK Declaration of Conformity and follow the UKCA mark usage rules.

**UK
CA**

Approved by/Date:

Allen Wang
Allen Wang



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.

Guangdong Asia Hongke Test Technology Limited

B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street,
Bao'an District, Shenzhen, Guangdong, China

www.aitek.org.cn

E-mail: info@aitek.org.cn



Certificate of Compliance

Certificate No.: AiTSZ-251217003RC09Rev1

The EUT described above has been consolidated by us and found in compliance with the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012.

Applicant : Shenzhen Pinchengxin Technology Co., Ltd
Address : 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Manufacturer : Shenzhen Pinchengxin Technology Co., Ltd
Address : 3rd floor, 8 building Yuanling industrial zon, No. 39 Yuanlingcun road, Shiyan street, Bao'an district, Shenzhen
Product : 5050 RGB LED Strip Lights with Bluetooth App Controller and 2.4G Remote
Model No. : LED 5050 RGB
Serial Model : LED Strip Lights, LED 5050 RGB, PCX-LED5050RGB-30D, PCX-LED5050RGB-60D, PCX-LED5050RGB-90D, PCX-LED5050RGB-120D, PCX-LED5050RGB-18D
Trade mark : N/A
Test Report No. : AiTSZ-251217003RRev1

Test Standards:
IEC 62321-3-1: 2013
IEC 62321-4:2013+AMD1:2017 CSV
IEC 62321-5:2013
IEC 62321-6:2015
IEC 62321-7-1:2015
IEC 62321-7-2:2017
IEC 62321-8:2017



Lizhen

Lizhen

Date: Dec.22, 2025



The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab logo.



Guangdong Asia Hongke Test Technology Co.,Ltd.

B1/F, Building 11, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel:+86. 0755-23096763

Shenzhen ZKT Technology Co., Ltd.

1/F, No. 101, Building B, No. 6, Tangwei Community Industrial Avenue,
Fuhai Street, Bao'an District, Shenzhen, China



Certificate of Compliance

Certificate Number: ZKT-2405094943C

Certificate's Holder : Shenzhen Pinchengxin Technology Co., Ltd
3rd Floor, 8th Building Yuanling Industrial Zone, No. 39
Yuanlingcun Road, Shiyan Street, Bao'an District,
Shenzhen

Manufacturer : Shenzhen Pinchengxin Technology Co., Ltd
3rd Floor, 8th Building Yuanling Industrial Zone, No. 39
Yuanlingcun Road, Shiyan Street, Bao'an District,
Shenzhen

Trade Mark : N/A

Product : 5050 RGB LED Strip Lights with Bluetooth App Controller
and 2.4G Remote

Model(s) : 5050 RGB LED Strip Lights

Test Standard : Art.3.1(a) Safety BS EN IEC 62368-1:2020+A11:2020
Art.3.1(a) Health BS EN IEC 62311:2020
BS EN 50665:2017
Art.3.1(b) EMC ETSI EN 301 489-1 V2.2.3 (2019-11)
ETSI EN 301 489-17 V3.2.4 (2020-09)
Art.3.2 Radio ETSI EN 300 328 V2.2.2 (2019-07)

This Attestation of Compliance is issued on a voluntary basis for electrical equipment below the voltage limits of Radio Equipment Directive (RED) SI 2017 No.1206. The essential requirement are fulfilled accordingly based on the technical specifications applicable at the time of issuance.



This Certificate of Conformity is based on single evaluation of the submitted sample(s) of the above mentioned product. It does not imply an assessment of the whole product and relevant Directives to be observed.


Test Verification of Conformity

Verification Number: 250805097GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant EU / UK legislation and mandatory Conformity Marking. And in accordance with EU / UK law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Dongguan baiyou electronic Co., Ltd 2 F A building wufeng industrial jintanroad shijie town DONGGUAN Guangdong, China
Product Description:	Multiple socket-outlets
Ratings & Principal Characteristics:	See appendix
Models/Type References:	See appendix
Brand Names:	BAYU
Specification<s>/Standards:	BS 1363-2:2023 EU 2014/35/EU Low Voltage Directive UK Electrical Equipment (Safety) Regulations 2016
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	2025-08-05 to 2025-12-25
Test Report Number(s):	250805097GZU-001: 2025-12-25



Signature

Name: Hunter Chu
Position: Manager
Date: Jan. 08, 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250805097GZU-VOC001

Models/Type References:

BAYU-****-**-*

The first '*' may be AU, AUF, AUR.

The second '*' may be 01, 02, 03, 04, 05, 06.

The third '*' may be AA, AC, ACC.

The fourth '*' may be 0524, 1215.

The fifth '*' may be K or blank.

The sixth '*' may be AC, DC, USB.

**Ratings & Principal
Characteristics:**

250V~, 50Hz, 13A. Max. 2990W@230V~

For Type A+A USB charger:

USB A1/A2: 5VDC2.4A

Total output: 5VDC2.4A.

For Type A+C USB charger:

1): USB-C: 5VDC2.4A

USB-A: 5VDC2.4A

Total output: 5VDC2.4A.

2): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A

USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A

USB-A+USB-C: 5VDC 3A Max

3): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A

USB-A: 5VDC3A

USB-A+USB-C: 5VDC 3A Max

For Type A+C+C USB charger:

1): USB-C1/C2: 5VDC2.4A


USB-A: 5VDC2.4A

Total output: 5VDC2.4A

2): USB-C1/C2: 5VDC3A, 9VDC2.22A, 12VDC1.67A

USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A

USB-A+USB-C1+USB-C2: 5VDC 3A Max



Signature

Name: Hunter Chu

Position: Manager

Date: Jan. 08, 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Test Verification of Conformity

Verification Number: 250811262GZU-VOC002

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant Electromagnetic Compatibility Regulations 2016 legislation and mandatory Conformity Marking. And in accordance with UK law, the claim is the sole obligation of the Manufacturer/Importer.

Applicant Name & Address:	Dongguan baiyou electronic Co., Ltd 2 F A building wufeng industrial jintanroad shijie town DONGGUAN Guangdong, China
Product Description:	Multiple socket-outlets
Ratings & Principle Characteristics:	250V~, 50Hz, 13A. Max. 2990W@230V~ For Type A+A USB charger: USB A1/A2: 5VDC2.4A, Total output: 5VDC2.4A. For Type A+C USB charger: 1): USB-C: 5VDC2.4A, USB-A: 5VDC2.4A, Total output: 5VDC2.4A. 2): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A, USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A USB-A+USB-C: 5VDC 3A Max 3): USB-C: 5VDC3A, 9VDC2.22A, 12VDC1.67A, USB-A: 5VDC3A, USB-A+USB-C: 5VDC 3A Max For Type A+C+C USB charger: 1): USB-C1/C2: 5VDC2.4A, USB-A: 5VDC2.4A, Total output: 5VDC2.4A 2): USB-C1/C2: 5VDC3A, 9VDC2.22A, 12VDC1.67A, USB-A: 5VDC3A, 9VDC2A, 12VDC1.5A USB-A+USB-C1+USB-C2: 5VDC 3A Max. see Appendix
Models/Type References:	--
Brand Names:	--
Specification<s>/Standards:	EN IEC 61000-6-3:2021 EN IEC 61000-6-1:2019
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	08 September 2025-15 September 2025
Test Report Number(s):	250811263GZU-001
Additional information in Appendix.	



Signature

Name: Dean Liu

Position: Sr. Project Engineer

Date: 13 January 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250811262GZU-VOC002.

Models/Type References:

BAYU-****.*.*

'BAYU' represents the company name.

The subsequent fields indicate product features in the following order:

The first '*' denotes the product form factor, with possible values:

AU: Regular long strip shape.

AUF: Regular long strip shape, compatible with flip cover installation.

AUR: Regular long strip shape with built-in USB charger assembly in the middle.

EU model:

AE: Regular long strip shape.

AEF: Regular long strip shape, compatible with flip cover installation.

AER: Regular long strip shape with built-in USB charger assembly in the middle.

The second '*' indicates the number of socket-outlets. Options include: 01, 02, 03, 04, 05, 06.

The third '*' specifies the type of USB charger module, it can be blank or following features:

AA: A + A USB ports.

AC: A + C USB ports.

ACC: A + C + C USB ports.

The fourth '*' defines the USB charging output specification, it can be blank or following features:

0524: Maximum output 5V DC / 2.4A.

1215: Maximum output 12V DC / 1.5A.

The fifth '*' indicates whether the product is equipped with CBE functionality. Currently, the options are K or blank.

The sixth '*' refers to additional output features: it can be blank or following features(The same as the USB module. On the PCBA board, solder the USB and DC lines at the A port pin location):

AC: Equipped with a single non-rewirable socket outlet (250V~, 13A).

DC: Equipped with a single DC port output (5VDC, 2.4A).

USB: Equipped with a single USB port output (5V DC, 2.4A).



Signature

Name: Dean Liu

Position: Sr. Project Engineer

Date: 13 January 2026

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.