

Installation & Assembly

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.



This is the original instruction. Please read all manual instructions carefully before operating. We reserve the right to interpret this user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates to our product.



NOTICE: Please retain instructions for

future needs.

General Safety Rules


WARNING: Please carefully read the following instructions in order to reduce the risk of injuries, accidents or damage to the product by itself.

1. When you first open the box, you will have a pungent odor. Please don't worry, this odor is non-toxic and will dissipate after a few days of use.
2. Never use corrosive detergents, wire brushes, abrasive scourers, metal or sharp utensils to clean the product.
3. This product will ignite and burn if brought into contact with an open flame.
4. Please don't allow babies and children to put fragments of this product into their mouths.
5. Please do not put the product into the washing machine, it is recommended to wash by hand.
6. Please do not contact this product with corrosive chemicals and sharp knives.
7. Children and minors are not allowed to use this product to avoid causing personal injury
8. The safety precautions and instructions given in this manual are unable to cover all the conditions and situations that may arise in detail.
9. The operator and/or user must use common sense and caution when operating the product, especially for any matters that are not referred to above.

SAVE THESE INSTRUCTIONS

N O.	Model	Specific ation (inch)	Thick ness (mm)	Qua ntity (pcs)	Colour
1	A	12*12	4.83	12	Dark Gray
2	B	12*12		12	Light Gray
3	C	18*18		10	Light Brown
4	D	18*18		10	Dark Brown
5	E	24*24		9	Light Gray
6	F	24*24		15	Carbon Black
7	G	24*24		15	Dark Blue

Material introduction



Process Characteristics

- ◆ It can be used in any room of the home, including the dining room, bedroom, foyer and basement, with the freedom to replace damaged or worn carpet.
- ◆ With adhesive reinforcing agent cover, simply prepare, peel, place and press the carpet in the desired position without any carpet adhesive.
- ◆ Thickened fabric, more comfortable, more durable.