
seville classics® HOME







3-Tier Resin Slatted Shoe Rack

Model #: SHE15882 / SHE15930 / WEB146

Thank you for choosing Seville Classics!

We hope you enjoy your new shoe rack. Please read through these assembly instructions and frequently asked questions to ensure proper assembly. The contact information for our live customer support team based in California is on the last page.

This product is covered by one or more U.S. and foreign patents as found on www.sevilleclassics.com/patents

Dimensions:

27.25" W x 12.75" D x 18.5" H

Customer Service Information

Seville Classics, Inc.

Telephone: (800) 323-5565 Fax: (310) 533-3899 Hours: 8:30 AM – 4:30 PM (PST) Email: <u>Support@SevilleClassics.com</u> Online Store: <u>www.SevilleClassics.com</u>

Please review the below parts list to ensure you received all the necessary parts. If you are missing any parts or have trouble with assembly, please contact our live customer support team at (800) 323-5565 or Support@sevilleclassics.com, which can assist you in both English and Spanish.

Parts List





B. Shelf (3 pcs)

A. Frame (1 pc)

É

D. Cap (4 pcs)


E. Stacking Pin (4 pcs)

F. Wall Mounting Bracket (1 pc)

H. Wall Mounting Anchor (1 pc)

C. Feet (4 pcs)

G. Wall Mounting Screw (1 pc)



I. Wall Mounting Strap (1 pc)

Assembly Instructions You can view an assembly video by scanning the QR code



WARNING

- Do not sit on the rack.
- Do not drop heavy items on the rack.
- · Place heavier items on the lower shelves and light items on the top shelves.
- Do not move the rack while loaded. •
- Do not move the rack by lifting the shelves, lift the rack using • the two top sides of the frame.
- If stacking more than two units high, please use the wall strap ٠ for added safety.
- Do not stack more than 4 units high.

Please visit **sevilleclassics.com** to shop our wide range of products.

> Weight capacity: 30 lbs. (13.6 kgs) per shelf Weight: 8.6 lbs (3.9 kgs)



Note: Please be considerate of the environment and recycle the brown box the item was delivered in along with all applicable packaging materials. Thank you.

Wall Mounting Instructions (required when stacking more than 2 units high)

After stacking more than 2 units high, wall mounting is required for safety.

Position the stacked units against a wall and insert the **WALL MOUNTING ANCHOR (H)** into the wall (just above the top center of the stacked units using a screw driver or power drill).

Next, wrap the WALL MOUNTING STRAP (I) around the top horizontal back bar of the frame and loop it through the WALL MOUNTING BRACKET (F). Using the WALL MOUNTING SCREW (G), attached the WALL MOUNTING BRACKET (F) into the WALL MOUNTING ANCHOR (H).


It's not recommended to stack more than 4 units high.

Tools needed (not included): Screwdriver Φ Power drill (0 4 mm)

STEP 1.


Screw the FEET (C) into the legs of the FRAME (A).

If only building one unit, insert the CAPS (D) into the top of the FRAME (A).



Interlock® Feature

Shelves can be removed and used to horizontally bridge multiple units to create a modular shelving system.



STEP 2.

Insert the bottom **SHELF (B)** diagonally into the **FRAME (A)** and position the shelf above the support bars located on the sides of the frame.

Rotate the **SHELF (B)** until the clips on the shelf rest on the side bars of the **FRAME (A)**. Press down firmly on either side of the shelf to ensure the shelf clips securely attach to the frame.

Repeat Step 2 for the remaining two shelves.

Stacking Multiple Shoe Racks (optional)

Build a second shoe rack and screw the **STACKING PINS (E)** into the legs of the **FRAME (A)** instead of the feet.

Lift the top unit up and onto the bottom unit. Line up the four **STACKING PINS (E)** with the top corners of the bottom unit. Press down firmly.

Make sure the bottom unit does not have the CAPS (D) inserted into the top corners.

