

## 4 PCS RESIN WICKER SEATING SET

Assembly Instructions

## CUSTOMER SERVICE

If you have a question about assembly, use or a possible missing part, please contact us and we will be glad to assist you.















## CARE AND MAINTENANCE

- Use a sponge to wash with a mild solution of soap and water. Rinse with water and allow to dry completely before use.
- Cushion cover cleaning: Remove the cushions from the cushion covers and set the cushions aside. Mix about 1 tablespoon of mild laundry detergent or dish wash in about two cups of warm water and stir until frothy. Dampen a sponge in this solution. Using the dampened and soapy sponge, gently clean the cushion fabric. For particularly tough dirt stains, try to dislodge with the soft-bristle brush, lightly soak in the soap solution. After cleaning the cushion covers, let them hang-dry for 1 hour.
- Glass cleaning: Clean the glass with a mild glass cleaner solution.
- Cover the furniture when not in use.

## IMPORTANT

- Regularly check all fastenings to make sure that they are properly tightened.
- Do not stand on the product or use it as a step ladder. Use proper supervision for children.


# PARTS LIST AND HARDWARE

<b>Ax2</b>  <b>Seat Frame</b>	<b>Bx3</b>  <b>Left Frame</b>	<b>Cx3</b>  <b>Right Frame</b>
<b>Dx2</b>  <b>Back Frame</b>	<b>Ex1</b>  <b>Bench Seat Frame</b>	<b>Fx1</b>  <b>Bench Back Frame</b>
<b>Gx2</b>  <b>Table Leg Frame</b>	<b>Hx2</b>  <b>Table Side Frame</b>	<b>Jx2</b>  <b>Seat Cushion</b>
<b>Kx1</b>  <b>Bench Cushion</b>	<b>Lx1</b>  <b>Table Glass</b>	
<b>Nx42</b>  <b>Bolt M6x30</b>	<b>Ox42</b>  <b>Washer 16x8x1</b>	<b>Px1</b>  <b>Allen Key</b>

## SINGLE CHAIR (2 PCS)


### STEP 1

Connect left frame B & seat frame A with bolt N with allen key




### STEP 2

Connect the part from step 1 and right frame C with bolt N with allen key




### STEP 3

Connect the part from step 2 and back frame D with bolt N with allen key



### STEP 4


Put on the seat cushion J to finish singhler chair



## 2-SEATER BENCH (1 PIECE)


### STEP 5

Connect left frame B & bench seat frame E with bolt N with allen key




### STEP 6

Connect the part from step 5 and right frame C with bolt N with allen key




### STEP 7

Connect the part from step 6 and bench back frame F with bolt N with allen key



### STEP 8


Put on the bench cushion K to finish Bench



## TABLE ( 1 PIECE)


### STEP 9

Connect Table leg frame G & table side frame H with bolt N with allen key




### STEP 10

Connect the part from step 9 and table side frame H with bolt N with allen key



### STEP 11

Connect the part from step 10 and Table leg frame G with bolt N with allen key



### STEP 8

Put on Table Glass L to finish Table

