


ASSEMBLY GUIDE



Important - Please read these instructions fully before starting assembly



SAFETY AND CARE ADVICE



NO POWER TOOLS

SAFETY AND CARE ADVICE

- Check you have all the components and tools listed.
- Remove all fittings from the plastic bags and separate them into their groups.
- We do not recommend the use of power drills/drivers for inserting screws, as this could damage the unit. Only use hand screwdrivers and Allen keys.
- Keep children and animals away from the work area, small parts could cause choking if swallowed.
- Make sure you have enough space to layout the parts before starting.
- Assemble the item as close to its final position (in the same room) as possible.
- Do not overtighten the nuts to avoid causing damage to the threads.
- Only clean using a damp cloth and mild detergent, do not use bleach or abrasive cleaners.
- From time to time check that there are no loose screws on this unit
- This product should not be discarded with household waste. Take to your local authority waste disposal centre

IMPORTANT INFORMATION



45 MINUTE
BUILD



TWO
PERSON




MAXIMUM
CAPACITY 100Kg



IMPORTANT
STEP

PLEASE CHECK CAREFULLY AND MAKE SURE YOU HAVE ALL
FITTINGS AND TOOLS LISTED BELOW BEFORE YOU START.


① x1	② x2	③ x2	④ x1
⑤ x1	A M8*754mm x4	B M8*40mm x8	C M8*10mm x4
D M8*22mm x4	E M8 x4	F x1	G Ø30 x4





NOTE: The quantities above are the correct amount to complete the assembly. In some cases more fittings may be supplied than are required.

STEP 1

Place the table top (1) upside down on a clean flat surface. Screw four threaded rods A into the inserts on the underside of the table.

 **ATTENTION:** Be careful to always insert the threaded rods into the table stopper-end first, & don't screw past the stopper





STEP 2

Slide piece (2), then piece (3) over threaded rods. Fixed position with wooden pins B.


STEP 3

Slide piece (5), then piece (3) over threaded rods. Fixed position with wooden pins B.



STEP 4

Next Slide piece (2) on. Then place the base (4) upside down over the rods. Place a washer over each of the rods. Using the box spanner F tighten a nut E at the end of each rod.



STEP 5


ATTENTION: With help, carefully turn the table around to complete assembly.



WE **L♥VE** INTERIORS! SHARE
YOURS WITH US ON SOCIAL MEDIA

LOOKING GOOD!

Now you've assembled your product find out how to care for your item and keep it looking brand new.





OUR 2 YEAR* GUARANTEE

our products come with a 2 year guarantee to give you peace of mind shopping at

*excludes some garden furniture items which have a 1 year guarantee



WHAT THE GUARANTEE COVERS



PRE-INSERTED FIXINGS

e.g. lose metal threads



FAULTY JOINTS

e.g. legs bending



EXTERNAL FIXING FAULTS

e.g. bonding/glue



STRUCTURAL INTEGRITY

e.g. the frame of the product