

Installation sanleitung Installation Instruction Instruction d'installation


Importer	COMHARBOR LIMITED
Add	Unit C, Swift Point, Cosford Lane, Rugby,CV211PY, GB
Email	harborcomhar@gmail.com
Manufacturer	ZHANGZHOU LIFE FURNITURE CO.,LTD
Add	NO.308 CHAOSHENG ROAD, LONGWEN DISTRICT ZHANGZHOU CITY, FUJIAN PROVINCE(PLANT3)
Email/URL	shipping@lifefurniture.cn
UK	REP
COMHARBOR LIMITED Unit C, Swift Point, Cosford Lane, Rugby,CV21 1PY, GB harborcomhar@gmail.com	

SKU:N652P535761

SKU:N652P535762



Metal Bunk Bed 90x190cm



Unser Produkt wird Ihnen in 2 Paketen geliefert. Die Lieferzeiten dieser 2 Pakete können abweichen, bitte haben Sie etwas Geduld und vielen Dank für Ihr Verständnis.

Our product will be delivered to you in 2 packages. The delivery times of these 2 packages may differ, please be patient and thank you for your understanding.

Notre produit vous sera livré en 2 colis. Les délais de livraison de ces 2 colis peuvent différer, soyez patient et merci pour votre compréhension.

INSTRUCTIONS



IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

- a) **WARNING** -Children can become trapped between the bed and the wall, the adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the safety barrier and the adjoining structure shall not exceed 75mm or shall be more than 230 mm.
- b) **WARNING**-Do not use the bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.
- c) **WARNING**-Do not climb or wiggle on any non-designated structures.
- d) it is imperative to always follow the installation instructions and manufacturer's use.
- e) The recommended size of the mattress to be used with the bed is 190cmx90cm.
- f) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.
- g) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.

English

IMPORTANT ! KEEP FOR FUTURE REFERENCE : READ CAREFULLY

- To be assembled by an adult. Assembly must be checked by an adult before use
- **WARNING !** Keep all screws, small parts and plastic bags out of the reach of children
- Properly identify all parts before assembling
- Never use your item if any of its parts are broken or missing
- Should any problems arise, please contact our After Sales Service
- Manufacturer's instructions shall be followed at all times
- Care: Clean with a soft, dry cloth. In case of larger stains, carefully rub with a slightly damp, non-abrasive sponge
- Avoid the risk of fire by not placing furniture near sources of ignition or hot items
- Do not jump on the bed



INSTRUCTIONS


IMPORTANT-READ CAREFULLY-RETAIN FOR FUTURE REFERENCE

- a) **WARNING**-High beds and the upper bed of bunk beds are not suitable for children under six years due to the risk of injury from falls;
- b) **WARNING**-Bunk beds and high beds can present a serious risk of injury from strangulation if not used correctly. Never attach or hang items to any part of the bunk bed that are not designed to be used with the bed, for example, but not limited to ropes, strings, cords, hooks, belts and bags.
- c) **WARNING** -Children can become trapped between the bed and the wall, a roof pitch, the ceiling adjoining pieces of furniture (e.g. cupboards) and the like. To avoid risk of serious injury the distance between the top safety barrier and the adjoining structure shall not exceed 75 mm or shall be more than 230 mm.
- d) **WARNING**-Do not use the bunk bed/high bed if any structural part is broken or missing; Replacement parts are between requested from the manufacturer or the store.
- e) it is imperative to always follow the installation instructions and manufacturer's use.
- f) The recommended size of the mattress to be used with the bed is 90cmx190cm, maximum thickness mattress: 10cm.
- g) It is necessary to ventilate the room in order to maintain a low level moisture and prevent mold growth in the bed and its periphery.
- h) Joining devices should always be tightened properly and regularly verified. Tighten if necessary.
- i) Meets European standard requirements NC safety BS EN747-1:2024 +EN747-2:2024.























UK: Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%.


















If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.


















Parts List For N652P535761

①  1pc	②  1pc	
③  1pc	④  1pc	
⑤  1pc	⑧  2pcs	
⑥  1pc	⑦  1pc	
⑨   19pcs	⑩   4pcs	
⑪  2pcs		
⑫  1pc	⑬  1pc	
⑭  1pc		
⑮  2pcs	⑰  1pc	
⑱  1pc	⑲  1pc	
⑳  1pc	㉔  1pc	
㉒  1pc	㉘  3pcs	㉙  3pcs
㉓  1pc	㉚  1pc	
㉛  1pc	㉜  1pc	

Parts List For N652P535762

16  3pcs	21  1pc	
22  1pc	23  1pc	
25  1pc	27  1pc	
33  2pcs	35  3pcs	
36  1pc	37  2pcs	
38  2pcs	39  1pc	
40  1pc	41  1pc	42  1pc
43  3pcs	45  23pcs	46  1pc
44  3pcs	47  1pc	

Hardware List For N652P535762


A  M8×70mm 8pcs	B  M8×70mm 4pcs	C  M8×65mm 4pcs	D  M8×60mm 1pc
E  M8×55mm 4pcs	F  M8×45mm 2pcs	G  M8×40mm 18pcs	H  2pcs
I  2pcs	J  M6 1pc	K  M8×35mm 15pcs	L  M8×20mm 2pcs
M  M6×70mm 5pcs	N  M6×48mm 1pc	O  M6×40mm 10pcs	P  M6×35mm 3pcs
Q  M6×30mm 23pcs	R  M6×28mm 13pcs	S  M6×23mm 4pcs	T  M6×17mm 6pcs
U  M6×15mm 11pcs	V  M6×12mm 10pcs	W  M5×35mm 8pcs	X  M5×25mm 6pcs
Y  M5 1pc	Z  M4 2pcs	Z1  2pcs	Z2  8pcs
Z3  M3×12mm 2pcs	Z4  1pc		

Vor dem Einbau die Schrauben in die Löcher stecken und festziehen, aber nicht bis 100%, 70% bis 80% anziehen reicht aus. Schließlich, nachdem alle Schrauben installiert sind, ziehen Sie alle Schrauben auf 100%. Wenn Sie auf diese Probleme stoßen, wie z. B. Fehlausrichtung der Löcher oder Unfähigkeit, bestimmte Teile zu installieren, überprüfen Sie bitte, ob die Schrauben korrekt verwendet werden und passen Sie die Dichtigkeit der Schrauben an.

Before installation, insert the screws into the holes and tighten them, but do not tighten them to 100%, 70% to 80% is sufficient. Finally, after all screws are installed, tighten all screws to 100%. If you encounter these issues, such as if the holes cannot be aligned or some parts cannot be installed, please check if the screws are used correctly and adjust the tightness of the screws.

Insérer la vis dans le trou avant la fin de l'assemblage, serrer la vis, mais ne pas serrer à 100%, 70% ~ 80% est correct. Enfin, une fois que toutes les vis sont bien serrées, toutes les vis sont serrées à 100%. Si vous rencontrez ces problèmes, par exemple si les trous ne sont pas alignés ou si certaines pièces ne peuvent pas être montées, vérifiez que les vis sont utilisées correctement et Ajustez leur serrage.

1




M6×40mm




M4

O×6PCS


Z×1PC



2




M8×40mm




M5

G×3PCS

Y×1PC



3




M8×40mm

G×4PCS



M5

Y×1PC



4





M8×45mm

F×2PCS




M5

Y×1PC




5



M6×15mm


Ⓢ×8PCS



M4


Ⓩ×1PC

6




M8×70mm

Ⓐ×2PCS



M8×70mm

Ⓑ×2PCS



M8×65mm

Ⓒ×1PC




M8×60mm

Ⓓ×1PC



M5

Ⓨ×1PC




7



M8×70mm

A×4PCS




M8×65mm

C×2PC




M5

Y×1PC




8




M8×70mm

A×2PCS




M8×70mm

B×2PCS



M5

Y×1PC



9





M8×35mm



M5

K×1PC


Y×1PC



10





M6×30mm




M4

Q×4PCS

Z×1PC



11






M6×70mm



M4

(M) ×4PCS

(Z) ×1PC



12





M6×12mm




M4

(V) ×4PCS


(Z) ×1PC



13






M6×40mm




M4

O×2PCS

Z×1PC



14






M8×35mm



M5

K×4PCS

Y×1PC



15






M8×40mm



M5

G×3PCS

Y×1PC



16





M8×20mm



M5

L×2PCS

Y×1PC



17





M6×12mm



M4

V×2PCS

Z×1PC



18



M6×30mm





M4

Z1×2PCS

Q×2PCS

Z×1PC



19





M6×30mm

Ⓚ×4PCS




M4

Ⓩ×1PC



20





M8×40mm

ⓖ×2PCS





M5

Ⓨ×1PC









21

		
M6×40mm	M6×17mm	M4
 ×2PCS	 ×2PCS	 ×2PCS



22

		
M8×55mm	M8×35mm	M5
 ×1PC	 ×1PC	 ×1PC



23



M6×30mm

Ⓚ×2PCS




M6×17mm

Ⓣ×2PCS



M4

Ⓩ×2PCS



24




M6×28mm

Ⓡ×12PCS



M4

Ⓩ×1PC



25





M8×40mm



M5

G×2PCS


Y×1PC



26





M8×35mm





M5

K×2PCS



Y×1PC







29

	
M6×12mm	M4
(V)×2PCS	(Z)×1PC




30

	
M5×25mm	M4
(X)×6PCS	(Z)×1PC



31





M8×55mm

(E) × 1PC




M5

(Y) × 1PC



32



M8×65mm

(C) × 1PC






M8×35mm

(K) × 1PC





M5

(Y) × 1PC



33



34




M6×30mm

Q×6PCS



M4

Z×1PC



35



M6×35mm

(P) × 1PC




M6×30mm

(Q) × 1PC




M6×17mm

(T) × 2PCS



M4

(Z) × 2PCS



36




M8×35mm

(K) × 2PCS






M5

(Y) × 1PC





37

 M6×48mm	 M6×28mm	 M4
(N)×1PC	(R)×1PC	(Z)×1PC





38

 M6×23mm	 M4
(S)×4PCS	(Z)×1PC





39

		
M6×70mm	M6×15mm	M4
(M)×1PC	(U)×1PC	(Z)×1PC





40

	
M8×55mm	M5
(E)×2PCS	(Y)×1PC




41

	
M5×35mm	M4
Ⓢ×8PCS	Ⓩ×1PC





42

	
M6×30mm	M4
Ⓚ×4PCS	Ⓩ×1PC




43

 M6×35mm	 M4
(P) × 2PCS	(Z) × 1PC




44


 M6×12mm	 M4
(V) × 2PCS	(Z) × 1PC





45



46



47





46×1PC




EN: Scan to download App control the Led light.

DE: Scannen, um die App zum Steuern des LED-Lichts herunterzuladen.


FR: Scanner pour télécharger App contrôler la lumière Led.







48







Z2×8PCS



 M3×12mm	
Z3×2PCS	Z4×1PC
	



50



Z x 1PC

U x 2PCS


J x 1PC

I x 2PCS


H x 2PCS




Step1




Step2




Step3





Step4



Step5



Step6



DECLARATION OF CONFORMITY

1. Product model/product (product, type, batch or serial number):

ZLX5050RGB-30D Light strip DC5V 2.5/meter

2. Name and address of the manufacturer or his authorised representative:

Xiamen Zhenlexin Electronic Technology Co., LTD

3rd Floor, No.96, Huli Yuan, Xinmei Sub-district, Tong'an District, Xiamen City

3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. Object of the declaration (identification of electrical equipment allowing traceability, it may include a colour image of sufficient clarity where necessary for the identification of the electrical equipment):

ZLX5050RGB-30D Light strip DC5V 2.5/meter

5. The object of the declaration described above is in conformity with the relevant Union harmonisation legislation: UK Radio Equipment Regulations (SI 2017 No.1206), UK RoHS Restriction of Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations SI 2012/2032.

6. References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

BS EN62479:2010, BS EN IEC60598-1:2021+A11:2022, BS EN60598-2-21:2015, ETSI EN301489-1 V2.2.3(2019-11), ETSI EN301489-3 V2.3.2(2023-01), BS EN IEC 55015:2019/A11:2020, BS EN IEC 61547:2023, BS EN IEC 61000-3-2:2019+A1:2021+A2:2024, BS EN61000-3-3:2013-A1:2019+A2:2021, ETSI EN300 440 V2.2.1(2018-07)

BS EN 62321-1:2013, BS EN 62321-2:2021, BS EN 62321-3-1:2013, BS EN 62321-4:2013/AMD1:2017, BS EN 62321-5:2013, BS EN 62321-6:2015, BS EN 62321-7-1:2015, BS EN 62321-7-2:2017, BS EN 62321-8:2017

7. Additional information: Use correctly according to the instruction.

8. This declaration is valid for one year.

Signed for and on behalf of:

Xiamen Zhenlexin Electronic Technology Co., LTD

(place and date of issue):

Xiamen, Jun 28TH, 2026

(name, function) (signature):



王志明

DECLARATION OF CONFORMITY

1. Product model/product (product, type, batch or serial number):

ZG-JJY-1UK to-8UK FURNITURE POWER DISTRIBUTION UNITS

INPUT:AC 220-250V 50/60Hz 10-13A

OUTPUT:DC 5V,2A MAX. AC SOCKET OUTLET 10-13A MAX.

2.Name and address of the manufacturer or his authorised representative:

Guangdong Zhangong Electric Technology Co., LTD

701, Building 29, zhifuyuan Industrial Zone, Xingtan town, Shunde District, Foshan City,

Guangdong Province

3.This declaration of conformity is issued under the sole responsibility of the manufacturer.

4.Object of the declaration (identification of electrical equipment allowing traceability, it may include a colour image of sufficient clarity where necessary for the identification of the electrical equipment):**ZG-JJY-1UK to-8UK FURNITURE POWER DISTRIBUTION UNITS INPUT:AC 220-250V 50/60Hz 10-13A**

OUTPUT:DC 5V,2A MAX. AC SOCKET OUTLET 10-13A MAX.

OUTPUT:DC 5V,2A MAX. AC SOCKET OUTLET 10-13A MAX.

5.The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:Electromagnetic Compatibility Regulations 2016 of United Kingdom (S.I.2016 No.1091) Electrical Equipment(Safety) Regulations 2016 of United Kingdom(S.I.2016 No.1101) SI 2012 No.3032 and its amendment The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations.

6.References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:

BS EN 55032:2015 + A1:2020 ,BS EN 55035:2017 + A11:2020,BS EN IEC 61000-3-2:2019 + A1:2021 ,BS EN 61000-3-3:2013 + A1:2019 + A2:2021

BS EN IEC 61558-1:2019 BS EN61558-2-16:2009+A1:2013

BS EN 62321-3-1:2014&BS EN 62321-5:2014&BS EN 62321-4:2014+A1:2017&BS EN 62321-7-1:2015& BS EN 62321-7-2: 2017&BS EN 62321-6: 2015&BS EN 62321-8:2017

7.Additional information: Risk of electric shock.Do not open.For indoor use only.

Signed for and on behalf of:

Guangdong Zhangong Electric Technology Co., LTD

(place and date of issue):

Guangdong, Jul 28TH,2025

(name, function) (signature): **ZHONGXIAOYUN**

