
Assembly Instruction



USER'S MANUAL

1PC 3-SEAT SOFA


Please give us a chance to make it right and do better!

Contact our friendly customer service department for help first.

Replacements for missing or damaged parts will be shipped ASAP!

Contact Email: TheProfessionalCustomerService@outlook.com

FLOOR AREA
3MX3M




ASSEMBLED BY 2 ADULTS

Contact Us!

Please do not return the product. For any after-sales issues, please contact us through the email below. If you need to return the product, please keep the package box carefully, as we only accept returns in the original packaging



Before You Start




⚠ Read each step carefully before starting. It is very important to ensure each step followed in correct order, otherwise assembly difficulties may occur.

⚠ Keep small children away from moving parts and potential pinch points.

⚠ Work in a spacious area, preferably on a carpet close to where the unit will be used.

⚠ Keep the handtools close at hand. Do not use power tools to assemble your furniture. They may scratch or damage the parts.



X1

RETURNS

DEFECTIVE ITEMS

- If your ITEM is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please contact us via the following email address, We will respond to you within 48 hours.

DAMAGED ITEMS


- If you receive an order with obvious shipping damage from the retailer we suggest refusing the delivery. If the delivery has been accepted and shipping damage is later found, please take photos of the shipping label on the box (including the tracking sticker), any damage to the packaging and the product itself (if any tears, dents, or openings are visible).
- In all circumstances, please save all packaging material and paperwork for the order.
- Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you will jeopardise your chances of making a claim, and you may not receive a credit for the return.

theProfessionalCustomerService@outlook.com

Parts List

Lable	Picture	Description	QTY
A		Letf Leg	1
B		Right Leg	1
C		Seat - 1	1
D		Seat - 2	1
E		Backrest - 1	1
F		Backrest - 2	1
G		Middle Leg	1


Hardware


Lable	Picture	Description	QTY
①		Washer	14
②		Nut	5
③		Bolt	4
④		Bolt	15
⑤		Allen Wrench	2

Open the carton and place all the parts onto a clean, non-marring surface.


STEP 1

②	④	⑤
5pcs	5pcs	





Use the same steps to splice the back of the seat



For reference: Screws only need to be tightened to 80%

Splice the two seat frame (C) & (D), first align the holes of the two seat frame (C) & (D), use 3 Bolts ④ and 3 nuts ② to pass through the holes and use allen wrench ⑤ tighten Bolts ④ and the nuts ②.


Repeat the same steps to complete the back panel (E) & (F) splicing.


Tighten all screws to 80% tightness only.

This step needs two people to work together.

STEP 2

①	④	⑤
3pcs	3pcs	





For reference: Screws only need to be tightened to 80%


Place the chair leg (A) flat on the floor, align the seat frame (C) & (D) with the pre-drilled holes on the legs (A) (mind the seat's orientation: the smooth surface faces upward).


Tighten all screws to 80% tightness only.

This step needs two people to work together.

STEP 3

①	③	④	⑤
			
6pcs	4pcs	2pcs	





For reference: Screws only need to be tightened to 80%

Align the back panel (E) & (F) with the pre-drilled holes on the chair leg (A) and the seat board (C) & (D),

Using 2 Bolts ④ and 2 Bolts ③ respectively


Mount the Middle Leg (G) between the middle sections of the seat frame (C) & (D), using 2 Bolts ③.


Secure it with screws, tightening them to only 80% of full tightness.

This step requires two people to coordinate.

STEP 4

①	④	⑤
5pcs	5pcs	





For reference: Screws only need to be tightened to 80%

IMPORTANT NOTE: Please carefully lay the sofa flat as shown in the diagram.


Since the center leg has already been installed, the sofa can be laid flat, but the process must be carried out with extreme care and requires the assistance of two people at the same time.


Align the chair leg (B) with the pre-drilled holes on the seat frame (D) and the back panel (F).


Secure it with screws, tightening them to only 80% of full tightness.

This step requires two people to coordinate.

STEP 5







Important note: At this point, all previously installed screws must be tightened to 100% (fully tightened) to complete one chair.

Stand the sofa upright on a flat surface. Stand up and tighten all bolts in sequence, then check and confirm that all components are in place and securely fastened.

Congratulations! Your sofa is now fully assembled and ready for use.

Great job on finishing the assembly!

Note: This sofa is only suitable for use on flat surfaces.