


Thank you for shopping with us!

We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Hardware					
NO.	Draw	QTY	NO.	Draw	QTY
A	 Screws Ø4x14mm	68	I	 Hinges (Full cover) - 40 cups	4
B	 Two-in-one connector	33	J	 Hinges (Half cover) - 40 cups	4
C	 Two-in-one connector	33	K	 Screws Ø4x25mm	1
D	 Wood plug	5	L	 Movable laminate support	8
E	 Plastic anchor(Ø10mm)	2	M	 Adjustable feet	6
F	 Screws for fix on the wall	2	N	 Anti-collision gasket	8
G	 Bracket (53x70x44mm)	2	O	 Screwdriver	1
H	 Bracket (19x19x35mm)	2			

Recommended tools

The image displays six recommended tools for the task. From left to right, they are: a pencil, a screwdriver with a cross-hatched handle, a drill bit, a power drill, a claw hammer with a cross-hatched handle, and a tube of silicone with the word 'SILICONE' printed vertically on its side.

Dimensions

Top View

Overall dimensions: 1500mm [59 1/16"] (width) x 500mm [19 11/16"] (depth).

Compartment width: 550mm [21 5/8"] (each).

Compartment depth: 326mm [12 13/16"] (each).

Mounting hole diameter: 60mm [2 3/8"] (each).

Mounting hole center-to-center distance: 750mm [29 1/2"].

Mounting hole offset from side: 375mm [14 3/4"] (each).

Mounting hole offset from front: 119mm [4 11/16"] (each).

Mounting hole offset from back: 119mm [4 11/16"] (each).

Mounting hole offset from bottom: 55mm [2 3/16"] (each).

Mounting hole offset from top: 100mm [3 15/16"] (each).

Front View

Overall dimensions: 1500mm [59 1/16"] (width) x 890mm [35 1/16"] (height).

Compartment height: 790mm [31 1/8"] (each).

Compartment width: 550mm [21 5/8"] (each).

Compartment depth: 326mm [12 13/16"] (each).

Mounting hole diameter: 60mm [2 3/8"] (each).

Mounting hole center-to-center distance: 750mm [29 1/2"].

Mounting hole offset from side: 375mm [14 3/4"] (each).

Mounting hole offset from front: 119mm [4 11/16"] (each).

Mounting hole offset from back: 119mm [4 11/16"] (each).


Mounting hole offset from bottom: 55mm [2 3/16"] (each).

Mounting hole offset from top: 100mm [3 15/16"] (each).

CARE CLEANING AND MAINTENANCE


1. Dust regularly with a soft , dry cloth.
2. Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
3. Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
4. The sink is fragile, please pay attention to maintaining its appearance.
5. Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.

Step 14




Notes:
The installation position can be selected according to the required height.


Finished






Dimensions






Components



Step 1








Attention: Cam lock arrow point to the steel rod.






Notes: Screw installation depth as shown


Step 2







Step 12




Step 13






Step 5



Note: The D parts are used for these two holes

	x9
B	
	x9
C	
	x2
D	
O	


Step 6



Note: The D parts are used for these two holes


	x9
B	
	x9
C	
	x2
D	
O	

Step 7



	x2
G	
	x2
H	
	(Ø4 x 14mm)
A	x20
	x6
M	
Tool	

Step 8



You can adjust the doors by tightening or loosening the screws on the hinge.

	x8
N	
	x4
I	
	x4
J	
	(Ø4 x 14mm)
A	x48
Tool	