



Metal Garden Shed

OWNER'S MANUAL

Size 8 Ft X 6 Ft S



Tall walk in Shed

Quick & Easy Assembly

Ridge Reinforced walls

Wide Double Doors

Available in Various Sizes

Take care of sharp edges;

Please wear gloves;

It will take 2 people 4 - 5 hours to install.

Introduction

Thank you for purchasing our storage rack.
For safe and proper use, please be sure to read this manual before use.

**Improper use may result in serious accidents.
Please read and understand this manual thoroughly before use.
Additionally, be sure to read the warnings and precautions on every page.**

The product you purchased was manufactured under our strict quality control standards. However, due to factors such as vibration during transportation, the product may become loose. Please inspect the item upon receipt to ensure it is in proper condition. At that time, please accept the instruction manual and keep it in a safe place. For use by children, guardians must read the manual and provide guidance.

Please read carefully before assembly

The following information contains important instructions for the safe use of storage racks. Please read carefully and use correctly. Failure to comply with the instructions herein may result in serious personal injury, including customer injury, as well as property damage such as product damage.

Product Specifications

- Due to the product's characteristics of assembling components at the installation site, some gaps (light leakage) may occur.
- Due to the product's design, it is not completely waterproof. Water may enter through gaps between components.
- Due to the issues mentioned above, please be aware that dust, insects, rodents, and other small animals may enter, or powdery snow may be blown in.
- Transportation may cause damage to the painted surface. Minor scratches will be addressed using touch-up paint.

FOR YOUR SAFE USE



Note

Regarding Installation Location

Avoid installing in areas where significant snow accumulation or rainwater runoff occurs beneath the roof, as this may cause damage, deformation, and leaks.


- Avoid installing in high places such as rooftops or locations with significant height differences like cliff edges, as there is a risk of tipping over or falling due to strong winds.
- Do not place items on apartment railings or other locations that could block evacuation routes or where crossing the railings could cause children to fall or objects to drop.
- Avoid installing equipment near the vent outlet of water feeders where highly corrosive gases may be emitted, as the exhaust gases may cause coating deterioration and rust/discoloration.
- Leaves and debris near the base of the tree may clog the rain barrel, potentially causing leaks or corrosion.
- On lawns or uneven, uncompacted surfaces, nails may become loose over time.
- Near the property line. (Factors such as rainwater runoff, splashback, snow accumulation, and sunlight obstruction affecting neighbors must be considered.)
- Areas with soil or similar materials on the ground are susceptible to moisture, which may lead to condensation and mold growth.
- In areas where the ground freezes, door installation may become difficult.
- Areas exposed to pharmaceuticals and deicing agents may experience discoloration or corrosion of the main body.
- In areas with high salt content (such as coastal regions), the main body of the storage box may corrode. It is recommended to wash it with water regularly.
- If adjacent to a building, ensure the roof width and the designated space required for assembly and construction.



Instruction

Precautions for Assembly and Construction

- Before assembly, place the assembly area on a level surface. Perform grounding procedures simultaneously.



FOR YOUR SAFE USE

! NOTE

- Please wear protective equipment such as gloves, long-sleeved shirts, and overalls for assembly work. Although we do our best, you may get injured at the corners or ends of the parts.
- When assembling or transporting heavy objects (especially those over 30kg), please be sure to have two or more people on the line. Injuries or low back pain may occur.
- If the assembly is interrupted and left unattended, parts may be scattered or toppled due to strong winds. If you have to leave the site, secure the parts with support columns or ropes.
- Construction should be avoided on windy days. Parts may be damaged by a drop or injured by flying parts.
- To prevent tipping, be sure to carry out the prescribed foundation work. In the event of strong winds such as typhoons, it is possible to fall and cause serious injury or damage to the storage.
- After assembly, please confirm that the bolts are not loose or you forgot to install the accessories. If it is not assembled correctly, the specified strength will not be ensured.



Instruction

Precautions for use

- Do not place objects on the roof, climb, hang, jump from other buildings, etc. Injuries or damage may occur due to falls or falls, etc.
- In the event of strong winds such as typhoons, the door may open or fall off, so be sure to lock it. Contents may be blown off, damaged, or tipped over.
- Please refrain from overexertion. Although it is a solid column structure, the door posts can be deformed or injured.
- Do not use for non-storage purposes (e.g. playgrounds, part of housing, etc.). This can lead to accidents.
- Do not place items on the roof or walls. There is a risk of injury if it is blown down or blown away by strong winds. In addition, if there are scratches on the painting, it will also cause rust.
- Lockers can get hot due to direct sunlight. Be careful with burns.
- Please note that wet shoes or floors such as rain and snow are prone to slipping.

ASSEMBLE

■ General Steps


Please read these instructions carefully before assembly to understand the assembly method and precautions. Please fully understand the relevant contents.

Open the carton and compare it with the described and illustrated parts to make sure all the parts are complete, carefully identify and confirm

■ Precautions

- The location of the cottage must be level. If the surface is uneven, the location of the part hole may be eliminated.
- It is recommended that you secure your cabin.

■ Recommended Tools






■ Safety Precautions

Some parts may have sharp edges. Gloves are recommended for handling these items, gloves are recommended when wearing safety glasses, and safety shoes are recommended.




Don't build a cabin in a windy environment. Soon after the cottage was built, it was ensured that it was firmly anchored to a solid foundation. It is advisable to build a hut with multiple people.



















EXPLODED VIEW































EXPLODED VIEW






CONTENTS (1-1) 1.Please organize and clean according to the following steps,ensuring everything is in order.
2. If any parts are missing, do not use the product until the missing parts are obtained.



NO.	PART	QTY
D1		1
D1L		1
D1R		1
D2L		3
D2R		2
D3R		1
D5		1
Q1		11
Q2		4
Q3		3
Q4		12
S1L		1
S1R		1
S2L		2
S2R		2
S3L		1



NO.	PART	QTY
S3R		1
N1		1
L1L		2
L1R		2
L3-1		1
L3-2		1
C		2
GB1		4
GB2		4
GW1		1
GW2		1
M		2
M2		4
M3		4
M4		2
M5L		1

NO.	PART	QTY
M5R		1
KL		1
KR		1
B3L		1
B3R		1
MB		2
GD		4
G2		4
GE		2
J1		4
FJT		4
ZJT		1

CONTENTS (1-2) 1.Please organize and clean according to the following steps,ensuring everything is in order.
2. If any parts are missing, do not use the product until the missing parts are obtained.

NO.	PART	QTY
F1		270
F8		9
LSM		

NO.	PART	QTY
F3		14
F11		19

NO.	PART	QTY
F4		12
F14		300


LSM:
Install LSM on the exposed portion of the screw to prevent collisions.

F14:
This component is designed for use with screws such as F1 or F3 and is installed in the external tool compartment. It provides excellent sealing and waterproofing performance.

Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

Unit: mm



The installation space must be level and measure at least 2200 x 1900 millimeters. The foundation must be anchored to the floor within this space.

Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.




Note: Take care of sharp edges.



All panels are clearly marked and care should be taken to use the correct one. It is important that these instructions are followed step by step.

NO.	PART	QTY	NO.	PART	QTY	NO.	PART	QTY
D1		1	D2R		2	F14		
D1L		1	D3R		1			
D1R		1	F8		9			
D2L		3	F1		24			


Note: All F14 models are secured with screws. Do not repeat the following steps.




Assemble the components as shown in the diagram, securing each joint with an F1 fastener.



Align the connection points of D1L, D1R, and D1 with the mounting holes. Secure the bottom two holes using F1. (Reserve the top hole for installing D5.)



Secure the connections at the four corners using F1.



After the base is installed and secured, place the F8 on the inner side of the joint.

Assembly Method


※ Assembly must be performed by two or more people. ※ To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.



Note: Please wear gloves

NO.	PART	QTY
D5		1

NO.	PART	QTY
F1		4





Assembly Method

※ Assembly must be performed by two or more people. ※ To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.


NO.	PART	QTY
Q1		4
F11		4

NO.	PART	QTY
Q2		4

NO.	PART	QTY
F1		24



First, install Q2 in the position shown in the diagram. Secure Q2 to the bottom frame using two F1 fasteners through the center hole at its base. Next, align Q1 with the holes on the opposite side and secure it to the bottom frame using F1 fasteners. (Leave the edge holes open for installing the remaining wall panels.)



Align the center holes of the two wall panels, then secure them from the outside using F11.

Assembly Method


※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
S1L		1
ZJT		1
G2		4




NO.	PART	QTY
S1R		1
F1		5

NO.	PART	QTY
FJT		2
N1		1

Note: All components for the upper frame are labeled. The side marked "TOP" should face upward.




The G2 is pre-installed at the time of shipment. If the slider comes loose, you can reinstall the G2 as shown in the image.



DOOR

After installing S1L and S1R in the positions shown, place N1 in the position shown and align the holes.



Place the assembled S1L and S1R units in the positions shown in the diagram. Use F1 to secure the wall panel to the S1L and S1R units. (Reserve the holes for installing other accessories.)

Assembly Method


※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
S3L		1
F1		5



NO.	PART	QTY
S3R		1

NO.	PART	QTY
FJT		2


Note: All components for the upper frame are labeled. The side marked "TOP" should face upward.



Align the holes on S3L and S3R before joining them together, then secure them with F1.



DOOR



Place the assembled S3L and S3R units in the positions shown in the diagram. Use F1 to secure the wall panels to the S3L and S3R units. (Pre-drilled holes are provided for installing additional accessories.)

Assembly Method




※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
S2L		2

NO.	PART	QTY
S2R		2

NO.	PART	QTY
F1		16

Note: All components for the upper frame are labeled. The side marked "TOP" should face upward.



After placing the assembled S2L and S2R in the positions shown in the diagram, use F1 to secure them in place. (Hole positions must be reserved in advance for subsequent installation of other components.)





Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
Q1		7
F11		14

NO.	PART	QTY
Q3		3

NO.	PART	QTY
F1		80






Note:


As shown in the diagram, assemble the wall tiles sequentially. Screws must be used to secure the top, middle, and bottom sections of the wall panels (Q1/Q3). The top and bottom sections are secured with F1 screws, while the middle section is secured with F11 screws.



Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
KL		1
F11		2

NO.	PART	QTY
KR		1

NO.	PART	QTY
F1		8







Note:



After placing KL and KR in the illustrated positions, first use F1 to secure the top and bottom ends of KL and KR to the upper and lower frames. Align the center holes with the wall panel's hole positions, then use F11 to fasten them together. (The bent sections of KL and KR require manual 90-degree bending.)


Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
L1L		2
F3		4

NO.	PART	QTY
L1R		2
B3L		1


NO.	PART	QTY
C		2
B3R		1





Align the top and bottom holes of L1L and L1R. First secure the top holes with F3. Then position C, B3L, and B3R as shown in the diagram, and secure C, B3L, B3R, L1L, and L1R together using F3.

Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.



NO.	PART	QTY
F1		16




After placing the assembled L1L and L1R in the positions shown in the diagram, align them with the holes in the upper frame and secure them using F1.


Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.


NO.	PART	QTY
L3-1		1
L3-2		1

NO.	PART	QTY
F1		2



NO.	PART	QTY
F3		6



Align the two L3 pieces by matching their six holes, then secure them from the outside using F3.



Place the assembled L3 onto L1L and L1R, aligning the holes on top.




Align C with the holes at the bottom of L3 and secure C to L3 using F1.

Assembly Method




※ Assembly must be performed by two or more people. ※ To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
Q4		12

NO.	PART	QTY
F1		48



After installing one Q4, the next Q4 must be placed on top of the previous one.



Install Q4 in sequence. After aligning the holes, use F1 to secure both the top and bottom ends of Q4.



Assembly Method

※ Assembly must be performed by two or more people. ※ To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
GW1		1

NO.	PART	QTY
GW2		1



NO.	PART	QTY
F1		3



Place GW1 and GW2 in the positions shown in the diagram. Use F1 to secure the holes at the connection points between GW1 and GW2.

NO.	PART	QTY
GB2		4


NO.	PART	QTY
F1		10





Place GB2 in the indicated position, align the holes, and secure the center hole of GB2 to Q4 using F1. Place GB2 in the indicated position, align the holes, and secure the center hole of GB2 to Q4 using F1. (Reserve the holes on both sides for installing GB1.)




Assembly Method

※ Assembly must be performed by two or more people. ※ To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.


NO.	PART	QTY
GB1		4


NO.	PART	QTY
J1		4



NO.	PART	QTY
F1		8



First place GB1 in the position shown in the diagram. Then position J1 at each of the four corners. After aligning the holes, use F1 to secure GB1, GB2, and J1 to Q4. Secure the other end of GB1 to Q4 using F1.

NO.	PART	QTY
GE		2



NO.	PART	QTY
F1		2







After placing the GE in the indicated position, align the holes and secure the GE to GW1 and GW2 using F1.

Assembly Method



※ Assembly must be performed by two or more people. ※ To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
M4		1
M3		2




NO.	PART	QTY
M		1
M5R		1

NO.	PART	QTY
M2		2
F4		6




BACK



Place M inside M4, align the holes, then secure them together from the front using F4. (M4 has no specific front or back orientation.)



When installing, pay attention to the orientation of the M2.



Note:

Assemble the components according to the positions shown in the diagram. Use F4 to secure the indicated positions from the front. (When installing M5R, ensure the side with more center holes faces forward for mounting handle MB.)

Assembly Method



※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
M4		1
M3		2




NO.	PART	QTY
M		1
M5L		1

NO.	PART	QTY
M2		2
F4		6




BACK



Place M inside M4, align the holes, then secure them together from the front using F4. (M4 has no specific front or back orientation.)



When installing, pay attention to the orientation of the M2.



Note: Assemble the components according to the positions shown in the diagram. Use F4 to secure the indicated positions from the front. (When installing M5L, ensure the side with more center holes faces forward for mounting handle MB.)






Assembly Method

※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
GD		4


NO.	PART	QTY
F3		4


BACK




Place the GD onto the bottom M2. Use F3 to secure the GD to the M2 from the front of the door. (Note the installation orientation of the GD.)

Assembly Method ※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.


NO.	PART	QTY
F1		8






Notice: Please use the F1 key to secure the installed door to the plastic slider G2. The door height can be adjusted via the three holes on G2. (The middle hole is recommended by default.)



Assembly Method ※Assembly must be performed by two or more people. ※To distinguish the orientation of components, pay attention to the position of the holes indicated in the diagram.

NO.	PART	QTY
MB		2

NO.	PART	QTY
F1		6



Place the MB in the indicated position and use F1 to secure the MB to M5L and M5R.

