



Installation Manual- BV C11760D
BV C11772D

MOTIVATE
YOUR LIFE !

THANKS FOR WATCHING

Your feedback is invaluable to us and we would love to hear about your experience. Please take the time to leave us a review.

Please note: The basin is not included



Thank you for shopping with us!


We encourage you to take a few minutes to go through this booklet. It contains important information on installation and care tips to keep your furniture looking as good as new.

Item NO.:BV C11760D / BV C11772D



Hardware

NO.	Draw	QTY	NO.	Draw	QTY
A	 Screws Ø4x14mm	68	I	 Hinges (Full cover) - 40 cups	4
B	 Two-in-one connector	33	J	 Hinges (Half cover) - 40 cups	4
C	 Two-in-one connector	33	K	 Screws Ø4x25mm	1
D	 Wood plug	5	L	 Movable laminate support	8
E	 Plastic anchor(Ø10mm)	2	M	 Adjustable feet	6
F	 Screws for fix on the wall	2	N	 Anti-collision gasket	8
G	 Bracket (53x70x44mm)	2	O	 Screwdriver	1
H	 Bracket (19x19x35mm)	2			

Recommended tools




Dimensions



CARE CLEANING AND MAINTENANCE


- 1.Dust regularly with a soft , dry cloth.
- 2.Avoid the use of all chemicals household cleaners, abrasives, or cleaners that contain lemon, vinegar, or other acids that may damage the finish.
- 3.Excessive exposure to sunlight and extreme changes in temperature and moisture can damage wood furniture.
4. The sink is fragile, please pay attention to maintaining its appearance.
- 5.Do not place hot appliances, such as curling irons and hot hair dryers directly on the countertop. Wipe spills immediately.

Step 14




Notes:
The installation position can be selected according to the required height.


Finished



Dimensions





Components






Step 1

-  x5
-  x5
- 







Attention: Cam lock arrow point to the steel rod.



Notes: Screw installation depth as shown



Step 2

-  x5
-  x5
- 








Step 12

-  x2
- 
- 




Step 13






Step 5



Note: The D parts are used for these two holes

	x9
B	
	x9
C	
	x2
D	
O	


Step 6



Note: The D parts are used for these two holes


	x9
B	
	x9
C	
	x2
D	
O	

Step 7



	x2
G	
	x2
H	
	(Ø4 x 14mm)
A	x20
	x6
M	
Tool	

Step 8



	x8
N	
	x4
I	
	x4
J	
	(Ø4 x 14mm)
A	x48
Tool	

You can adjust the doors by tightening or loosening the screws on the hinge.

