




THKFBV203 INSTALLATION INSTRUCTIONS


*The vessel set is not included

DIMENSIONS

Unit:inch



ASSEMBLY DIAGRAM






PARTS LIST

PARTS LIST			HARDWARE LIST		
NO.	DESCRIPTION	QTY	NO.	DESCRIPTION	
1		1	A	 CAM LOCK	27
2		1	B	 CAM SCREW	27
3		1	C	 CAM LOCK COVER	27
4		1	E	 HINGE	4
5		1	F	 SCREW	40
6		1	G		2
7		1	I	 (ø3.5X35mm)	2
8		1	J	 (ø6X30mm)	2
9		1	K		2
10		1	L	 (ø6X30mm)	2
11		2	M	 (4X30mm)	2
			N	 (4X14mm)	2
			P	 (M10X80mm)	2
			Q	 (M10X80mm)	2


CAUTION: Please confirm the parts list before installon.


YOU MAY NEED (NOT SUPPLIED)



INSTALLATIONS


STEP 1


HARDWARE LIST		
B		27PCS
		




- Insert the cam screw into the shelves above.


STEP 2



HARDWARE LIST		
A		1PCS
C		1PCS
		




STEP 3






HARDWARE LIST			
A		10PCS	
C		10PCS	




STEP 4




HARDWARE LIST			
A		10PCS	
C		10PCS	





STEP 5

HARDWARE LIST			
G		2PCS	
F		16PCS	




STEP 6

HARDWARE LIST			
A		6PCS	
C		6PCS	






STEP 7

HARDWARE LIST			
F		8PCS	
E		4PCS	




STEP 8


HARDWARE LIST			
F		16PCS	




A.Height adjustment;
 B.Depth adjustment;
 C.Side to side adjustment;
 D.After adjustment A/B/C, tighten screws.


STEP 9

HARDWARE LIST		
J		
L		
P		





STEP 10

HARDWARE LIST		
I		2PCS
		





STEP 11

HARDWARE LIST		
K		2PCS
L		2PCS
M		2PCS
N		2PCS
		





STEP 12

HARDWARE LIST		
Q		2PCS
		



STEP 13



CARE AND CLEANING

1. Many cleansers contain abrasive and chemical substance which is not suitable for cleaning stainless steel, enamel, plating or plastic products. You may use mild cleansers or soaps to clean the surfaces. Wipe any splashes of cleaner solutions from the surface with a clean soft cloth.
2. Maintain ventilation in the bathroom and separate the dry area from the damp one if conditions permit. Try to open the door and windows of the bathroom to maintain adequate ventilation.
3. This cabinet is built to withstand normal bathroom humidity. For best results, keep this vanity dry and take necessary steps to minimize bathroom humidity by opening windows and doors and using the exhaust fan (if available).
4. To maintain the cabinet door, clean and wipe the door regularly with a soft cloth. Wipe condensation with a dry, soft cloth. Keep away from fires and high temperatures.
5. Please do not sit, lean or step on the basin cabinet.



FEEDBACK ★★★★★

Thank you very much for purchasing from us.

We have always been trying to provide the best service and reliable products for every customer.

We sincerely hope you will be satisfied with our products and leave us FIVE STARS and POSITIVE feedback/review in our page.

However, accident may happen sometimes, please contact us to resolve any issue before leaving a negative feedback.

Many thanks and welcome to our shop again!

Contact number: (323) 393-8260

E-mail: service@eclifeusa.com