

LAB LOCATION:  
REPORT NUMBER:

VIETNAM  
EFUZZ26060281-CG-01

ISSUE DATE:  
PAGE:

Jun. 08, 2026  
1 of 7

|            |                                                                                                                                          |      |   |
|------------|------------------------------------------------------------------------------------------------------------------------------------------|------|---|
| Applicant: | CONG TY TNHH YING DONG                                                                                                                   |      |   |
| Address:   | Lot F1, F2, F19, F20, D2, N4, N5 Streets,<br>Nam Tan Uyen Expanded Industrial Park,<br>Binh Co Ward, Ho Chi Minh City, Vietnam.          |      |   |
| Contact:   | Amy                                                                                                                                      |      |   |
| TEL:       | 0967445417                                                                                                                               | FAX: | - |
| E-mail:    | <a href="mailto:salesyingdong@gmail.com">salesyingdong@gmail.com</a> ;<br><a href="mailto:yingdongvn@gmail.com">yingdongvn@gmail.com</a> |      |   |
| Copy To:   | -                                                                                                                                        |      |   |

### OVERALL RATING

|      |   |
|------|---|
| PASS | X |
| FAIL | - |
| DATA | - |

### Sample Information

|                              |                           |                        |                           |
|------------------------------|---------------------------|------------------------|---------------------------|
| Sample Description           | Tabacco/Tan Fabric        |                        |                           |
| Style Number                 | 121222//121232//121233    |                        |                           |
| SKU                          | 121222//121232//121233    |                        |                           |
| Vendor Name                  | YING DONG COMPANY LIMITED |                        |                           |
| Vendor Style Number          | -                         |                        |                           |
| Phase of production          | -                         |                        |                           |
| Quantity                     | -                         | PO Number              | -                         |
| Buyer's Name                 | COASTER CO., OF AMERICA   | Manufacturer           | YING DONG COMPANY LIMITED |
| Country of Origin            | VIETNAM                   | Country of Destination | USA                       |
| Code Number                  | -                         | Date of Production     | -                         |
| Reference item/ style number | -                         | Color                  | Tabacco/Tan               |
| Date of Submission           | Jun. 02, 2026             | Test Performance Dates | Jun. 02, 2026             |

### Testing Status


|                        |                          |                      |   |
|------------------------|--------------------------|----------------------|---|
| Pre-Shipment Lead Test | <input type="checkbox"/> | Test for Protocol    | - |
| Retest                 | <input type="checkbox"/> | Previous Report No.: | - |

LAB LOCATION:  
REPORT NUMBER:VIETNAM  
EFUZ26060281-CG-01ISSUE DATE:  
PAGE:Jun. 08, 2026  
2 of 7

## Sample Photo

**EFUZ26060281-CG-01**

For and on behalf of  
**Eurofins Consumer Product Testing  
Vietnam Co. Ltd.**



**HARRY VU**  
**HARDLINES LAB MANAGER**

LAB LOCATION: VIETNAM  
REPORT NUMBER: EFUZZ26060281-CG-01

ISSUE DATE: Jun. 08, 2026  
PAGE: 3 of 7

### EXECUTIVE SUMMARY:

| TESTING RESULT SUMMARY                                                                                                                 |      |      |      |          |
|----------------------------------------------------------------------------------------------------------------------------------------|------|------|------|----------|
| Test Property                                                                                                                          | PASS | FAIL | DATA | COMMENTS |
| Total Organic Fluorine (TOF) Content                                                                                                   | X    | -    | -    | -        |
| Flame Retardants Content                                                                                                               | X    | -    | -    | -        |
| Phthalates Content                                                                                                                     | X    | -    | -    | -        |
| Flammability of Upholstered Furniture (Cover Fabric Material) (16 CFR Part 1640 & California Technical Bulletin TB 117-2013 Section 1) | X    | -    | -    | -        |

### COMPONENT LIST

| Component No. | Material | Color | Component Name             |
|---------------|----------|-------|----------------------------|
| Sample A      |          |       |                            |
| A1            | Textile  | Tan   | Tan fabric (Fabric sample) |

### TEST RESULT(S):

#### 1. Total Organic Fluorine (TOF) Content

Test Method: With reference to ASTM D7359-23, analysis by Combustion Ion Chromatography (CIC).  
Regulation: California AB 1817 Assembly Bill No. 1817 Chapter 762

| Tested item(s)               | Reporting Limit (mg/kg) | Client's Limit (mg/kg) | Test result(s) (mg/kg) |
|------------------------------|-------------------------|------------------------|------------------------|
|                              |                         |                        | A1                     |
| Total Organic Fluorine (TOF) | 10                      | 100                    | 16                     |
| CONCLUSION                   |                         |                        | PASS                   |

Note:  
ND = not detected, the result is less than reporting limit  
mg/kg = milligram per kilogram  
TOF = Total Fluorine - Total Inorganic Fluorine

LAB LOCATION:  
REPORT NUMBER:

VIETNAM  
EFUZZ26060281-CG-01

ISSUE DATE:  
PAGE:

Jun. 08, 2026  
4 of 7

## 2. Flame Retardants Content

Test Method: Internal Method EUR-AN-SOP-051 (2025), Internal Method EUR-AN-SOP-052 (2025)

| Tested item(s)                                                                  | CAS No.     | Reporting Limit (mg/kg) | Client's limit (mg/kg) | Test result(s) (mg/kg) |
|---------------------------------------------------------------------------------|-------------|-------------------------|------------------------|------------------------|
|                                                                                 |             |                         |                        | A1                     |
| Tris(2-chloroethyl) phosphate (TCEP)                                            | 115-96-8    | 5                       | 1000                   | ND                     |
| Tris(1,3-dichloro-2-propyl)phosphate (TDCPP)                                    | 13674-87-8  | 5                       | 1000                   | ND                     |
| Decabromodiphenyl ether (DecaBDE)                                               | 1163-19-5   | 5                       | 1000                   | ND                     |
| Octabromodiphenyl ether (OctaBDE)                                               | 32536-52-0  | 5                       | 1000                   | ND                     |
| Pentabromodiphenyl ether (PentaBDE)                                             | 32534-81-9  | 5                       | 1000                   | ND                     |
| Hexabromocyclododecane (HBCDD)                                                  | 25637-99-4  | 5                       | 1000                   | ND                     |
| 2-ethylhexyl 2,3,4,5-tetrabromobenzoate (TBB)                                   | 183658-27-7 | 5                       | 1000                   | ND                     |
| Tetrabromobisphenol A (TBBP A)                                                  | 79-94-7     | 5                       | 1000                   | ND                     |
| Bis(2-ethylhexyl)-2,3,4,5-tetrabromophthalate (TBPH)                            | 26040-51-7  | 5                       | 1000                   | ND                     |
| Tris(1-chloro-2-propyl)phosphate (TCPP)                                         | 13674-84-5  | 5                       | 1000                   | ND                     |
| Triphenylphosphate                                                              | 115-86-6    | 5                       | -                      | ND                     |
| Bis(chloromethyl) propane 1,3-diyl tetrakis-(2-chloroethyl) bis(phosphate) (V6) | 38051-10-4  | 5                       | 1000                   | ND                     |
| Bis(tert-butylphenyl) phenyl phosphate (DBPP)                                   | 65652-41-7  | 5                       | 1000                   | ND                     |
| 4-(tert-butyl)phenyl diphenyl phosphate (MDPP)                                  | 56803-37-3  | 5                       | 1000                   | ND                     |
| Tris(p-tert-butylphenyl) phosphate (TBPP)                                       | 78-33-1     | 5                       | 1000                   | ND                     |
| Trimethyl phosphate                                                             | 512-56-1    | 5                       | 1000                   | ND                     |
| Tri-(2,3-dibromopropyl)-phosphat (TRIS/TDBPP)                                   | 126-72-7    | 5                       | 1000                   | ND                     |
| CONCLUSION                                                                      |             |                         |                        | PASS                   |

Note:

ND = Not Detected, the result is less than reporting limit  
mg/kg = milligram per kilogram

LAB LOCATION:  
REPORT NUMBER:

VIETNAM  
EFUZZ26060281-CG-01

ISSUE DATE:  
PAGE:

Jun. 08, 2026  
5 of 7

### 3. Phthalates Content

Test Method: CPSC-CH-C1001-09.4:2018

| Tested item(s)                     | CAS No.                   | Reporting Limit (mg/kg) | Limit (mg/kg) | Test result(s) (mg/kg) |
|------------------------------------|---------------------------|-------------------------|---------------|------------------------|
|                                    |                           |                         |               | A1                     |
| Diethylhexylphthalate (DEHP)       | 117-81-7                  | 50                      | 1000          | ND                     |
| Dibutylphthalate (DBP)             | 84-74-2                   | 50                      | 1000          | ND                     |
| Butylbenzylphthalate (BBP)         | 85-68-7                   | 50                      | 1000          | ND                     |
| Diisodecyl phthalate (DIDP)        | 26761-40-0/<br>68515-49-1 | 50                      | 1000          | ND                     |
| Diisononylphthalate (DINP)         | 28553-12-0/<br>68515-48-0 | 50                      | 1000          | ND                     |
| Di-n-hexyl phthalate (DNHP/ DHEXP) | 84-75-3                   | 50                      | 1000          | ND                     |
| Di-isobutyl phthalate (DiBP)       | 84-69-5                   | 50                      | 1000          | ND                     |
| Dipentyl phthalate (DPP / DPENP)   | 131-18-0                  | 50                      | 1000          | ND                     |
| Dicyclohexyl phthalate (DCHP)      | 84-61-7                   | 50                      | 1000          | ND                     |
| CONCLUSION                         |                           |                         |               | PASS                   |

Note:

ND = Not Detected, the result is less than reporting limit  
mg/kg = milligram per kilogram

**LAB LOCATION:** VIETNAM  
**REPORT NUMBER:** EFUZ26060281-CG-01

**ISSUE DATE:** Jun. 08, 2026  
**PAGE:** 6 of 7

**4. Flammability of Upholstered Furniture (Cover Fabric Material) (16 CFR Part 1640 & California Technical Bulletin TB 117-2013 Section 1)**

|                     |                |
|---------------------|----------------|
| Sample Description: | Tobacco Fabric |
|---------------------|----------------|

| Specimen | Continue to smolder after the 45 minute test duration (Yes/No) | Vertical char length (mm) | Transitions to open flaming (Yes/No) | Comment (Pass/Fail) |
|----------|----------------------------------------------------------------|---------------------------|--------------------------------------|---------------------|
| 1        | No                                                             | 15                        | No                                   | Pass                |
| 2        | No                                                             | 16                        | No                                   | Pass                |
| 3        | No                                                             | 17                        | No                                   | Pass                |

**Remark:** **Yes**= Smolder / Occur Open Flame **No**= Not smolder / Not Occur Open Flame

|                                   |             |
|-----------------------------------|-------------|
| <b>Overall rating (Pass/Fail)</b> | <b>Pass</b> |
|-----------------------------------|-------------|

**Pass/Fail criteria:**

- A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
  - The mock-up test specimen continues to smolder after the 45 minute test duration;
  - A vertical char length (measured as specified in step 11.9 of ASTM E1353-08a <sup>ε1</sup>) of more than 1.8 inches (45 mm) develops on the cover fabric;
  - The mock-up test specimen transitions to open flaming.
- The cover fabric passes the test if three initial mock-up specimens pass the test, i.e., the cigarettes burn their full length and the mock-ups are no longer smoldering.
- If more than one initial specimen fails, the cover fabric fails the test.
- If any one of the three initial specimens fails, repeat the test on additional three specimens.
- If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test

LAB LOCATION: VIETNAM  
REPORT NUMBER: EFUZ26060281-CG-01

ISSUE DATE: Jun. 08, 2026  
PAGE: 7 of 7

**NOTE:**

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

**Technical questions:**

|                            |                                |                                       |
|----------------------------|--------------------------------|---------------------------------------|
| Primary Contact: Allen Hsu | Tel: +84-28-7109-8828 Ext: 127 | Email: Allen.Hsu@cpt.eurofinsasia.com |
| Back-up Contact: Harry Vu  | Tel: +84-28-7109-8828 Ext: 175 | Email: Harry.Vu@cpt.eurofinsasia.com  |

**Concerns About Billing and General Inquiries:**

|                               |                                |                                          |
|-------------------------------|--------------------------------|------------------------------------------|
| Primary Contact: Vincent Pham | Tel: +84-28-7109-8828 Ext: 114 | Email: Vincent.Pham@cpt.eurofinsasia.com |
| Back-up Contact: Wendy Do     | Tel: +84-28-7109-8828 Ext: 123 | Email: Wendy.Do@cpt.eurofinsasia.com     |

*This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins Consumer Product Testing Vietnam Co. Ltd. ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.*