




User's Manual



INSTALLATION INSTRUCTIONS

Installation Manual



IAPMO RESEARCH AND TESTING, INC.
500 East Philadelphia Street, Ontario, California 91761-2816 • (909) 473-4100 Fax (909) 473-4244 • www.iapmo.org

CERTIFICATE OF LISTING

ANSI A116.1 IAPMO RST UPC

Effective Date: August 2013 **Valid Through:** August 2016

Product: Flushing Flange Fixings **File No.:** 6737

Issued To: Roca Inc. Flushing Flange Fixings, Inc., Ltd.
200-100 Highway 100, Suite 100
Bellingham, BC, V2R 4G9
Canada

Identification: Flushing Flange Fixings complying with this standard shall be marked with the manufacturer's name, trademark, or other mark as, in the case of active listing, the name, trademark, or other mark of the customer for whom the listing was made. The marking shall be accompanied by one of a permanent mark or by placing a permanent label on the product. Marking on plastic flange fixings shall be visible after installation.

Requirements: Flushing Flange Fixings shall have identifiable permanent marking and shall also have the following marking: "Roca Inc. Flushing Flange Fixings, Inc., Ltd. Bellingham, BC, V2R 4G9, Canada".

Marking: Marking shall be made on the manufacturer's name, trademark, or other mark as well as the name, address, or in the case of active listing, the name, trademark, or other mark of the customer for whom the listing was made. Marking shall be visible after installation.

Signature: David McHenry, President, IAPMO RST

Signature: Ron Chong, CEO, IAPMO RST

IAPMO RESEARCH AND TESTING, INC.
500 East Philadelphia Street, Ontario, California 91761-2816 • (909) 473-4100 Fax (909) 473-4244 • www.iapmo.org

CERTIFICATE OF LISTING

ANSI A116.1 IAPMO RST UPC

Effective Date: January 2014 **Valid Through:** January 2017

Product: Flushing Flange Fixings **File No.:** 4055

Issued To: Roca Inc. Flushing Flange Fixings, Inc., Ltd.
200-100 Highway 100, Suite 100
Bellingham, BC, V2R 4G9
Canada

Identification: Flushing Flange Fixings complying with this standard shall be marked with the manufacturer's name, trademark, or other mark as, in the case of active listing, the name, trademark, or other mark of the customer for whom the listing was made. The marking shall be accompanied by one of a permanent mark or by placing a permanent label on the product. Marking on plastic flange fixings shall be visible after installation.

Requirements: Flushing Flange Fixings shall have identifiable permanent marking and shall also have the following marking: "Roca Inc. Flushing Flange Fixings, Inc., Ltd. Bellingham, BC, V2R 4G9, Canada".

Marking: Marking shall be made on the manufacturer's name, trademark, or other mark as well as the name, address, or in the case of active listing, the name, trademark, or other mark of the customer for whom the listing was made. Marking shall be visible after installation.

Signature: David McHenry, President, IAPMO RST

Signature: Ron Chong, CEO, IAPMO RST

IAPMO RESEARCH AND TESTING, INC.
500 East Philadelphia Street, Ontario, California 91761-2816 • (909) 473-4100 Fax (909) 473-4244 • www.iapmo.org

CERTIFICATE OF LISTING

ANSI A116.1 IAPMO RST UPC

Effective Date: January 2014 **Valid Through:** January 2017

Product: Flushing Flange Fixings **File No.:** 4055

Issued To: Roca Inc. Flushing Flange Fixings, Inc., Ltd.
200-100 Highway 100, Suite 100
Bellingham, BC, V2R 4G9
Canada

Identification: Flushing Flange Fixings complying with this standard shall be marked with the manufacturer's name, trademark, or other mark as, in the case of active listing, the name, trademark, or other mark of the customer for whom the listing was made. The marking shall be accompanied by one of a permanent mark or by placing a permanent label on the product. Marking on plastic flange fixings shall be visible after installation.

Requirements: Flushing Flange Fixings shall have identifiable permanent marking and shall also have the following marking: "Roca Inc. Flushing Flange Fixings, Inc., Ltd. Bellingham, BC, V2R 4G9, Canada".


Marking: Marking shall be made on the manufacturer's name, trademark, or other mark as well as the name, address, or in the case of active listing, the name, trademark, or other mark of the customer for whom the listing was made. Marking shall be visible after installation.

Signature: David McHenry, President, IAPMO RST


Signature: Ron Chong, CEO, IAPMO RST

INSTALLATION STEPS

This product has been inspected and debugged by the factory to the best condition. Please do not disassemble and assemble it yourself.






Before installing the faucet, please be sure to remove sundries and sludge from the water pipe to prevent sundries from blocking the faucet.





1. Build a groove in the wall.

2. Fix the body with self-tapping screws.

3. Mount Cover and Rotor.



4. Install outlet pipe (Convolve Teflon tape round screw).



CLEANING CARE

In order to keep the appearance of faucet clean, bright and good performance, please take care of the faucet as follows;

1. Rinse with water only and dry with soft cotton cloth;
2. Use mild liquid and colorless glass cleaner to remove surface dirt and scale film, or use polish without abrasive effect;
3. Do not use abrasive detergent, polish, emery cloth, paper towel or scraper, etc.;
4. Do not use acid cleaner, or cleaner and soap with insoluble gran etc.;
5. In the process of use, mud may accumulate in the bubbler and make the water flow show. The bubbler can be unscrewed, rinsed with water, and then installed back in place.



Please feel free to contact us if you have any questions. We will help to solve the issue together with you. OUR EMAIL: services@rbrohant.com



**AQUA
GALLERY**

Service Contact:

+1(801) 800-9309

services@rbrohant.com

Made in China