


MANUAL INSTRUCTIONS



WARRANTY


- The quality of our products has been strictly controlled. Each stage of the product upgrading has condensed the efforts of employees in various departments. We strive to minimize the probability of failure of new products and insist on providing customers with worry less after-sales service.
- If you have any damage or quality problems after receiving the goods, please contact us in time, our professional after-sales team will reply you as soon as possible and help you solve it.
- In order to save your time, please describe the problem in detail. If possible, we hope you can upload product pictures for our reference, and inform us the part number according to the instructions.

AFTER-SALE POLICY


In order to better provide after-sales service experience, we provide the following after-sales policies. At the same time, we also hope that you can actively cooperate with us.

- Within the warranty period of the product, In case of product quality problems, you can contact us, we can provide you with parts replacement services, but for functional issues, we hope you could cooperate with us to complete the troubleshooting steps we told you and inform us the result, so we could help you solve it.
- For the return problem, we do not accept unreasonable refunds. If you are not satisfied within 3 days after receiving the goods, we hope you can contact us as soon as possible. After we checked, you must return the product in their original status, so you could qualify for a refund.


PARTS




1 x1




2 x1




3 x1




4 x1




5 x1




6 x1




7 x1




8 x2




9 x2



10 x1




11 x1




12 x1


PARTS




13 x2




14 x2




15 x2




16 x2




17 x2




18 x2




19 x2



20 x2



21 x2



22 x2

HARDWARE




Φ15x9.5mm

(A) ×40




Φ6.5x35mm

(B) ×40




Φ6x30mm

(C) ×28




M4x35mm

(D) ×8




M3.5x12mm


(E) ×78



(F) ×12



(G) ×6



(H) ×4




(I) ×4




M4x18mm

(J) ×12



(K) ×2




(L) ×8



(M) ×22








(N) ×1





(O) ×1


HARDWARE




EXPLOSION VIEW




Cam bolt
vertical installation.



Cam bolt
is adjustable






Cam lock the
arrow is towards
the Cam bolt








180°
Ensure locking




1





2





3



4




5



6




(A) x 4





(C) x 4





(M) x 4



7



8



9




(A) x 4




(C) x 4





(M) x 4










11



12




13






(B) x10




15




(A) x10




(C) x 4




16




Ⓔ x12




Ⓕ x 12




17



(L) x8






19


Ø3.5*12

(E) x 8


(I) x 4



20




(E) x 16




21

Ø3.5*12


(E) x 8




(H) x 4




22



(E) x 16



23




ⓖ x 4




Ø4*18


ⓙ x 8




DOOR FITTING



To adjust in width





To adjust in height




To adjust in depth



24





25





26



27





28





x2





29






x2




31








32



33



Drill 2 holes on the wall at the required position for anti-falling device installation.



WARNING:Serious or fatal injuries can occur from furniture tipping over.

To prevent the furniture from tipping over we recommend that it is permanently fixed to the wall. Wall anchor and hardware are included with this product. Please make sure hardware is suitable for your walls before installing, as different wall materials may require different types of anchors.