
# **ASSEMBLY INSTRUCTION**


#### **DEAR CUSTOMER**

Thank you for purchasing our product. Please read this assembly instruction carefully before assemble and use, and keep it for future reference.

### Tips:


- 1. Please check whether the outer packaging is intact before opening to avoid damage during transportation.
- 2. Assemble this product on a flat and clean surface to avoid scratching. It is recommended for one or two people to assemble.
- 3. After unpacking, please confirm in time all the parts and hardware are included. Please do not discard any packaging, if for any reason you need to return this product, it must be returned in its original packaging.
- 4. If you have any questions about the products, please send an email to AfterSales317@outlook.com !!!
- 5. Please keep small parts out of reach of children or pets to prevent them from swallowing.
- 6. Please read the installation steps in the Instruction carefully and follow the steps in the Instruction to assemble.
- 7. The compressed cushion may needs to wait about 72 hours to rebound. We recommend that you open the backpack and pat the cushion to facilitate quick rebound. If the folds are deep, they can be ironed with steam at 180°.






### **UNPACKING STEP**

Step1 Opening the compression bag (C1, C2) and take out the seat cushion (C2) and the back cushion (C1).









Note: To ensure optimal expansion, please unpack the compressed package and gently pat the sofa with your hands. Then, patiently wait for 72 hours until it fully recovers.

Step2 Install the sofa legs(2), antislip gasket(4) to the bottom of the armchair seat frame (B1) and the armrest (A1) by turning them clockwise.




### **INSTALLATION STEP**


Step3 Connect the assembled left seat frame (B1) to the armrest(A1).



## **INSTALLATION STEP**


Step4 Put the insert (3) into the back frame (A3) bottoms, then put the back frame (A3) into the seat frame(B1).





### **UNPACKING STEP**


Step5 Opening the compression bag (C1, C2) and take out the seat cushion (C2) and the back cushion (C1).




the compressed package and gently pat the sofa with your hands. Then, patiently wait for 72 hours until it fully recovers.

### **INSTALLATION STEP**

Step6 Install the sofa legs(2), antislip gasket(4) to the bottom of the armchair seat frame (B2) and the armrest (A2) by turning them clockwise.





Step7 Connect the assembled right seat frame (B2) to the armrest(A2).



### **INSTALLATION STEP**


Step8 Put the insert (3) into the back frame (A3) bottoms, then put the back frame (A3) into the seat frame(B2).





### **UNPACKING STEP**

Step9 Opening the compression bag (C1, C2) and take out the seat cushion (C2) and the back cushion (C1).






Note: To ensure optimal expansion, please unpack the compressed package and gently pat the sofa with your hands. Then, patiently wait for 72 hours until it fully recovers.


### **INSTALLATION STEP**

Step10Install the sofa legs(2), antislip gasket(4) to the bottom of the seat frame (B4) by turning them clockwise.






Step11 Put the insert (3) into the back frame (A3) bottoms, then put the back frame (A3) into the seat frame(B4).




### **UNPACKING STEP**




### **UNPACKING STEP**

Step12 Open the compression bag (C3), then take out the seat cushion (C3)




Step13 Install the legs (2), antislip gasket (4) to the ottoman seat frame (B3) by turning them clockwise






# INSTALLATION STEP

Step14 Insert the U lock (5) into the joint of the seat frame (B1/B4/B2)






Step15 Place the sofa seat cushion (C1/C2/C3) on the assembled sofa frame.



# **Product Display**



Assembly completed! Please enjoy your sofa!