



K-5383

10" rough-in full skirt trap and attachment system

Features

- Converts standard 12" (305 mm) rough-in products to 10" (254 mm) configuration
- Plastic trapway



Available Colors/Finishes

Color tiles intended for reference only.

NA NA Not Applicable



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-31-2026 19:05 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.2/CSA B45.1

Recommended Products/Accessories

K-31677 ContinuousClean XT tall two-piece elongated toilet with skirted trapway, 1.28 gpf

K-33813-RA Tall two-piece elongated toilet with skirted trapway, 1.28 gpf

K-33814 Tall ContinuousClean two-piece elongated toilet with skirted trapway, 1.28 gpf

K-3814 Two-piece elongated toilet with skirted trapway, 1.28 gpf

K-3814-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf

K-3981 One-piece compact elongated toilet with skirted trapway, 1.28 gpf

K-5709 ContinuousClean XT two-piece elongated toilet with skirted trapway, 1.28 gpf

K-5310 Two-piece elongated toilet with skirted trapway, 1.28 gpf

K-5310-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf

K-20197 Two-piece elongated toilet with skirted trapway, 1.28 gpf

K-20197-RA Two-piece elongated toilet with skirted trapway, 1.28 gpf

K-20198 ContinuousClean XT two-piece elongated toilet with skirted trapway, 1.28 gpf

K-31697 ContinuousClean two-piece elongated toilet with skirted trapway, 1.28 gpf

K-78080 One-piece compact elongated toilet with skirted trapway, 1.28 gpf

K-78080-RA One-piece compact elongated toilet with skirted trapway, 1.28 gpf

K-6428 One-piece compact elongated toilet with skirted trapway, 1.28 gpf

K-31674 The Complete Solution® two-piece elongated toilet with skirted trapway, 1.28 gpf

K-45927 The Complete Solution® two-piece elongated toilet with skirted trapway, 1.28 gpf

K-46018 The Complete Solution® ContinuousClean ST two-piece elongated toilet with skirted trapway, 1.28 gpf

K-28161 Two-piece elongated toilet with skirted trapway, 1.28 gpf



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-31-2026 19:05 - US-CA

THE BOLD LOOK
OF **KOHLER®**

Warranty

See website for detailed warranty information.

KOHLER® One-Year Limited Warranty




1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-31-2026 19:05 - US-CA



Installation

- 10" (254 mm) rough-in
- Helps accommodate 10" (254 mm) rough-in installations without relocating the waste line

Installation Notes

Install this product according to the installation instructions.

