


DATASHEET AND MEASUREMENT




**PRE-RINSE HIGH-ARC KITCHEN FAUCET
WITH LED THERMAL FUNCTION**


FUNCTIONS AND SPECIFICATION

Function	Kitchen Faucets	
Feature	LED thermal,Pre-Rinse, High-Arc	
Theme	Modern ,Contemporary	
Finish	Chrome Polish	
Installation Holes	One Hole	
Number of Handles	One	
Handle style	Lever	
Faucet Total Height	535mm [21-1/16 Inch]	
Spout Reach	205mm [8-1/16 Inch]	
Spout Height	155mm [6-1/8 Inch]	
Max deck thickness	30mm [1-3/16 Inch]	
Installation type	Deck mount	
Pullout spray	No	
Pullout direction	No	
Spout Type	Swivel	
Spout Swivel	360	
Valve Type	Ceramic disc	
Faucet Body Material	Brass	
Faucet Spray Material	ABS	
Spray function	Single function	
Handle Material	Zinc-Alloy	
Net Weight	2.3 KG [5.07 lbs]	
Gross Weight	2.8 KG [6.17 lbs]	
Working water press	0.2 ~0.8 Mpa	
Flow Rate	5.6L/M [1.5 GPM]	
Power	Water flow generator(turbine)	
LED Color changing		
Water temperature	< 28 °C	Blue color
Water temperature	28 °C~ 38 °C	Green color
Water temperature	> 38 °C	Red color
Packing box size	600mm(23-5/8") x 250mm(9-7/8") x 70 mm(2-3/4")	


DIMENSION




Mounting hole dimension



Max deck thickness



ACCESSORIES LIST



CODE	ITEM NAME	QTY	CODE	ITEM NAME	QTY
A	Faucet body	1PCS	B	LED spray	1PCS
C	Screen washer	1PCS	D	O-Ring	1PCS
E	Rubber washer	1PCS	F	Metal washer	1PCS
G	Threaded shank	1PCS	H	Lock nut	1PCS
I	screw	2PCS	J	Flexible hose	2PCS
K	Spray holder	1PCS	L	Spring	1PCS
M	Spray flexible hose	1PCS	N	Handle	1PCS



HONGKONG SUMERAIN SANITARY INDUSTRY CO.,LIMITED

Address: ROOM 1018, HOLLYWOOD PLAZA 610 NATHAN ROAD MONGKOK, KL
Factory Address: Shuikou Industrial Park, Kaiping City, Guangdong Province, China (Mainland)
Tel: +86-750-2731579
Toll Free: 400-0999-075 (China mainland)
Fax: +86-750-2715258
Web: www.sumerain.com
E-mail: hk@sumerain.com

SUMERAIN INTERNATIONAL GROUP – AMERICA Sales Branch

Address: 13455 Harper Dr.
Saratoga, CA 95070
USA
Tel: +1-408-867-8884
FAX: +1-408-867-4272
E-mail: us@sumerain.com