JAMIE YOUNG Co

AMOEBA MIRROR

6AMOE-MIWH

SAFETY, INSTALLATION & CARE INSTRUCTIONS

PARTS INCLUDED

A. Mirror with hanger cleat.
B. Wall Anchor- 5 Pcs
C. Mounting Screws- 5 Pcs
D. 12 Inch Wall Cleats- 1 Pc
E. Wrench- 1 Pc

INSTALLATION PROCEDURE

1. Safety Precaution- Ensure the wall can support the weight of the mirror 13.600 Kgs/ 30 Lbs
2. Unpack all parts and place them on a protected work surface.
3. Determine the exact location of the fixture and mark holes on the wall surface using the holes in the wall cleats (D) as a guide.
4. Drill small holes on each point location on the wall.
5. Each hole should be just large enough to accommodate wall anchor (B).
6. Insert the anchors (B) into the holes on the wall
7. Mount the wall cleats (D) into the wall using screws (C) and check it is securely screwed into the wall.
8. Place the mirror with hanger cleat onto the wall cleat fixed on wall.
9. Installation is complete.

CARE INSTRUCTIONS

1. Clean with a soft, dry cloth or static duster.
2. Avoid the use of harsh chemicals or abrasive cleaners.
3. Ensure the wall can support the weight of the mirror.


JAMIE YOUNG Co

AMOEBA MIRROR

6AMOE-MIWH

SAFETY, INSTALLATION & CARE INSTRUCTIONS

Fig. 1: Front View & Back View



NOTE: This mirror is designed for dual orientation and can be hung both vertically and horizontally. The vertical orientation is equipped with a cleat hanging system, while the horizontal orientation includes metal loops (F) for secure mounting.

Fig. 2: Cleat Installation





Fig. 3: Horizontal Orientation View

Note: Remove the cleat before hanging the mirror horizontally. Refer to Figure 4 for cleat detachment instructions.



JAMIE YOUNG Co

AMOEBA MIRROR

6AMOE-MIWH

SAFETY, INSTALLATION & CARE INSTRUCTIONS

Fig. 4: Cleat Detachment Instructions

1. Using a wrench (E), rotate the bolts anticlockwise to loosen them. Continue rotating until the bolts are fully removed.
2. Once the bolts are fully loosened, carefully detach the cleat from the mirror frame.
3. Set the cleat and bolts aside for future use if required.
4. Finally, Use Loops to hang the mirror horizontally.

