




Installation & Assembly






YOU MAY NEED (NOT SUPPLY)







PARTS LIST					
PARTS LIST					
NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY
①	Left side panel 	1	⑦	Movable Shelf 	1
②	Right side panel 	1	⑧	Top Decorative Panel 	1
③	Bottom panel 	1	⑨	Left door panel 	1
④	Front fixed panel 	1	⑩	Right door panel 	1
⑤	Back fixed panel 	1	⑪	Bottom Decorative Panel 	1
⑥	Back fixed panel 	1			

PARTS LIST					
HARDWARE LIST					
NO	DESCRIPTION	QTY	NO	DESCRIPTION	QTY
A	Three-in-one eccentric wheel 	14	H	4*30mm screw 	2
B	Three-in-one connecting rod 	14	I	4*23mm screw 	6
C	Three-in-one sticker 	14	J	Door handle 	2
D	8*40mm wood dowel pins 	12	K	Door handle 	2
E	Two-in-one lock handle 	4	L	Small adjustable foot 	4
F	Two-in-one screws 	4	M	Door hinges 	4
G	4*16mm screw 	24	N	Pipe Plug 	1
CAUTION: Please confirm the parts list before installation					


STEP 1

HARDWARE LIST			
Three-in-one connecting rod B  14PCS	Small adjustable foot L  4PCS	Two-in-one screws F  4PCS	

1. Put the three-in-one connecting rod in the 10mm hole of the following panels and tighten them with a cross screwdriver or an electric tool.




2. Fix the small adjustable feet on the bottom of the left and right side panels




3. Insert the two-in-one screws into the pre-drilled holes of Panel 1 and Panel 2.

STEP 2





1. Strike the 08*40mm wood dowel pin into the 8mm hole of the above panels with an iron hammer. Please note that the hole of the three-in-one connecting rod should also be 8mm. The hole of the three-in-one connecting rod connects to the hole of 15mm three-in-one eccentric wheel.




HARDWARE LIST	
8*40mm wood dowel pins D  12PCS	

STEP 3



1. Connect No. 3 panel to No. 11 panel tightly with the three-in-one eccentric wheel.



2. Cover the mounting hole of the eccentric wheel with a three-in-one sticker.



HARDWARE LIST

Three-in-one
eccentric wheel
A  2PCS


Three-in-one
sticker
C  2PCS



STEP 4



1. Connect No. 3-4-5-6 panel to No. 2 panel tightly with the three-in-one eccentric wheel.



2. Cover the mounting hole of the eccentric wheel with a three-in-one sticker.



HARDWARE LIST

Three-in-one
eccentric wheel
A  6PCS


Three-in-one
sticker
C  6PCS



STEP 5



1. Connect No. 1 panel to No. 3-4-5-6 panel tightly with the three-in-one eccentric wheel.



2. Cover the mounting hole of the eccentric wheel with a three-in-one sticker.




HARDWARE LIST

Three-in-one
eccentric wheel
A  6PCS

Three-in-one
sticker
C  6PCS



STEP 6



Fix the two-in-one lock handle on No. 7 plate and put it in the cabinet. Put the pipe plug on No. 7 plate


HARDWARE LIST

Two-in-one lock
handle
E  4PCS


Pipe Plug
N  1PCS



STEP 7




1:Secure the handle (J) to the 8# false drawer front with 4×23mm screws.



2:Fix the handles(K) on Panel 9 and Panel 10 with 4×23 screws.



HARDWARE LIST			
Door handle J ○ 2PCS	Door handle K 1 2PCS	4*23mm screw I 6PCS	




Fasten Panel 8 and Panel 4 with 4*30mm screws.

HARDWARE LIST	
4*30mm screw H 2PCS	


STEP 9





1. Install the hinge cup to the door panel with 4*16mm screws.



2. Install the hinge to the side panel with 4*16mm screws.



4. Adjust the door panel clearance.



3. Install the hinge cup on the door panel to the hinge of the side panel.

HARDWARE LIST

4*16mm screw

Door hinge


G  24PCS

M  4PCS



Hinge/Door Adjustment and Realignment

If adjustment or realignment is needed, follow the instructions provided in the following chart.





Choking hazard-Small Parts : This unit contains small parts, not for children under 3 years.

Tip-over hazard : Secure finished unit to wall stud using L-Bracket and wall screw (#10*1.5"W/out provided). If a wall stud is not neccessible , Consault your local hardware store for appropriate mounting hardware . Failure to properly install will result in product collapse or tip-over. Serious injury can occur .