
User Manual

For Storage Shelter



Please read, understand, and practice the guidelines in this user manual before use, and keep it for future reference.

6' x 8' 8' x 8' 8' x 12' 10' x 12' 10' x 15'

Table of Contents

- Safety Instructions ····· 2
- 6' x 8' （Mode#6603） ····· 3
- 8'x8' & 8'x12' & 10'x12'（Model#6604&6605&6606） ····· 9
- 10' x 15' （Mode#6607） ····· 15
- Maintenance ····· 21
- Warranty ····· 21

IMPORTANT

We'd love to hear from our customers. If you have any questions about the manual or would like us to help in any way, please feel free to contact the support team. We will reply in 24 hours (business days).

- Check **the Spam** and your **email Settings** if you do not receive a reply in time as it is probably blocked because our support team will always get back to you no later than the timeframe.
- Add the following email address to your CONTACT LIST in case of any blocking.
- **Email: maxlead.us@gmail.com**

Safety Instructions

You should read, understand, and practice safety instructions in this chapter. For any damages due to not obeying guidelines as instructed, the owner (user) should take full responsibility.



Please ALWAYS weigh down your storage shelter with sandbags, auger anchors, and (or) pegs.



Please do NOT place something heavy on the top as the shelter is designed to be a temporary structure.




Please do NOT light a fire inside and keep any heat source away from your storage shelter.



Do NOT throw away the original packaging cartons in case of a return or an exchange.

Reminder


Do not use and leave the shelter outside in inclement weather. The owner (or user) should take down the structure for any potential inclement weather, including high winds, heavy rains, sleet, snow, and the like, or he (she) should take the loss.







6' x 8' (Model #SS6603)

Parts List

You'll receive one (1) box for this model. Please pay particular attention to making sure all parts are numbered and graphically indexed as shown on the **Parts List**, so does the quantity for each part. If you need any help, please contact us promptly (maxlead.us@gmail.com) with the **ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, AND PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE)**, we'll get back to help out soon.




Part Number	Diagram	Description	Quantity (PCS)
#1		Top Diagonal Beam Pole	4
#2		Horizontal Connecting Pole with male end	3
#2A		Horizontal Connecting Pole with female end	3
#3		Leg Pole	4
#4		Ground Bar with male end	2
#4A		Ground Bar with female end	2
#A		3-Way Connector	6
#C		Foot Base	4
#D		3-Way Clip	8
#E		Spiral Peg	4
#F		Bungee Cord	28
#G		M8*45 Bolt And Nut	5
#H		M6*40 Bolt And Nut	5
#I		L-Shaped Peg	8
#J		Guy Rope	4
#K		Roof Cover	1
#K1		Door with Zippers	2
#L		Gloves	2Pairs


Assembly Steps

- Before the assembly, please check to make sure that youlhave all the parts listed on the **Parts List above.**

Step 1 Layout and assemble the roof frame as instructed with the poles (4xpart #1, 3xpart #2, 3xpart #2A,) and the connectors (6 x part #A).




Step 2 Fix all the poles and connectors together by snapping the built-in pins.




Step 3 Assemble the Leg pole.

a) Attach 2 x poles (#3) to the connectors (#A)on one side, then lift the structure from another side.
b) Attach another 2x poles (#3) to the connectors (#A) on the other side.




Step 4 Put the Cover (#K) on the roof frame.


IMPORTANT !
The built-in webbing should face down on the front and rear of the corner of the structure.
Please make sure the cover hangs at all four corners equallby.



Step 5 Attach the 2 x Doors with Zippers (#K1) to the Top Diagonal Beam Poles (#1) with Bungee Cords (#F).




Step 6 Secure the Door with Zippers (# K1) to the Leg Pole (#3) with the Bungee Cords (#F), Then Install the Foot Base (# C) with the M8*45 Bolt And Nut (#G).




Step 7 Install Ground Bar

Firstly, Connect Ground Bar with male end (# 4) with Ground Bar with female end (# 4A), Then insert the pole into the bottom ground bar cloth. Use 3-Way Clip(#D) and M6*40 Bolt and Nut(#H) to connect the Ground Bar with Leg Pole(#3).




Step 8 Anchor this storage shelter with L-Shaped Peg (# I) and Spiral Peg (#E) provided.






8'x8' & 8'x12' & 10'x12' (Model#6604&6605&6606)

Parts List

You'll receive one (1) box for each. Please pay particular attention to making sure all parts are numbered and graphically indexed as shown on **Parts List**, so does the quantity for each part. If you need any help, please contact us promptly (maxlead.us@gmail.com) with the **ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, AND PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE)** , we'll get back to help out soon.



Parts List For 8' x 8' & 8' x 12' & 10' x 12'(Model #SS6604&6605&6606)


Part Number	Diagram	Description	Quantity (PCS)
#1		Top Diagonal Beam Pole	6
#2		Horizontal Connecting Pole	6
#3		Leg Pole	6
#4		Ground Bar	4
#A		3-Way Connector	6
#B		4-Way Connector	3
#C		Foot Base	6
#D		3-Way Clip	8

Part Number	Diagram	Description	Quantity (PCS)
#D1		4-Way Clip	4
#E		Spiral Peg	4
#F		Bungee Cord	32
#G		M8*45 Bolt And Nut	7
#H		M6*40 Bolt And Nut	9
#I		L-Shaped Peg	12
#J		Guy Rope	4
#K		Roof Cover	1
#K1		Door with Zippers	2
#L		Gloves	2Pairs


Assembly Steps

- Before the assembly, please check to make sure that you have all the parts listed on the **Parts List above.**

Step 1 Layout and assemble the roof frame as instructed with the poles (6xpart #1, 6xpart #2, and the connectors (6 x part #A,3 x part#B)




Step 2 Fix all the poles and connectors together by snapping the built-in pins.



Step 3 Assemble the Leg pole.

a) Attach 3 x poles (#3) to the connectors (#A / #B)on one side, then lift the structure from another side.

b) Attach another 3x poles (#3) to the connectors (#A / #B) on the other side.




Step 4 Put the Cover (#K) on the roof frame.


IMPORTANT !

The built-in webbing should face down on the front and rear of the corner of the structure.


Please make sure the cover hangs at all four corners equallby.



Step 5 Attach the 2 x Doors with Zippers (#K1) to the Top Diagonal Beam Poles (#1) with Bungee Cords (#F).




Step 6 Secure the Door with Zippers (# K1) to the Leg Pole (#3) with the Bungee Cords (#F), Then Install the Foot Base (# C) with the M8*45 Bolt And Nut (#G).




Step 7 Install Ground Bar

Insert the Ground Bar (#4) into the bottom ground bar cloth. Use 3-Way Clip(#D) and M6*40 Bolt and Nut(#H) to connect the Ground Bar with Side Leg Pole(#3). Use 4-Way Clip(#D1) and M6*40 Bolt and Nut(#H) to connect the Ground Bar with Middle Leg pole(#3).




Step 8 Anchor this storage shelter with L-Shaped Peg (# I) and Spiral Peg (#E) provided.







10' x 15' (Model #SS6607)

Parts List

You'll receive **one (1) box** for this model. Please also pay particular attention to making sure all parts are numbered and graphically indexed as shown on the **Parts List**, so does the quantity for each part. If you need any help, please contact us promptly (maxlead.us@gmail.com) with the **ORDER NUMBER, REQUIRED PARTS (NAME, QUANTITY, AND PART NUMBER), PICTURES (OR VIDEO CLIPS, IF APPLICABLE) ,** we'll get back to help out soon.



Parts List For 10' x 15' (Model #SS6607)


Part Number	Diagram	Description	Quantity (PCS)
#1		Top Diagonal Beam Pole	8
#2		Horizontal Connecting Pole with male end	9
#3		Leg Pole	8
#4		Ground Bar	6
#A		3-Way Connector	6
#B		4-Way Connector	6
#C		Foot Base	8
#D		3-Way Clip	8

Part Number	Diagram	Description	Quantity (PCS)
#D1		4-Way Clip	8
#E		Spiral Peg	4
#F		Bungee Cord	32
#G		M8*45 Bolt And Nut	9
#H		M6*40 Bolt And Nut	13
#I		L-Shaped Peg	16
#J		Guy Rope	4
#K		Roof Cover	1
#K1		Door with Zippers	2
#L		Gloves	2Pairs


Assembly Steps

- Before the assembly, please check to make sure that youlhave all the parts listed on the **Parts List above**.

Step 1 Layout and assemble the roof frame as instructed with the poles (8xpart #1,9xpart #2) and the connectors (6 x part #A, 6 x part #B).




Step 2 Fix all the poles and connectors together by snapping the built-in pins.



Step 3 Assemble the Leg pole.

a) On one side, attach 2x leg pole (#3) to the connectors (#A) and2xle pole (#3 to the connectors (#B), then lift the structure from another side.

b) On the other side,repeat what you've down to attach the rest leg poles(4x#3) to the connectors (#A & #B).




Step 4 Put the Cover (#K) on the roof frame.


IMPORTANT !

The built-in webbing should face down on the front and rear of the corner of the structure.


Please make sure the cover hangs at all four corners equallby.



Step 5 Attach the 2 x Doors with Zippers (#K1) to the Top Diagonal Beam Pole(#1) with Bungee Cords (#F).




Step 6 Secure the Door with Zippers (# K1) to the Leg Pole (#3) with the Buingee Cords (#F), Then Install the Foot Base (# C) with the M8*45 Bolt And Nut (#G).




Step 7 Install Ground Bar

Insert the Ground Bar (#4) into the bottom ground bar cloth. Use 3-Way Clip(#D) and M6*40 Bolt and Nut(#H) to connect the Ground Bar with Side Leg Pole(#3). Use 4-Way Clip(#D1) and M6*40 Bolt and Nut(#H) to connect the Ground Bar with Middle Leg pole(#3).



Step 8 Anchor this storage shelter with L-Shaped Peg (# I) and Spiral Peg (#E) provided.



Maintenance

To help you maintain your party tent in optimal condition, please refer to our suggestions below:

- When in use, make sure to brush off dirt and debris and keep away from potentially damaging objects.
- Clean covers and sidewalls with water and mild detergent (or non-detergent, if applicable) only.
- To prevent your party tent from rust and mildew, please clean all disassembled parts and dry them completely before storing them.
- Store the disassembled party tent in a cool and dry place and keep away from animals.
- Inspect your tent carefully before and after each use. If any rips, tears, or damage is found, stop using it and email the support team (maxlead.us@gmail.com) with the **ORDER NUMBER, PART NUMBER, QUANTITY REQUIRED, and ANY PHOTOS** (**OR VIDEO CLIPS, IF APPLICABLE**), we will get back to you in 24 hours.

Warranty

The **12-month** limited warranty covering the materials and the craftsmanship under normal use and service conditions takes effect from the purchase date (on the invoice). Please note that the order purchase proof (order number or shipping information on the shipping carton) is the only valid evidence to claim for warranty.

Reminder

1. In the event that you failed to access your order information online, we strongly advise you to keep the original packaging and shipping carton(s) because they are treated as a proof of purchase.
2. To get what you need as soon as possible, we strongly suggest you provide all of the following information **at your first inquiry**:
   - Order number
   - Part number
   - Quantity required for each part
   - Pictures (or video clips, if applicable)

Warning

- Damages due to improper use in severe weather conditions, including but not limited to high winds, heavy rain, sleet, snow, etc., will NOT be covered by the warranty.

2506173505