


STEP 2:


- 1.Insert dowels into panel D.
- 2.Attach panel D to panels A & B and secure with feet J.




2

4PCS

1



4PCS Ø 15*12



STEP 3:

- 1.Screw cambolts (2) onto panel F and insert dowels (1) on the tops of panels A & B.
- 2.Attach panel F to panels A & B and secure with camlocks (3).






1PC

9



18PCS Ø 3*12



STEP4:

1.Attach panel E with plastic bar (8) to the partially assembled floor cabinet and secure with screws (9).



4



8PCS Ø 3*12

5




2PCS

6

7





4PCS





STEP 5:

- 1.Attach doors H & I to panels A & B with screws (4).
- 2.Attach knobs (5) to doors H & I with bolts (6).
- 3.Insert shelf pins (7) and rest adjustable shelf G on the shelf pins.









COMPONENTS											
PART	FIGURE	DESCRIPTION	QTY	PART	FIGURE	DESCRIPTION	QTY				
A		Left Side Panel	1PC	В		Right Side Panel	1PC				
С		Fixed Panel	1PC	D		Bottom Panel	1PC				
Е		Back Panel	2PCS	F		Top Panel	1PC				
G		Adjustable shelf	1PC	Н		Left Door	1PC				
I		Right Door	1PC	J		Feet	4PCS				

HARDWAER & TOOLS


D.A.D.	DIGUED	D D G G D I D TI O I I	O.MY.	D.A.D.	DIGUES		O FFIX
PART	FIGURE	DESCRIPTION	QTY	PART	FIGURE	DESCRIPTION	QTY
1	Ø8*30	Wooden Dowel	12PCS	2	# 2 m	Pin	8PCS
3	Ø15*9	Cam Lock	8PCS	4	® 23*12	Flat Head Screw	8PCS
5		Knob	2PCS	6	© Ø4 * 22	Bolt	2PCS
7		Shelf Supporter	4PCS	8		Plactic Bar	1PC
9	™ Ø3*12	Round Head Screw	18PCS	10		Anti—Back Braid	1PC
11	0	Washer	2PCS	12		Plastic Nut	1PC
13	M MMMM ≈4*25	Screw	2PCS				

TOOL NEEDED:



PHILIPS SCREWDRIVER REQUIRED .NOT INCLUDED

SUGGESTION:



TWO PEOPLE FOR ASSEMBLING



WARNINGS:

- 1.DONOT LETANY SHARP OBJECTS TOUCH OR RUB THE SURFACE OF THE PRODUCT.
- 2.WHEB ASSEMBLING DO NOTLET CHILDREN PLAY AROUND THE WORKING AREA.
- 3.PLEASE CONFLRM ALL PARTS ARE CORRECT BEFORE STARTING THE ASSEMBLYPROCESS.
- 4.DO NOT TIGHTEN ALL BOLTS AND SCREWS COMPLETELY UNTIL THE ENTIRELNI-HAS BEEN ASSEMBLED AND SETUP.