

ASSEMBLY INSTRUCTIONS
30INCH BATHROOM VANITY (COMBO)



Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardware. Compare with the parts list to be sure all parts are present.
"DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED"



IMPORTANT:
PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY

Thank you for buying our products.

Please read the installation manual carefully before installation,

we need you to follow the instructions on the accessories and hardware

step by step assembly complete, our instructions are very detailed.

Products are environmentally friendly products,

Please rest assured that you do not soak in water, do not place very heavy items,


do not malicious push and pull,

if you have any problems in the process of assembly and use, please contact us.

Thank you again for your purchase of our products,












I wish you a happy life.

Detail View - CABINET







Identifying the Hardware-Identify the hardware using the illustrations below.







Part List

1  Side Panel (L) - 1pc	2  Side Panel (R) - 1pc
3  Mid Panel - 1pc	4  Drawer Fake (R) - 1pc
5  Drawer Fake (L) - 1pc	6  Top Panel Rear - 1pc
7  Bottom Panel Rear - 1pc	8  Bottom Panel - 1pc
9  Bottom Crossbar Front - 1pc	10  Cabinet Door - 1pc
11  Door Side Panel (L) - 1pc	12  Door Side Panel (R) - 1pc
13  Door Mid Panel - 2pcs	14  Round Bar - 2pcs


Part List


15  Drawer Face - 3pcs	16  Drawer Back Panel - 3pcs
17  Drawer Side Panel (L) - 3pcs	18  Drawer Side Panel (R) - 3pcs
19  Bottom Drawer Panel - 3pcs	20  Sink - 1pc


Hardware List


A  ø13x1/4"x28mm	B  ø13x1/4"x50mm	C  ø1/4"x16x1mm
Hex-Head bolts(4pcs)	Hex-Head bolts(2pcs)	Washer(6pcs)
D  ø6x35mm	E  ø14.5x12mm	F 
Three in one bolts(34pcs)	Three in one lock(34pcs)	Handle (1pc)
G 	H  ø5/32"x20mm	I  ø5/32"x15mm
Handle (5pcs)	Handle screw (1pc)	Handle screw (4pcs)
J  ø5/32"x25mm	K  ø8xø4x25mm	L  ø8xø4x32mm
Handle screw (6pcs)	Round head screw(2pcs)	Round head screw(24pcs)
M 	N  ø7xø3.5x15mm	O  ø8x30mm
Damping hinge (2pcs)	Flat head screw(12pcs)	Wood dowel(30pcs)
P  4mm	Q 	
Allen key(1pc)	Anti fall hardware(1set)	


STEP: 1













STEP: 2


E	O
2PCS	2PCS






STEP: 3

B	C	O
2PCS	2PCS	4PCS




STEP: 4

E	O	K
6PCS	4PCS	2PCS




STEP: 5


O
7PCS




STEP: 6


A	C	E
		
2PCS	2PCS	7PCS








STEP: 7


A	C	E	O
			
2PCS	2PCS	7PCS	7PCS







STEP: 8

G	I
	
2PCS	4PCS




STEP: 9

D

12PCS




STEP: 10

E	O
8PCS	4PCS




STEP: 11

E	O
4PCS	2PCS





STEP: 12


M	N
	
2PCS	4PCS





STEP: 13


F	H	N
		
1PC	1PC	8PCS







STEP: 14

G	J	L
		
3PCS	6PCS	24PCS










x3

STEP: 15




STEP: 16





STEP: 17

Install the sink on the cabinet with glue.
Let stand for 24 hours




*Silicone glue is not included in the package to comply with safety regulations in certain shipping conditions.

STEP: 18






HINGE ADJUSTMENTS




1 Sideways / Tilt adjustment

Turn the screw
clockwise to move the door further away from the side of the cabinet
anticlockwise to move the door closer to the side of the cabinet



2 4 Height adjustment

While supporting the weight of the door, turn the screws
clockwise to move the door up
anticlockwise to move the door down



3 Forward and back adjustment

If the gap between the back of the door and the cabinet is too small, and the door may not close fully. Turn the screw
clockwise to decrease the gap between the door and the cabinet
anticlockwise to increase the gap between the door and the cabinet

