welax

Website:welaxhome.com
Email: support@welaxhome.com


welax

P5 Criss Cross Chair

# Assembly Guide

# Components


01 (×1)



02 (×1)



03 (×2)



04 (×1)



05 (×1)




06 (×5)




07 (×1)



08 (×1)



09 (×1)



10 (×1)






| | | | |
|---|---|---|---|
| A | x5 | M6X14MM |  |
| B | x2 | 5/16X20MM |  |
| C | x2 | 5/16X25MM |  |
| D | x2 | 1/4X30MM |  |
| E | X4 | 1/4X40MM |  |
| F | X4 | 5/16X30MM |  |
| G | X1 | |  |


# Installation

The installation steps are as follows:


Step 1





Step 2





Step 3





Step 4




Step 5




Step 6







Step 7




Step 8 Velcro may scratch your hands




# All Done!

Go ahead, try it out. You may experience what we call an “ahhh” sensation. That's completely normal. You're now well equipped for whatever the work-day throws at you.

Now, don’t be shy. Show us how it looks!

@welaxhome

#officebywelax

# Caution

- Use this product only for seating one person at a time.
- Some screws may be preassembled. if preassembled, ignore assembly instructions.
- Handle cylinders and mechanical components with care.they may contain grease that could stain chair surfaces or clothing if contacted.
- Do not use this chair as a step stool/ladder, or on uneven floor surfaces.
- Do not sit on any part of the chair except the seat.
- Do not use chair unless all bolts, screws, and knobs are tightened.
- Every six months, ensure all bolts, screws, and knobs are fully tightened to maintain stability.
- If any components are missing, damaged, deformed, or worn, discontinue use and repair only with manufacturer-authorized parts.
- Failure to follow these warnings could result in serious injury.



# Contact

Have a question, comment, or suggestion?

Website:welaxhome.com
Email: support@welaxhome.com

welax