


Assembly Manual

Modular Sofa



Thank you for your purchase. Please read this manual carefully before using the product and keep this manual for future reference. The design and/or specifications of this product are subject to change without notice.

If you are reading these instructions, the hard part is already out of the way. Surrounded by all these boxes, you may feel a little overwhelmed. No worries, we will walk you through and you will find the assembly process easy, intuitive and mostly, fun. Here are some tips before you get started.






1.Count the boxes. Check if you have received all boxes using the diagram on the next page. Do not start the assembly process until all boxes are present. If you have not received all boxes or have received the wrong boxes, please contact our customer service and we will get back to you. Do not discard any of the packaging until you are certain that you have all the necessary parts for the assembly.

2.Do not open all boxes at once. Start with Left Arm Box and Left Chair Seat & Backrest Box to assemble the Left Armchair. Then, move on to open the Right Arm Box and Right Chair Seat & Backrest Box to assemble the Right Armchair. Next, assemble the Armless Chair, Corner, and finally, the Ottoman.

3.After the assembly is complete, feel free to enjoy your Brendon Collection as much as you can. However, please ensure that the packaging is disposed of in a safe and environmentally responsible way.

4.For your safety (as well as Brendon's), do not sit on the backrest during and after assembly and never use this sofa as a step ladder.

! Do not start the assembly process until all boxes are present.


2-piece Armless 	Box × 2 CHITA Armless Chair  Armless Chair CHITA Armless Chair  Armless Chair
2-piece Sofa 	Box × 4 CHITA Left Arm  Left Arm CHITA Right Arm  Right Arm CHITA Left Chair Seat & Backrest  Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest  Right Chair Seat & Backrest
3-piece Sofa 	Box × 5 CHITA Left Arm  Left Arm CHITA Right Arm  Right Arm CHITA Left Chair Seat & Backrest  Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest  Right Chair Seat & Backrest CHITA Armless Chair  Armless Chair
4-piece Modular 	Box × 6 CHITA Left Arm  Left Arm CHITA Right Arm  Right Arm CHITA Left Chair Seat & Backrest  Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest  Right Chair Seat & Backrest CHITA Armless Chair  Armless Chair CHITA Ottoman  Ottoman
5-piece Corner Modular 	Box × 8 CHITA Left Arm  Left Arm CHITA Right Arm  Right Arm CHITA Left Chair Seat & Backrest  Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest  Right Chair Seat & Backrest CHITA Armless Chair  Armless Chair CHITA Armless Chair  Armless Chair CHITA Corner Backs  Corner Backs CHITA Corner Seat & Cushions  Corner Seat & Cushions
6-piece Modular 	Box × 8 CHITA Left Arm  Left Arm CHITA Right Arm  Right Arm CHITA Left Chair Seat & Backrest  Left Chair Seat & Backrest CHITA Right Chair Seat & Backrest  Right Chair Seat & Backrest CHITA Armless Chair  Armless Chair CHITA Armless Chair  Armless Chair CHITA Ottoman  Ottoman CHITA Ottoman  Ottoman

Assembly Manual


Left Armchair



Parts




Note: Ensure all parts are present before beginning assembly.




Left Arm PIECES INCLUDED



- 1 Left Arm x 1
- 2 Left Arm Cushion x 1
- 3 Assembly Manual x 1



Left Chair Seat & Backrest PIECES INCLUDED




- 1 Back Cushion x 1
- 2 Seat Cushion x 1
- 3 Left Seat Base x 1
- 4 Left Backrest x 1
- 5 Leg x 8
- 6 Connector x 2

Left Armchair


Step 1

Take out the Left Arm and vacuum-packed Left Arm Cushion from Left Arm Box.



Step 2


Take out the Left Seat Base and Backrest from Left Chair Seat & Backrest Box.



Step 3

Remove the three wood sticks at the base of the seat to take out the hardware pack, vacuum-packed Seat Cushion and Back Cushion, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Assembly Manual


Left Armchair

Step 4


Rotate the Legs firmly.



Left Seat




Left Arm



Left Backrest


Step 5

Slide the Left Backrest into the Left Seat.



Step 6


Slide the Left Arm into the Left Seat and Backrest.



Left Armchair

Step 7

Fluff the Left Arm Cushion, Seat Cushion and Back Cushion, and put them on the Seat Base to complete the assembly of your Left Armchair.



Congratulations!
Left Armchair is ready!

Tips


For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Assembly Manual


Right Armchair



Parts




Note: Ensure all parts are present before beginning assembly.




Right Arm PIECES INCLUDED



- 1 Right Arm x 1
- 2 Right Arm Cushion x 1



Right Chair Seat & Backrest PIECES INCLUDED




- 1 Right Seat Base x 1
- 2 Right Backrest x 1
- 3 Back Cushion x 1
- 4 Seat Cushion x 1
- 5 Leg x 8
- 6 Connector x 2

Right Armchair


Step 1

Take out the Right Arm and vacuum-packed Right Arm Cushion from Right Arms Box.



Step 2


Take out the Right Seat Base and Backrest from Right Chair Seat & Backrest Box.



Step 3

Remove the three wood sticks at the base of the seat to take out the hardware pack, vacuum-packed Seat Cushion and Back Cushion, then open these bags.


⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Right Armchair

Step 4


Rotate the Legs firmly.



Right Seat





Right Arm



Right Backrest



Step 5

Slide the Right Backrest into Right Seat.



Step 6



Slide the Right Arm into Right Seat and Backrest.



Right Armchair

Step 7

Fluff the Right Arm Cushion, Seat Cushion and Back Cushion, and put them on the Seat Base to complete the assembly of your Right Armchair.



Congratulations!
Right Armchair is ready!

Tips


For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 to for details).

Assembly Manual

Armless Chair




Parts




- ① Armless Backrest
- ② Back Cushion
- ③ Seat Cushion
- ④ Armless Seat Base
- ⑤ Leg x 6
- ⑥ Connector x 2

Note: Ensure all parts are present before beginning assembly.





Armless Chair PIECES INCLUDED



- ① Armless Backrest x 1
- ② Back Cushion x 1
- ③ Seat Cushion x 1
- ④ Armless Seat Base x 1
- ⑤ Leg x 6
- ⑥ Connector x 2
- ⑦ Assembly Manual

Step 1

Take out the Armless Seat Base and Backrest from Armless Chair Box.




Armless Chair

Step 2


Remove the three wood sticks at the base of the seat to take out the hardware pack, vacuum-packed Seat Cushion and Back Cushion, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Step 3

Rotate the Legs firmly.




Armless Seat



Armless Backrest

Step 4



Slide the Backrest into the Seat.



Armless Chair

Step 5

Fluff the Seat Cushion and Back Cushion, and put them on the Seat Base to complete the assembly of your Armless Chair.



Congratulations!
Armless Chair is ready!


Tips

For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Corner




Parts





- ❶ Corner Left Back C1
- ❷ Corner Right Back C2
- ❸ Back Cushion x 2
- ❹ Seat Cushion
- ❺ Corner Seat Base
- ❻ Leg x 9
- ❼ Connector x 2

Note: Ensure all parts are present before beginning assembly.




Corner Backs PIECES INCLUDED

- ❶ Corner Left Back C1 x 1
- ❷ Corner Right Back C2 x 1



Corner Seat & Cushions PIECES INCLUDED


- ❶ Back Cushion x 2
- ❷ Seat Cushion x 1
- ❸ Corner Seat Base x 1
- ❹ Leg x 9
- ❺ Connector x 2
- ❻ Assembly Manual



Corner

Step 1


Take out the Corner Left Back (C1) and Corner Right Back (C2) from Corner Backs Box.



Step 2

Take out the Seat Base and vacuum-packed Back Cushions (2 pieces) from the Corner Seat & Cushions Box, and open these bags.

⚠ Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Corner

Step 3


Remove the three wood sticks at the base of the seat to take out the hardware pack and vacuum-packed Seat Cushion, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushions. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushions to return to the original thickness.




Step 4


Rotate the Legs firmly.



Corner Seat




Corner Left Back



Corner Right Back

Step 5


Slide the Corner Right Back (C2) into the side of Seat Base marked with C2.



Corner


Step 6

Slide the Corner Left Back (C1) into the side of Seat Base marked with C1.



Step 7

Fluff the Seat Cushion and Back Cushions, and put them on the Seat Base to complete the assembly of your Corner.



Congratulations!
Corner is ready!

Tips


For now, please keep the Metal Connectors aside and you may need them after you have completed the assembly of all modules (See Page 21 for details).

Assembly Manual

Ottoman




Parts



- 1 Seat Cushion
- 2 Ottoman Seat Base
- 3 Leg x 4




Note: Ensure all parts are present before beginning assembly.





Ottoman PIECES INCLUDED

- 1 Seat Cushion x 1
- 2 Ottoman Seat Base x 1
- 3 Leg x 4
- 4 Assembly Manual



Step 1

Take out the Seat Base from Ottoman Box.




Ottoman

Step 2


Remove the three wood sticks at the base of the seat to take out the hardware pack and vacuum-packed Seat Cushion, then open these bags.

⚠ Remove the sticks one by one. Push the stick down and rotate it towards the corner of the base and pull it out. Do NOT use sharp tools such as knives or scissors to open bags as it could potentially damage the cushion. Please use your hands to gently pull the bags apart. Please allow up to 48 hours for the cushion to return to the original thickness.




Step 3

Rotate the Legs firmly.



Step 4



Remove the velcro protectors on the top of the Seat.



Ottoman

Step 5

Fluff the Seat Cushion and put it on the Seat Base to complete the assembly of your Ottoman.



Congratulations!
Ottoman is ready!

Care Instruction

For Non-removable Areas:

Dust periodically with a clean dust cloth. For spots or smudges, lightly moisten a cloth with water and wipe clean. (Cleaning Code: S).

For Cushion Covers:

- Ⓟ Dry clean only.
- ☒ Do not tumble dry.
- ⚠ Do not bleach.
- 🧊 Iron at low temperature (230°F / 110°C or below).

Bonus Feature

You have now successfully assembled each module. Depending on the number of modules you purchased, you can reconfigure your Brendon set in various arrangements. Once you've selected your preferred configuration, use the provided metal connectors to secure the chairs together and help prevent them from sliding apart.

Step 1: Put the chairs side by side, with the base of the chair facing you.

Step 2: Attach the Metal Connectors by screwing on the legs firmly. You may have a few extra Metal Connectors left over. They are included in case you want to connect additional modules in the future. We recommend storing them in the little zip-top bag in case you decide to expand your Liam later.

Note: Ottoman is a standalone piece and cannot be attached to any chair with Metal Connectors.

