



# Assembly Instructions




# General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are: wood dowels, screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.



- VI. A Phillips head screwdriver is required for the assembly of this product .




- VII. Power tools should not be used to assemble this product.


















- VIII. Drill may be needed for securing product to wall.

# Parts List



# Hardware List


A		Ø10x30mm	Wooden dowel	14	pcs
B		M6x45mm	Bolt	8	pcs
C		M6x35mm	Bolt	16	pcs
D			Flat washer	16	pcs
E			Lock washer	16	pcs
F		Ø4x50mm	Screw	8	pcs
G		Ø4x32mm	Screw	65	pcs
H		Ø4x12mm	Screw	16	pcs
J		Ø5x14mm	Screw	16	pcs
K			Buckle hook	4	pcs
L			Buckle lock	4	pcs
M		M 4	Hex key	1	pc
N			Glue tube	2	pcs
P			Metal plate	2	pcs



Philips head screwdriver required for assembly  
(not included)


*The hardware quantities listed above are required for proper assembly.  
Some extra hardware may also have been included.*

# Step 1




Insert wooden dowel (A) into parts (4,5,6) as per diagram.

## Step 2




Place parts (1,3) into part (2) as per diagram.

# Step 3




Using screw (H) attach Buckle hook (K) to part (2) with Philips head screwdriver as per diagram.

# Step 4




Using screw (H) attach Buckle lock (L) to parts (1,3) with Philips head screwdriver as per diagram.

# Step 5




Insert part (6) into parts (4) ,then using screw(G) secure part (6) to parts (4) with Philips head screwdriver as per diagram.

# Step 6




Insert parts (4,6) to parts (1,2,3) as per diagram.

# Step 7




Using screw (G) attach parts (5,6) to parts (1,2,3) with Philips head screwdriver as per diagram.

# Step 8




Using screw (G) attach part (4) to parts (1,3) with Philips head screwdriver as per diagram.

# Step 9





Using screw (G) attach parts (7) to parts (4,5) , then secure parts (4,5,6) to parts (1,2,3) with Philips head screwdriver as per diagram.

# Step 10



Insert parts (9,10) to part (11) ,then place part (12) to parts (9,10) as per diagram.


# Step 11



x 2


Using screw (F) attach parts (9,10) to parts (11,12) with Philips head screwdriver as per diagram.

# Step 12




Using bolt (B) attach part (8) to parts (11,12) with Hex key (M) as per diagram.

# Step 13




Using screw (G) attach part (9) to part (8) ,then using screw (J) attach metal plate (P) to part (10) with Philips head screwdriver as per diagram.

# Step 14




Using bolt (C) attach lock washer (D) and Flat washer (E) into part (8) to parts (1,2,3) with Hex key (M) as per diagram.

# Step 15




Connect and secure part (13) to part (14) , If necessary , adjustable parts (13,14) turn left or right as per diagram.

# Step 16



Using screw (J) secure part (13) to part(10) with Philips head screwdriver as per diagram.

# Step 17



**Final Assembly**