




STEP 33

The E accessory must be installed below the right glass door, and two plastic sheets must be distributed on both sides of the glass




STEP 34

The H accessory is installed in the middle of the glass door



H*1



Attention:


If the glass is damaged, you can contact us for replacement. If any accessories are damaged or have problems, you can contact us.


ASSEMBLY INSTRUCTION

It would be best if you set aside and organize all pieces & corresponding {nuts/bolts} fist
Please follow the instructions to assemble the items correctly.
Could be assembled by one person, but would recommend two.
Please ensure the safety of the glass when assembling.
Do not make the screws too loose or too tight.
As shown in figure, insert the screw into the hole.
The arrow in the picture, Then rotate 90 or 180 clockwise.
The remaining parts are spare parts.


SAFETY INFORMATION

The accessory bag contains some small accessories, which should be kept away from children.
Kids are not allowed to climb or play with product for safety reasons




A  x110	B  x110	C  x4	D  x4	E  x2	F  x1	G  x4	H  x2
J  x20	K  x36	L  x1	M  x2	N  x2	P  x6	Q  x2	



STEP 1





Attention:
There is no need to connect
the two boards!
Install accessory A in all holes




Not installed






STEP 2





Attention:
17/18 board hole direction!




STEP 3






STEP 4





Install component A first,
insert it into the hole of the
board, and then install component B





STEP 5





STEP 7



STEP 6




STEP 8





After installing accessory A on board 12, insert it into the top hole of board 14, and install accessory B on the side hole

STEP 9





STEP 10

Insert component A of board 5 into the top holes of 1/2/10, and install component B on the back of board 10





STEP 11

Note: The circular hole in the middle of board 5 is located at the top of board 6






STEP 12

This step is to isolate the top and bottom spaces, which can be ignored




STEP 13


The bottom hole of board 15/16 corresponds to accessory A of board 5; Back hole installation B accessory



STEP 14






Install all small empty spaces on board 3 with accessory A, insert accessory A into the side holes of board 1/12/8/5/15, and install accessory B at the same time





STEP 15

Install accessory A on board 4, insert into the side holes of board 15/5/6/2/9/12, and secure with accessory B



STEP 16


Install accessory A into all holes of board 13, insert it into holes 1/2/3/4/14, and fix it with accessory B





STEP 17




Take 4 C accessories and fix them at the bottom of board 13 with K screws





STEP 18




STEP 19





STEP 20




STEP 21




All holes on the back are according to accessory B




STEP 23




Acrylic free door is divided into two and fixed on both sides of the 3rd board with K accessories




STEP 22




There are reserved holes on the side of board 3/4. Place board 26 under board 5 and fix it with K accessories





STEP 24





Fix 2 G fittings on the back of board 7 with K fittings, and fix them on board 8 with K fittings





STEP 25





STEP 27




STEP 26



STEP 28




STEP 29



STEP 30


D accessories need to be installed on both the top and bottom positions of the glass



The two plastic sheets inside the accessory must be installed on both sides of the glass,

STEP 31

Pay attention to the circular metal of the D accessory, insert it into the hole position of the board first, and then install the glass



STEP 32

E accessory elongated metal sheet, fixed in the middle hole position of plate 4 with K accessory

