


Assembly Instructions

CAUTION: You must read this Assembly Instructions before you proceed.





Please look in the Legs for all hardware.

Right Chair






CAUTION: This Chair is NOT a TOY.
Keep your child/children at bay during the assembly process.
Whenever moving/lifting the Chair and to prevent damage to the Chair, two adults are needed to execute these actions.

Part List


Label	Picture	Description	Qty
A		Leg	4
B		Seat Panel	1
C		Backrest Panel	1
D		Seat Cushion	1
E		Back Cushion	2

Hardware

No.	Picture	Description	Qty
①		Bolt (M6x55mm)	9
②		Bolt (M6x40mm)	7
③		Washer (M6.5x2mm)	15
④		Screw (M4x20mm)	9
⑤		Allen Wrench(M4)	2
⑥		Screwdriver (Not provided)	1

Assembly Preparation

Before Beginning Assembly:



- Have 2 adults on hand for assembly-



- Do not assemble on flooring or carpet-




- Assemble on a clean non-marring surface (packing foam)-



- Save all packaging until finished-

Assembly Steps


Overview



FRONT FACING


This Right Chair has multiple parts and may require up to 30 minutes to assemble. To give you an overview of the Right Chair parts, the above picture is provided to help put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.

Step 1



Unpack and place all parts on a clean, non-marring surface.

Step 2




With assistance from your adult partner, place the Seat Panel (B) facedown on a clean, non-marring surface.

Using the Allen Wrench (⑤), attach the Leg (A) into the Seat Panel (B) by using Bolts (①) and Washers (③).

Repeat the same steps with the remaining Legs (A)


DO NOT fully tighten the Bolts.

Step 3




Stand up the assemble in step 2, then using the Allen Wrench (⑤), attach Backrest Panel (C) into assembled Seat Panel (B) as shown above by using Bolts (②) and Washers (③). **DO NOT fully tighten the Bolts.**

Step 4




Secure the Backrest Panel (C) to the assembled Seat Panel (B) by using the Screw (④) and Screwdriver (⑥) as shown in picture above. **DO NOT fully tighten the Screws.**

Step 5




Inspect the Chair and make sure all parts are adequately connected.
Carefully sit onto the Chair. This pressure will help align all parts at all joints.
In a sequential manner, tighten all Bolts and Screws at all joints.
Adjust the Levelers until the Chair is level with the ground.
To adjust the Levelers, get assistance from an adult partner to lift/lean and hold the Chair while you are working.

Step 6



Place the Seat Cushion (D) and the Back Cushions (E) onto the Chair as shown above.
Inspect it and make sure all parts are adequately connected.
Ensure all screws, bolts are fully locked into position and secured.
Your Chair is ready to be used.
This Chair can only be used on a flat, level surface.

Step 7



Note: This is an optional step in case you want to connect all chairs in a set together and should be done before placing the cushions.

With assistance from your adult partners, turn the chair upside down and use the pre - fixed clip to connect the chairs together

Care & Maintenance:

- ⊘  • Prolonged exposure to rain may cause rusting which can stain floors.
- ⊘  • DO NOT put hot items directly on furniture surface.
- ⊘  • DO NOT clean furniture with harsh cleansers or polish.
- ✓  • To obtain the longest lifespan of your outdoor products, minimizing exposure to direct sunlight is recommended.
- ⊘  • Children should not climb or jump on the furniture.
- ⊘  • DO NOT write on furniture without a padded barrier to protect the surface.
- ✓  • To obtain the longest lifespan of your outdoor products, avoid extended and lengthy exposure to rain, snow, and direct sunshine. Whenever possible cover the product and / or place under patio or awnings.
- ⊘  • Not for commercial use. For residential use only.
- ⊘  • Stains may be removed with mild soap solution and damp cloth.
- ✓  • Keep away from sources of ignition.
- ✓  • Dust and pick-up spill using a clean, non-colored, lint-free cloth.