


ISLiFe


K Style Sliding Barn Door Instruction for assembling

Contact Us: info@islifeusa.com



Website: www.islifeusa.com



K Series



K Series



Avoid direct sunlight

Avoid moisture

Avoid rain









Tools Required



- Two-person assembly recommended
- Wear work gloves



Sliding Barn Door Includes:

Board number/Side View	size/pieces	size/pieces	size/pieces	size/pieces	size/pieces	size/pieces
	24in. Wx84in. H	28in. Wx84in. H	30in. Wx84in. H	36in. Wx84in. H	38in. Wx84in. H	42in. Wx84in. H
1# 	2	3	3	4	4	5
2# 	1	1	1	1	1	1
3# 	1	1	1	1	1	1
4# 	2	2	2	2	2	2
5# 	1	1	1	1	1	1
6# 	2	2	2	2	2	2
Hardware Track	5FTx1	5FTx1	5FTx1	6.6FTx1	6.6FTx1	8FTx1
Screws	48	58	58	68	68	78



Installation Tips:

1. Ensure that the groove on panel #5 is facing inside.
2. Ensure all panels are installed with the 45-degree angled surface facing upward.
3. Screws holes are not pre-drilled for the rail. When you install the track, you need to drill holes on the door.
4. For detailed steps on installing the hardware kit, refer to the installation guide included in the hardware kit package.
5. If you have any questions, please contact us at info@islifeusa.com.

K Series




Step 1: Combine panels 1, 2, and 3.
 Step 2: Align panels 4, 5, and 6 with the pre-drilled holes.



Step 3: Tighten all screws until snug.

Note : The quantity of screws holes will vary depending on the size of the products.

Side view:



Note: The quantity of (#1 middle board) will vary depending on the size of the product.