Your furniture purchase is an investment. Here are a few tips to maximize the lifetime of your furniture with a minimum amount of effort. Properly caring for your furniture can help ensure that it looks great year after year.

## **Wood Furniture Maintenance:**

- Always dust, wipe, and clean with the grain of the wood.

   Dust with a soft cloth. Dust will scratch the furniture surface if not removed properly.
- Use the same type of polish consistently as interchanging oilbased and wax-based polishes will cause a build-up and result
- in a foggy or cloudy appearance.

   If a polished surface becomes foggy, rub it with a cloth dipped in a solution of one tablespoon vinegar to one quart of water. Rub softly with the grain until the surface is completely dry.
- Soap and water are not advisable for wood surfaces. Water can penetrate the finish and raise the grain on wood, causing damage
- Remember to change dusting cloths frequently as dirty cloths may scratch your furniture's surface.

## The Enemies of Wood:

- Moisture is wood's worst enemy. Liquid spills should be gently wiped up immediately. Coasters should be used under all
- Do not allow rubber or vinyl materials to lie on the furniture. Chemicals in rubber may leave a stain. Put a strip of felt or leather under accessories that have rubber or vinyl.
- Heat creates a chemical change in the furniture's finish, which results in a white spot. Use protective pads under hot dishes, appliances, etc.
- Sunlight's ultraviolet rays can damage the finish of furniture. Do not place furniture directly against a heater or radiator and do not place in the path of hot streams of air from central heating. This will cause extreme localized drying of the wood.

- **High Gloss Resin Table Maintenance:** Resin tabletops have approximately 1/8" of a resin coat on the top face of the table, which will resist ice, water, wine, liquor, food, cleaning fluids, and warm or hot liquids; however, cups, glasses, etc. containing hot liquids should not be left on the table without a coaster for protection.
- Resin tabletops will scratch just the same as any other glossy surface and basic precautions should be taken.

  For lasting shine, the resin table should be waxed with a car wax
- that does not contain silicon. Maintaining this wax build-up will result in a high gloss shine.
- When wiping down the table, a soft, clean rag should be used. Do not use a heavy paper.

## **Granite Top Maintenance:**

The surface of the granite on your table has been polished or sealed to create a generally non-porous surface. The stone has many natural characteristics including: veining, hairline cracks, and color variations - which make up the stone's

To maintain the beauty of your granite:

- Protect surfaces from scratching, staining and etching by:
- \* Keeping them free of debris or sharp objects
- \* Wiping up spills immediately
- \* Avoiding contact with chemicals (particularly acid-based materials)
- Clean with pH neutral products or those especially formulated for use on stone.
- It is not recommended to use a water-based solvent for dark granite as it will remove the polish from the surface. absorbed into the stone.
- After a period of use, apply a penetrating sealer to prevent contaminants from being
- Remove stains with special absorbent poultices formulated for use on stone.
- Renew the surface on polished granite (granite with a hight gloss surface ) by buffing with special stone polish, powder or cream.

Do not use granite polish on granite with a matte finish, which has been honed rather than polished. (Penetrating sealer may be used on both polished and honed

## Marble Top Maintenance:

Marble may be stone, but it is porous stone and can stain easily. Treating marble surfaces the same as wood surfaces is a great rule of thumb.

- It is recommended to seal the tops on a regular basis (every 6 to 12 months). A good quality stone sealer can be purchased from any tiles/stone store or any homecare store and should be applied according to the manufacturer's recommendation.
- When sealed properly, marble tops can be used indoors and outdoors and can withstand any weather conditions except internal freezing. Snow or freezing rain will penetrate the table and cause cracks.


## Caring for the Fabric on Upholstered Furniture:

- Frequent vacuuming of the entire upholstered area will prevent dust from settling
- Professional cleaning is always recommended for all upholstered pieces.
- Always pre-test a small area of fabric in an inconspicuous area when cleaning before proceeding.
- Do not use cleaning products containing brightening agents.


#### VERY IMPORT DO NOT DO NOT DO NOT NEVER WRITE PLACE USE PLACEMATS USE GLASS CLEANERS DIRECTLY DIRECTLY WITH ON FINISHED SURFACES. IN ON AMMONIA WILL SUNLIGHT RUBBER SURFACE CHEMICALLY ATTACK BASES THE FINISH. PREVENT PREVENT PREVENT DISCOLORING MARKING FADING DO NOT REGULATE DO NOT USE NEVER PLACE HOT COMMERCIAL ALLOW LIQUIDS OF ANY HUMIDITY POTS, ETC. POLISHES CONDITIONS KIND TO LINGER ON ON AND WAXES SURFACES, ABSORPTION SURFACE AT YOUR CAUSES THE WOOD TO HOME WARP AND THE FINISH PREVENT PREVENT PREVENT TO DE-LAMINATE DAMAGE TO YELLOWING SPLITTING FINISH!

# **ASSEMBLY INSTRUCTIONS**

STEP 1: Place the Bench top (A) on the floor with a piece of cloth or carpet underneath to prevent finish from scratching. Attach Leg (B) to Bench top (A) by using Flat Washer (3), Lock Washer (2) and Bolt (1), secure by Allen key (4). Repeat this step for the remaining leg.



STEP 2: Turn the assembled bench in Step 1 to upright position. Product assembly is now complete.




# **PARTS LIST**

No.	Part List		Q' ty
A		Bench top	1
В		Legs	2

# **HARDWARE LIST**

No.	Description		Dimension	Q'ty
1	0	Bolt	Ø 1/4" * 45 mm	10
2	<b>Q</b>	Lock Washer	Ø 1/4" * 13 mm	10
3		Flat Washer	Ø 1/4 " * 19mm	10
4		Allen key	4 mm	1

# PARTS FOR COMPLETE HARDWARE



# **PRODUCT DETAILS**

SEAT BOX FRONT LEG PRODUCT SIZE CARTON SIZE NET WEIGHT GROSS WEIGHT CU.FT. PINE WOOD/MDF VENEER PINE WOOD 67" X 16" X 19" H 64.96" X 18.50" X 9.64"H 19.5 LBS 22.5 LBS 6.43 /1PC