

NOTICE

- * Please make sure that you have all parts indicated and they are in good condition before you begin assembly of this item. Refer to part list and hardware list below for guidance.
- * This item should be assembled on a soft surface to prevent scratching the finish during assembly.
- * This item may require periodic tightening.
- * If you are having difficulty, our friendly Customer Care team is always here to help. Please Email

PREPARATION

- * Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- * If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time: 10 minutes.
- * Tools Required for Assembly (included): Allen key, (Not included): Phillips Screwdriver.


CARE AND MAINTENANCE

WOOD CARE: Adhesive felt pads should always be applied to areas of furniture which make direct contact with flooring, said application will prevent damage to the furniture and or surfaces on which the furniture lies. Objects placed on articles of furniture should rest on nonabrasive material as to prevent damage to the wood finish. Wipe up spills immediately and avoid common hazards such as hot dishes, harsh solvents and abrasives. Cleaning should be done with a soft lint free cotton cloth dampened with water or furniture polish.

UPHOLSTERY CARE: To prevent overall soiling, frequent vacuuming or light brushing is recommended. Cushions and pillows should be turned on a weekly basis. Down-filled cushions should be brushed rather than vacuumed. Spot clean, using a mild water-free solvent or dry cleaning product. Only a professional cleaner should undertake a complete overall cleaning. The use of steam or water-based cleaners may cause excessive shrinking or staining.

Owner Manual

ITEM DIMENSION: 21.8"W x 20.8"D x 37.9"H



WARNING







Weight capacity: 275 LBS

WARNING: DO NOT STAND ON CHAIR

WARNING: DO NOT OVER TORQUE BOLTS


Part List and Hardware List

PIECE	DESCRIPTION	PICTURE	QUANTITY
A	SEAT FRAME		1X
B	CHAIR BACK		1X
C	LEFT FRONT LEG		1X
D	RIGHT FRONT LEG		1X
E	STRETCHER		2X
F	STRETCHER		1X


PIECE	DESCRIPTION	PICTURE	QUANTITY
HW1	Bolt M6x80mm		4X
HW2	Bolt M6x60mm		4X
HW3	Bolt M6x40mm		2X
HW4	Spring washer 6x10mm		10X
HW5	Flat washer 6x16mm		10X
HW6	Screw 4x30mm		6X
HW7	Allen key M4		1X

PREPARATION

- * Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- * If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time: 10 minutes.
- * Tools Required for Assembly (included): Allen key, (Not included): Phillips Screwdriver.
- * If you are having difficulty, our friendly Customer Care team is always here to help. Please email customersupport@safavieh.com




Step 1: Attach Seat frame (A) to the Back chair (B) by using the Allen Key (HW7) to screw in the in the Bolt (HW1), Bolt (HW3) with the washers as shown.



Step 2: Attach the Right Front Leg (D) to the Seat Frame (B) by using the Allen Key (HW7) to screw in the bolts with the washers. Attach the Stretcher (E) to the legs by using a Phillips Screwdriver to screw in the Screw (HW6) as shown.

PREPARATION

- * Before beginning assembly of product, make sure all parts are present. Compare parts with part contents list and hardware contents list.
- * If any part is missing or damaged, do not attempt to assemble the product.
- * Estimated Assembly Time: 10 minutes.
- * Tools Required for Assembly (included): Allen key, (Not included): Phillips Screwdriver.
- * If you are having difficulty, our friendly Customer Care team is always here to help. Please email customersupport@safavieh.com



Step 3: Attach the Left Front Leg (C) to the Seat Frame (B) by using the Allen Key (HW7) to screw in the bolts with the washers. Attach the Stretcher (E, F) to the legs by using a Phillips Screwdriver to screw in the Screw (HW6) as shown.