
GARAGE SIDE PARKING SENSOR



Specifications

SET DISTANCE

Minimum Set Distance: 4.75 in. (12cm) Maximum Set Distance: 15.75 in. (40cm)

DETECTION DISTANCE

Minimum Detection Distance form sensor: 3.5 in. (9cm) Maximum Detection Distance form sensor: 24 in. (60cm)

WARNING LIGHTS

Light Color	Distance
Red + Siren	Set distance to 3.5 in (9cm). from sensor
Flashing Yellow	2 in. (5cm) to set distance
Yellow	6 in. (15cm) to 2 in. (5cm) from set distance
Green	6 in. (15cm) from set distance to 24 in. (60cm) from sensor

OPERATION

Mount Sensor

- Measure top of vehicle wheel well
- Mark garage door track at wheel well height + 12 inches (30cm)
- Center garage door track over marking, rotate and snap into place
- Mount display unit to track mount
- Align display unit with garage door opening

Set Distance

- Place car at desired location
- Press Set Distance Button

Use

- Pull vehicle into the garage
- Vehicle is in the "Safe Zone" when Green, Yellow or Flashing Yellow Lights are on
- Vehicle is in the "Collision Zone" when the Red light with siren is on
- If vehicle is in the "Collision Zone" STOP and readjust the vehicle

POWER SUPPLY

(Must not be used at the same time)

Battery

Type: AA

Quantity: 4 (not included) Runtime: 3-6 months

Battery Level Indicator: Flashes when battery level is below

Wall Outlet

Type: USB Wall charger (plug and cable not included)

Input Port: USB-C Input power: up to 5V 2A

BATTERY LEVEL INDICATOR

- Indicator light flashes when battery level is below 10%

DURABILITY

Indoor Use Only

MATERIALS & PARTS

- ABS plastic body
- Acrylic lens
- i
- Steel mount
- Siren (85+ Db)
- Ultrasonic sensor
- Circuit Board (PCB)
- SMD LEDs
- USB-C Port

DIMENSIONS

Display Unit

Extended: 13.5" x 1.7" x 1.5" (344mm x 42mm x 37mm) Collapsed: 7" x 1.7" x 2.3" (178mm x 42mm x 58mm)

Weight: 5oz (140g)

Garage Door Track Mount

4.6" x 4.5" x 2" (118mm x 115mm x 51mm)

Weight: 4.5oz (130g)

PACKAGING

Dimensions: 7.5" x 4.1" x 2.4" (190mm x 104mm x 60mm)

Weight: 12.5 oz (350g)

OTHER


Designed in USA Manufactured in China Patent Pending

WARRANTY

Length: 1 year



^{**}See instruction sheet for full set up direction



Low Battery Indicator

- Flashes when battery level is below 10%

LOUD Siren 85+ Db

- Alerts user the vehicle mirror will collide with sensor/garage door opening

Set Distance Button

- Controls set distance of car from ultrasonic sensor

Hanging Hole


- To mount sensor using a screw

Battery Door

- Holds 4x AA alkaline or rechargeable AA batteries

USB-C Port

- Provide power to unit





SAFE ZONE

Green – Yellow – Flashing Yellow indicates the vehicle is only 2 inches or less away from the set collision zone

COLLISION ZONE

Red Light and siren indicates the vehicle mirror will strike the garage door opening. User must reposition vehicle.



