

PEXMOR Portable Basketball Hoop System Owner's Manual



WARNING:
IMPROPER INSTALLATION OR
SWINGING ON THE RING MAY
CAUSE SERIOUS INJURY OR DEATH

Notice to assemblers:

All the basketball systems, including those used for displays, must be assembled and ballasted according to instructions. Failure to follow instructions could result in serious injury.





Please read all warnings and cautions. It is recommended to supervise children as they play with this product. This product is to be assembled by adults only!




We appreciate your purchasing one of our many fine products. We assure that you will be very satisfied with your selection.

We recommend at least two adults to install, please prepare 2 adjustable wrenches.


Part list

ID	Description	Qty	Note
A	Adjustable height screw	1	
B	Bolt sets to fasten backboard, rim and backboard racks	2	B1,B2,B3 M8 X 40MM
C	Bolt sets to fix upper end of backboard racks to backboard	2	C1,C2 M8 X 16MM
D	Bolt sets to fasten lower brace assembly to base	2	D1,D2,D3 M8 X 20 MM
E	Bolt sets to fasten lower brace to bottom pole	1	E1,E2,E3 M8 X 100MM
F	Bolt sets to fasten backboard racks and top pole	2	F1,F2,F3 M8 X 80 MM
G	Bolt sets to fasten three poles for each other	2	G1,G2,G3 M8 X 85 MM
H	Spring sets	2	
I	Wheel	2	
J	Top pole cap	1	
K	Tank cap	1	
L	Rim	1	
M	Backboard racks	2	
N	Nets	2	
O	Backboard	1	
P1	Lower Right Strut	1	
P2	Lower Left Strut	1	
Q	Wheel axle	1	
R	Top pole	1	
S	Middle pole	1	
T	Bottom pole	1	
U	Tank	1	






♦Installation Steps:



Two adults required to complete assembly


step 1



1) Tighten the locking screws (G)

2) Insert the Wheel Axle (Q) into Wheel (I), Base(U) and end of Bottom Pole (T) as shown


step 2



1) Fasten Right Brace (P1) and Left Brace (P2) to base (U) with bolt sets (D)


2) Fasten Right Brace (P1) and Left Brace (P2) to the bottom pole section (T) with bolt set (E)

step 3




As shown, bend
Backboard Racks (M)
by hands.

step 4




Fasten the Rim(L)
and 2 Backboard
Racks(M)
simultaneously to the
bottom of Backboard
with bolt sets(B) and
Spring sets(H).

step 5




Fix upper end of backboard
racks to backboard with
bolts set (C)

step 6




Fasten Top Pole (R) to the middle of two Backboard Racks (M) with bolt sets (F)

step 7



Slide the Middle Pole section (S) over the top of the Bottom Pole Section (T) until it is tight

step 8





Slide the Top Pole section (R) with the completely assembled top into the Middle Pole section (S) until you reach the standstill position

Tighten the locking screws (G) and Height Adjustabel screw (A)

Warning! Do not leave assembled unit unattended when empty. (May tip over)

- Install net(N)to the rim(L)as showm



Filing the Base(S) with water or sand to keep steady

!!WARNING!!

FAILURE TO COMPLY WITH THESE WARNINGS COULD RESULT IN INJURY. FAILURE TO COMPLY COULD ALSO RESULT IN PROPERTY DAMAGE.

- Never hang from the rim or climb on the pole as injury or property damage could occur. For these reasons do not perform dunking type activities on this system as it is not designed for such use. Do not allow children to climb on the basketball system.
- Never leave the unit assembled without weight in the tank!
- Check the tank frequently for leaks or a loose cap. Slow leakage could cause the system to tip over unexpectedly and damage the floor if used inside.
- Further check before each use if all fittings and hardware are tight
- Climate, corrosion or misuse could result in system failure.
- This system is not intended for children 3 and under.
- All players must use sufficient guards when playing.
- To store the system: Drain the water from the tank and dismantle the system. Store in a dry ventilated place.
- If technical assistance is required, contact the manufacturer. *Most injuries are caused by misuse and/or failure to follow instructions. Use caution when using the system.*

POLE CARE AND SYSTEM MAINTENANCE:

The live of your basketball system depends on many variables. The climate, exposure to corrosives such as salt, pesticides or herbicides and excessive use or misuse can all contribute to pole failure, which may cause property damage or personal injury.

Check your basketball system frequently for loose hardware, excessive wear and signs of corrosion. For safety reasons and to prolong the life of your basketball system, you must take the following preventive measures:

- Check all nuts and bolts. If any are loose, tighten them.
- Check all parts for excessive wear and tear. If necessary, replace any parts that have been worn or damaged through usage. Contact our customer service department for replacement parts.
- Check all pole sections for visible rust, chipped or cracked paint. If either are present, do the following:
 1. Use an emery cloth to completely remove any rust or chipped paint.
 2. Clean the area with a damp cloth and allow it to dry.
 3. Apply two coats of a rust preventative, high gloss enamel to the area. Allow the paint to dry between two coats.