


ASSEMBLY INSTRUCTIONS

BATH VANITY-CABINET

SKU - N729P536274-275






Thank you for purchasing this quality product. Be sure to check all packing material carefully for small parts which may have come loose inside the carton during shipment. Separate, identify and count all parts and hardware.


Compare with the parts list to be sure all parts are present.

DO NOT TIGHTEN SCREWS UNTIL COMPLETELY ASSEMBLED



* Use of power tool to assemble this product will invalidate any claim and damage this product making unsafe !!!
* Please assemble on a clean soft surface to avoid damage.



Tools Required



(Not included)



(Not included)

IMPORTANT:

PLEASE READ INSTRUCTION BEFORE STARTING THE ASSEMBLY

PLEASE DO NOT RETURN TO STORE



**Please do not return this product to the retailer!!
We are able to assist you in ANY way**

If you find that you have any trouble with assembly or missing or damaged parts please contact the seller.










Before Installation


Important – Please read these instructions fully before starting assembly

Thank you for purchasing this quality product. Be sure to check all packing materials carefully for small parts, which may have come loose inside the carton during shipment. Identify and count all items according to the PARTS LIST and/or HARDWARE LIST shown below. Check you have all the components and tools listed on the following pages.

- We recommend that you assemble this product with the assistance of another person; this will make the assembly easier, and will help eliminate damage to the product or injury to persons during assembly.
- Please do not over tighten screws or bolts until the assembly is completed.
- Keep children and animal away from the work area, small parts could choke if swallowed.
- Please put all parts on a non-abrasive floor before assembly, and follow the assembly steps to assemble your newly purchased product correctly and efficiently.










Cam Lock Assembly Instructions

		Insert Cam Bolt into hole as shown in diagram A.	
		Make sure not to insert the Cam Bolt: Too deep as shown in figure B as this will cause the Cam Lock to be misaligned and unable to interlock properly.	
		Also avoid inserting the Cam Bolt too close to the surface of the hole as shown in figure C, as this will cause the Cam Lock to be too loose, and not interlock properly.	
			Connect the panels together.
			Insert the Cam Lock so the side opening fits over the head of the Cam Bolt.
			To tighten the Cam Lock, turn it clockwise on half a turn with a flat screwdriver. <i>*Do not use an automatic screwdriver as it may bend or break if too much power is imposed.</i>













Note: Don't tighten all screws during installation.


Componets A ▲ N729P536274



1  1PC	4  1PC	5  1PC	6  1PC
7  1PC	8  1PC	9  1PC	11  1PC
19  1PC			


Componets B ▲ N729P536275



2  1PC	3  1PC	10  1PC	12  3PCS
13  3PCS	14  3PCS	15  3PCS	16  3PCS
17  1PC	18  1PC		


Componets N729P536275



A	X45+1	B	X45+1	C	X28+1	D	X4
							
Ø6x34mm		Ø15x9.5mm		Ø6x30mm		Ø35mm	

E	X24+1	F	X1	G	X5	H	X10
							
Ø8x15mm						5/32"*19mm	

I	X2	J	X4	K	X4	L	X22+1
							
						Ø4x12mm	

M	X18	N	X13	O	X3	P	X2
							
Ø4x10mm		Ø8x35mm		Ø8x25mm		Ø8*40mm	

Q	X2
	
Ø5x55mm	

R	X 3SET
 R-1 12"x45mm  R-2	
Accessories	


Step 1

INSTALLATION STEPS




Press the plastic part in the indicated direction to separate drawer runner R-1 and R-2 before assembling.

REMARK:



Please grip the R-1 part while sliding the R-2 part







Step 2





Step 3



Step 4







Step 5





Step 6





Front







Step 7






Step 8




Step 9




Step 10





Step 11







Step 12




Step 13




Step 14








Step 15








Step 16







Step 17




Step 18





Step 19




Step 20






x3





Step 21




x3








Step 22






Step 23







Step 24






Step 25







Step 26



Step 27






When the hinges are installed, you can refer to the pictures to adjust crevice of the doors till it's perfect







1. To adjust the doors up and down, please refer to step (A)
2. To adjust the distance between the doors and side panels, please refer to (B)
3. To adjust the gap between two doors, please refer to step (C)
4. After the adjustment finished, please tight the screws, refer to step (D)

Step 28




When the hinges are installed, you can refer to the pictures to adjust crevice of the doors till it's perfect




1. To adjust the doors up and down, please refer to step (A)
2. To adjust the distance between the doors and side panels, please refer to (B)
3. To adjust the gap between two doors, please refer to step (C)
4. After the adjustment finished, please tight the screws, refer to step (D)


Step 29




Step 30



Step 31



Step 32




Step 33

***Note:** Clean area where the vanity will be permanently located prior to beginning installation, ensuring the vanity will not interfere with any water supply and drain lines once mounted.

*** With the help of another adult, carefully place vanity against the wall in its final location. From inside vanity, drill hole through vanity mounting area and into wall studs. Using mounting hardware (P) appropriate for your installation site, secure vanity to wall stud**

*** WARNING**


Vanity **MUST** be secured to wall




Step 34

Note: At this stage it may be easier to install the faucet and drain kit (not included) to top (19) per the manufacturer's instructions.


* Apply stain free silicone or latex silicone caulk (not included) to the top edge of vanity. With the help of another adult, gently lower top (19) onto the vanity. Wipe away any excess caulk with a soft cloth, and wait approximately 24 hours for it to dry.



Step 35




HINGE ADJUSTMENTS




① Sideways / Tilt adjustment

Turn the screw
clockwise to move the door further away from
the side of the cabinet
anticlockwise to move the door closer to the
side of the cabinet



② ④ Height adjustment

While supporting the weight of the door, turn the
screws
clockwise to move the door up
anticlockwise to move the door down



③ Forward and back adjustment

If the gap between the back of the door and the
cabinet is too small, and the door may not close
fully. Turn the screw
clockwise to decrease the gap between the
door and the cabinet
anticlockwise to increase the gap between the
door and the cabinet

