


INSTALLATION



Product Manual

Version: 690030US-01-26A-PF




IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product. follow the manual thoroughly and keep it for further reference.





AVOID SCRATCHES!

In order to avoid scratching this furniture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.



ANTI-TOPPLE WARNING !


Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !




It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.

For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.




Please prepare the following tools



When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

A x 110



M5 x 42 mm

B x 110



Ø 15 x 10 mm

C x 31



M5 x 40 mm

D x 18



Ø 6 x 40 mm

E x 94



M3.5 x 12 mm

F x 22



M6 x 12 mm

G x 10



M6 x 30 mm

H x 8




M6 x 40 mm

I x 2




M6 mm

J x 3




38 x 20 x 25 mm


K x 1



L x 2




M x 4



ZW

N x 4



DW

O x 10




x 1







#4

x 1




12mm


10mm



x2




33 x 4



3508-12"

34



2AC+3USB

35




Ø 30 mm

⚠ WARNING

Children have died from furniture tipover. To reduce the risk of furniture tipover:

- ALWAYS install Anti-tip device provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.

*This is a permanent label.
Do not remove!*




ASSEMBLED BY 2 ADULTS

**Slides Must Be Separated Before Assembly.
After Separated, Set Aside Until Needed for Assembly.**


Las diapositivas deben separarse antes del montaje.
Después de la separación, déjelo a un lado hasta que sea necesario.

Les glissières doivent être séparées avant l'assemblage.
Après la séparation, mettez de côté jusqu'au moment de l'assemblage.



1

A x 4




M5 x 42 mm



B x 4










Ø15 x 10 mm




Screw eccentric rod (A) onto plate 21.
Connect plate 22 to plate 21, then insert the
eccentric wheel (B) and turn it clockwise to
tighten.



2



Screw eccentric rod (A) onto plate 4.
Connect plate 22 to plate 4, then
insert the eccentric wheel (B) and turn
it clockwise to tighten.





3

E x 12
M3.5 x 12 mm





J x 3
38 x 20 x 25 mm




Secure bracket (J) to plates 4 and 21 using screw (E).

4



A x 4
M5 x 42 mm






Screw eccentric rod (A) onto **both sides of** plate 11.




 **Flip 180°**



5




Connect plate 16 to plate 11, then insert the eccentric wheel (B) and turn it clockwise to tighten.




6



C x 2
M5 x 40 mm





Secure plate 11 to plate 4 using screw (C).




7

A x 4  M5 x 42 mm	H x 4  M6 x 40 mm	x 1  #4	
--	--	--	---





Screw eccentric rod (A) onto plate 13.
Secure steel tube 1 to plate 13 using
bolt (H).




8

A x 4
M5 x 42 mm



Screw eccentric rod (A) onto plate 13.





9


B x 4








Ø 15 x 10 mm



Connect plate 12 to plate 13, then insert the eccentric wheel (B) and turn it clockwise to tighten.



10




Screw eccentric rod (A) onto plate 14.

11




B x 4



Ø 15 x 10 mm



Connect plate 14 to plate 13, then insert the eccentric wheel (B) and turn it clockwise to tighten.




12



B x 14



Ø 15 x 10 mm




Connect plate 14 to the assembly unit,
then insert the eccentric wheel (B) and
turn it clockwise to tighten it.



13

A x 2




M5 x 42 mm



C x 8



M5 x 40 mm



Screw eccentric rod (A) onto plate 19.
Secure plates 19 and 20 to plate 18 using
screw (C).



14

F x 2



M6 x 12 mm



K x 1



x 1




#4



Secure bracket (K) to plates 11 and 18 using bolt (F).

Connect plate 15 to plate 19.




16

B x 2








Ø15 x 10 mm



C x 5



M5 x 40 mm






Secure plate 15 to plate 12 using screw (C). Insert the eccentric wheel (B) into plate 15 and turn it clockwise to tighten it.



17

A x 16
M5 x 42 mm



Screw eccentric rod (A)
onto plates 5, 6, 7, and 8.

18

B x 16






Ø 15 x 10 mm



D x 8



Ø 6 x 40 mm






Connect plates 5 and 7 to plate 9, connect plates 6 and 8 to plate 10, and insert the eccentric wheel (B), then turn it clockwise to tighten.



19

A x 16
M5 x 42 mm



Screw eccentric rod (A) onto plates 6, 8, and 10.

20

B x 11







Ø 15 x 10 mm

D x 4






Ø 6 x 40 mm



Connect plates 6, 8, and 10 to the assembly unit, then insert the eccentric wheel (B) and turn it clockwise to tighten.

21

A x 16
M5 x 42 mm



Screw eccentric rod (A) onto plates 5, 7, and 9.

22

B x 11







Ø 15 x 10 mm




D x 4



Ø 6 x 40 mm



Connect plates 5, 7, and 9 to the assembly unit, then insert the eccentric wheel (B) and turn it clockwise to tighten.





23


B x 10



Ø 15 x 10 mm



Insert the eccentric wheel (B) into plates 4 and 21, and turn it clockwise to tighten.



24

F x 8




M6 x 12 mm

x 1





#4



Secure steel tube 1 to plates 9 and 10 using bolt (F).

25

F x 4  M6 x 12 mm	G x 6  M6 x 30 mm	I x 2  M6 mm	x 1  #4	x 1  10mm 12mm	
--	--	---	---	---	--





First, secure steel tube 2 to plate 16 using bolt (G).

Next, secure steel tube 2 to plates 9 and 10 using bolt (F).

Secure steel tube 2 to plate 11 using bolt (G) and nut (I).

26







O x 10



shorter

mid.

longer



Need Two or More Adults to Complete



Peel off the protective film from the light strip and attach the "Mid" end of the light strip to the underside of plate 19. Tilt the cabinet slightly upward, attach the "longer" end of the light strip to the underside of plate 4, and use clip (O) to secure the light strip's connecting wire to plate 10.

27

E x 2



M3.5 x 12 mm



Secure outlet 34 to plate 10 using screw (E).
Install the wire hole cover 35 into plate 10.

28

G x 4




M6 x 30 mm

x 1



#4



Secure plate 17 to plates 9 and 10 using bolt (G).
Pay attention to the orientation of plate 17.

29

F x 4



M6 x 12 mm


L x 2



x 1



#4





Secure bracket (L) to plates 9 and 10 using screw (F).

30


E x 4



M3.5 x 12 mm



Secure slide rail 33-1 to plate 17 using screw (E).





31


E x 6



M3.5 x 12 mm



Secure slide rail 33-1 to plates 11 and 15 using screw (E).






32


E x 6



M3.5 x 12 mm






Secure slide rail 33-1 to plates 11 and 15 using screw (E).




33


A x 10
M5 x 42 mm



Screw eccentric rod (A) onto plate 3.




34

B x 10  Ø 15 x 10 mm	D x 2  Ø 6 x 40 mm	F x 4  M6 x 12 mm	H x 4  M6 x 40 mm	x 1  #4	
---	---	--	---	--	---



Connect plate 3 to the assembly unit using wooden dowel (D), and insert the eccentric wheel (B), then turn it clockwise to tighten. Secure bracket (L) to plate 3 using bolt (F). Secure steel tube 1 to plate 3 using bolt (H).

35




Peel off the protective film from the light strip and attach the shorter end of the light strip to the underside of plate 3.




Pay attention to the difference between the middle parts of the two types of door hinges.

- The large curved door hinges(N) are used on the outermost left and right door plates
- And the small curved door hinges(M) are used on the middle door plates







M



N

37

N x 4  DW	E x 8  M3.5 x 12 mm	
--	--	---





Secure hinge (N) to plate 23 using screw (E).

38


E x 16



M3.5 x 12 mm




Secure plate 23 to plates 5 and 6 via hinges using screw (E).



39

M x 4




ZW


E x 8





M3.5 x 12 mm



M



N



x2


Secure hinge (M) to plate 23 using screw (E).

40

E x 8




M3.5 x 12 mm






Secure plate 23 to plate 1 via hinges
using screw (E).



M



N




41


E x 8




M3.5 x 12 mm





M



N



Secure plate 23 to plate 11 via hinges using screw (E).





42

C x 16




M5 x 40 mm



First, secure plates 27 and 28 to plate 29 using screw (E).
Then insert plate 31 into the available slots.
Secure plates 27 and 28 to plate 30 using screw (E).
Then insert panel 32 into the available slots.

43

A x 8










M5 x 42 mm

B x 8



Ø 15 x 10 mm




x2

Screw eccentric rod (A) onto plates 24 and 26.
Connect plates 24 and 26 to plates 27 and 28, then insert the eccentric wheel (B) and turn it clockwise to tighten.

44

A x 8







M5 x 42 mm

B x 8



Ø15 x 10 mm



x2



Screw eccentric rod (A) onto plate 25.
Connect plate 25 to plates 27 and 28, then insert the eccentric wheel (B) and turn it clockwise to tighten.

45


E x 16




M3.5 x 12 mm



Secure slide rail 33-2 to plates 27 and 28 using screw (E).



46





Install the drawers into the unit.

If the door panels are not aligned, please adjust the screws on the hinges according to the illustration.

Or you can search this link to view the teaching video.

<https://youtu.be/n0Lb36SoODM>



WARRANTY

WARRANTY CLAIMS

- There is a 30-day warranty for broken furniture or any other problems that do not work properly. The warranty will start from the date of purchase which must be verified by proof of purchase.
- Before making a claim, we may be able to answer your query, simply call us. Please leave your purchase order number, along with some details of the problem, if you want a replacement part. We will arrange within 48 hours. If there is out of stock, we will reply with a shipping date.
- The product must be used in accordance with the instructions provided. For health reasons.
- For other reasons, if the furniture needs to be returned, it must be cleaned and dried and operated within 30 days of receipt.

Type of Warranty Claim

- Failure to follow the furniture instructions will invalidate the warranty. Attention please.
- Does not include damage during installation, but includes damage during transportation.

Scope of responsibility

- Shall not bear any responsibility for misuse or user damage and / or loss of parts during the installation of furniture.
- After using, the damage and scratches of the furniture are not covered by the warranty.

The Warranty Relates to All Bought in The Us and Covers The Following Areas

- Sheet parts: 1 month from the date of purchase.
- Electrical parts: 1 month from the date of purchase.

RETURNS

CHANGED YOUR MIND AND NEED TO RETURN YOUR ITEM?

PLEASE FOLLOW THE BELOW INSTRUCTIONS:

- If you have purchased and have simply changed your mind, follow the retailer's instructions for returns.

DEFECTIVE ITEMS

- If your item is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please call us.

DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer, then we suggest the delivery is refused. If the delivery has been accepted and then shipping damage is found, please follow the specific instructions advised by the retailer.
In all circumstances please save all packaging material and paperwork for the order. Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you jeopardise your chances of making a claim, and you may not receive a credit for the return.

AFTER-SALES CONTACT



adelahu@fufugaga.com



208-820-0068