



# Devonshire® | K-10391-AK

Single-function showerhead, 2.5 gpm

## Features

- Single-function showerhead with 5-15/16" (151 mm) diameter sprayface
- Optimized sprayface for maximum performance
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- 2.5 gpm (9.5 lpm) maximum flow rate



1-800-4KOHLER (1-800-456-4537)  
Kohler Co. reserves the right to make revisions without notice to product specifications.  
For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada.  
7-29-2026 20:34 - US-CA

THE BOLD LOOK  
OF **KOHLER**®

---

## Codes/Standards

ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992

---

## Technical Information

*All product dimensions are nominal.*

### Flow Rate

Shower/Rainhead Rated      2.5 gpm (9.5 l/min)  
Maximum Flow:

---

## Recommended Products/Accessories

K-7397 Shower arm and flange, 7-1/2" long  
K-23723 Faucet cleaner

---

## Technology


- Katalyst® air-induction technology infuses water with air, creating bigger drops for a more powerful spray
- 

## Warranty

*See website for detailed warranty information.*

KOHLER® Faucet Lifetime Limited Warranty





## Installation

- 1/2" -14 NPT connection

## Installation Notes

*Install this product according to the installation instructions.*

