






Console Table Coffee Color





Care: Use a soft clean cloth that will not scratch the surface when dusting. Use of furniture polish is not necessary. Should you choose to use polishes, test in an inconspicuous area first. Use of solvents of any kind may damage your furniture's finish. TO clean, simply use a soft clean cloth moistened with lukewarm water, then buff with a dry soft clean cloth.

PART LIST


A 	B 	C 
Top 1 PC	Shelf 2 PCS	Long Stretcher 6 PCS
D 	E 	
Short Stretcher 6 PCS	Leg 4 PCS	

HARDWARE LIST


1  Ø1/4*1-3/8"	2  Ø1/4*1/2"	3  4*4
Long Hex Socket Head Bolt 30 PCS	Short Hex Socket Head Bolt 24 PCS	Allen Wrench 1 PC

NOTE: Please do not fully tighten bolts until unit is fully assembled.


Step 1: Attach long stretchers (part #C) and short stretchers (part #D) to top (part #A) by using long hex socket head bolts (#1) and allen wrench (#3).



Step 2: Attach long stretchers (part #C) and short stretchers (part #D) to shelves (part #B)x2 by using long hex socket head bolts (#1) and allen wrench (#3).




Step 3: Attach legs (part #E) to top (part #A) by using short hex socket head bolts (#1) and allen wrench (#3).




#2  x 6

Step 4: Attach shelf (part #B), long stretchers (part #C) and short stretchers (part #D) to legs (part #E) by using short hex socket head bolts (#2) and allen wrench (#3).




#2  x 6

Step 5: Attach shelf (part #B), long stretchers (part #C) and short stretchers (part #D) to legs (part #E) by using short hex socket head bolts (#2) and allen wrench (#3).




#2  x 6

Step 6: Attach leg (part #E) to top (part #A) and shelves (part #B) by using short hex socket head bolts (#2) and allen wrench (#3).




#2  x 6

Step 7: Tighten all the bolts completed by using allen wrench (#3).



Step 8: Turn the unit upright.



Limited Manufacturers Warranty